

## HEALTH & SAFETY DATA

DATE OF ISSUE: 20<sup>th</sup> December 2006

### **1/ IDENTIFICATION OF PREPARATION AND COMPANY**

PRODUCT NAME: ACRYLIC FLOOR PAINT  
MANUFACTURER: BEDEC PRODUCTS LTD.  
TEL: 01279 876 657  
FAX: 01279 876 008

#### **DESCRIPTION AND INTENDED USE:**

INTERIOR PAINT FOR CONCRETE AND WOOD FLOORS

### **2/ COMPOSITION**

COMPOSITION

PIGMENTATION	TITANIUM DIOXIDE & NON TOXIC INERT PIGMENTS & EXTENDERS
BINDER	ACRYLIC COPOLYMER EMULSION
SOLVENT	WATER

### **3/ HAZARD IDENTIFICATION**

This product has been assessed under the CHIP Regulations and is classified as follows:

Indication(s) of Danger - None

### **4/ FIRST AID MEASURES**

PROVIDE THIS DATA SHEET IF TREATMENT IS NEEDED.

In all cases of doubt, or where symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

#### **INHALATION**

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped administer artificial respiration. Give nothing by mouth. If unconscious place in the recovery position. Seek medical advice

#### **SKIN CONTACT**

Remove contaminated clothing, wash skin thoroughly with soap and water, or use a proprietary skin cleanser. Do not use solvents or thinners. Seek medical advice if symptoms persist.

#### **EYE CONTACT**

Remove contact lenses. Irrigate copiously with clean, fresh water for at least 10 minutes, holding lids apart. Seek medical advice.

#### **INGESTION**

If accidentally swallowed, DO NOT INDUCE VOMITING. Keep at rest and obtain medical attention.

### **5/ FIRE FIGHTING MEASURES**

Extinguishing media: Recommended - alcohol resistant foam, CO2, powders.

Not to be used - waterjet.

Recommendations : Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Fire fighters should wear self-contained breathing apparatus.

Closed containers exposed to fire should be cooled with water. Do not allow run-off from fire-fighting to enter drains or water-courses.

### **6/ ACCIDENTAL RELEASE**

CONTAIN AND COLLECT SPILLAGE USING SAND OR EARTH. DO NOT ALLOW TO ENTER DRAINS.

Exclude non-essential personnel.



### **9/ PHYSICAL AND CHEMICAL PROPERTIES**

EXPLOSIVE LIMITS VOL./VOL.	NOT APPLICABLE
DRY SPRAY MISTS/DUSTS.	NOT APPLICABLE
PROPERTIES OF THE PRODUCT	
PHYSICAL STATE:	LIQUID
SOLUBILITY IN WATER:	SOLUBLE
pH:	7 - 10
DENSITY:	1.0 - 1.5 KG./LITRE
FLASHPOINT:	NOT APPLICABLE

### **10/ STABILITY AND REACTIVITY**

CONDITIONS TO AVOID: Extremes of temperature.

STABILITY - STABLE

INCOMPATIBILITY - STRONG OXIDISING AGENTS, CONCENTRATED NITRIC AND SULPHURIC ACID.

HAZARDOUS DECOMPOSITION AND COMBUSTION PRODUCTS - LIQUID PRODUCT WILL NOT BURN DRIED FILM WILL PRODUCE SMOKE, CARBON DIOXIDE AND OR CARBON MONOXIDE.

### **11/ TOXICOLOGICAL INFORMATION**

There is no data on the product itself. The product has been assessed following the conventional method in the CHIP Regulations and is classified for toxicological hazards accordingly. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term details of the resulting hazard classification.

EYES:- CAN CAUSE EYE IRRITATION

SKIN:- REPEATED OR PROLONGED EXPOSURE DEFATS THE SKIN AND MAY CAUSE DERMATITIS IN SENSITIVE INDIVIDUALS. SKIN CONTACT SHOULD THEREFORE BE AVOIDED.

INGESTION:- LOW ORDER OF TOXICITY ALTHOUGH PRODUCT SHOULD NOT BE SWALLOWED.

INHALATION:- MAY PRODUCE SYMPTOMS OF HEADACHE AND NAUSEA IN POORLY VENTILATED AREAS. WHERE THE PRODUCT IS BEING HEATED, DRIED OR SPRAYED SUFFICIENT VENTILATION SHOULD BE PROVIDED.

### **12/ ECOLOGICAL INFORMATION**

BIO-ACCUMULATION: NOT TESTED

ECOTOXICITY: SPILLAGE'S SHOULD NOT BE WASHED INTO ANY DRAIN UNLESS IT LEADS TO A SUITABLE EFFLUENT TREATMENT PROCESS. SPILLAGE'S SHOULD NOT BE ALLOWED TO ENTER ROUTES TO WATERWAYS.

### **13/ DISPOSAL**

Wastes, including emptied containers, should be disposed of in accordance with national regulations.

EUROPEAN WASTE CATALOGUE CODES (See 2000/532/EC)

Product as supplied: Assigned as non-hazardous waste code 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

Part-used containers, containing dried residues of the supplied product: Assigned as non-hazardous waste code 08 01 12 waste paint and varnish other than those mentioned in 08 01 11

Used containers, rigorously scraped out and containing dried residues of the supplied product: Assigned as non-hazardous waste code 15 01 02 plastic packaging OR non-hazardous waste code 15 01 04 metal packaging

"Rigorously scraped out" means removing the maximum amount of product from the container by physical or mechanical means (draining or scraping) to leave a residue or contamination that cannot be removed by such means.

These codes have been assigned based on the actual composition of the product both as supplied and as dried residues. If mixed with other wastes, the waste codes quoted may not be applicable.

**BEDEC PRODUCTS LTD.**  
**Surface Coating Specialists**



**UNITS 1 & 2, POPLARS FARM, AYTHORPE RODING, DUNMOW, ESSEX CM6 1RY**  
**TEL: 01279 876 657 FAX: 01279 876 008 email: [info@bedec.co.uk](mailto:info@bedec.co.uk) Web site [www.bedec.co.uk](http://www.bedec.co.uk)**

**14/ TRANSPORT**

Transport within user's premises:

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

NOT CLASSED AS HAZARDOUS

**15/ REGULATORY INFORMATION**

SI 1984/1985 : OBSERVE THE CLASSIFICATION, PACKAGING AND LABELLING OF DANGEROUS SUBSTANCES REGULATIONS.

This product has been assessed under the CHIP Regulations and is classified as follows:

Named Substances – None

Indication of danger – None

Symbol Letters – None

**16/ OTHER INFORMATION**

NONE

ALTHOUGH EVERY EFFORT SO FAR AS REASONABLY PRACTICABLE HAS BEEN MADE TO ENSURE AT THE DATE OF ISSUE THE ACCURACY OF THE INFORMATION PROVIDED HEREIN, BEDEC PRODUCTS LTD. GIVES NO WARRANTY THAT THE INFORMATION IS ACCURATE AND SHALL IN NO CIRCUMSTANCES BE LIABLE TO ANY PERSON IF IT IS NOT. THE CUSTOMER MUST SATISFY HIMSELF AS TO THE SUITABILITY AND FITNESS FOR HIS PURPOSES OF ANY ARTICLES SUPPLIED BY BEDEC PRODUCTS LTD.