

# Safety data sheet

## Isonit Roofpainting Gl. 12,20,50

### 1. Identification of the substance/preparation and of the company/undertaking

Registration number: Ikke anmeldelsespligtig  
Revision: 30-10-2007/ EP  
Replaces: 18-10-2004

**Product use:** Paint for roofs.

Distributor:  
**Iso Paint Nordic A/S**  
Tværvej 8  
6640 Lunderskov

**Tel:**Nødtlf. 76333114 åben mandag-torsdag kl. 8-16  
fredag kl 8-15 **Fax:**76333115  
**Emergency telephone number: 76333114**  
The emergency telephone is open between 8 a.m. and 4 p.m.  
**Contact person:**Nina Reinert  
**Email:** lab@isopaint.dk

### 2. Hazards identification

The product shall not be classified as hazardous according to the national classification and labelling rules.

#### Additional information

May cause slight irritation to the skin and eyes.

### 3. Composition/information on ingredients

Einecs no.	CAS No.	Substances	Classification	w/w%
		Contains no substances subject to reporting requirements.		
<i>Please see section 16 for the full text of the R-phrases</i>				

### 4. First aid measures

#### Inhalation

Seek fresh air. Seek medical advice in case of persistent discomfort.

#### Ingestion

Rinse mouth thoroughly and then drink plenty of water. Seek medical advice if symptoms persist.

#### Skin

Remove contaminated clothing. Wash skin with soap and water.

#### Eyes

Flush immediately with water (preferably using eye wash equipment) for at least 5 minutes. Open eye wide. Remove any contact lenses. Seek medical advice if symptoms persist.

#### Burns

Flush with water until pain ceases. Remove clothing that is not stuck to the skin – seek medical advice/transport to hospital. If possible, continue flushing until medical attention is obtained.

#### Other information

When obtaining medical advice, show the safety data sheet or label. Symptoms: See section 11.

### 5. Fire-fighting measures

The product is not directly flammable. Avoid inhalation of vapour and flue gases – seek fresh air.

### 6. Accidental release measures

Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains. Contain and absorb spill with sand, cat litter or other absorbent, non-combustible material and transfer to suitable waste containers. See section 13 for instructions on disposal.

Revision: 30-10-2007/EP  
Replaces: ; Replaces: 18-10-2004

## Isonit Roofpainting Gl. 12,20,50

### 7. Handling and storage

#### Handling

See section 8 for information about precautions for use and personal protective equipment.

#### Storage

Store safely, out of reach of children and not together with food, animal feeding stuffs, medicines, etc. Store cold, but frost-free.

### 8. Exposure controls/ personal protection

#### Precautions for use

No special requirements.

#### Respiratory protection

Not required.

#### Gloves and protective clothing

Plastic or rubber gloves recommended.

#### Eye protection

Wear safety goggles if there is a risk of eye splash.

#### Occupational exposure limits

Contains no substances subject to reporting requirements.

### 9. Physical and chemical properties

Appearance: liquid

Odour: weak

pH (concentrate): 8,5-9,5

Relative density (g/ml): 1,2-1,3

Solubility in water (g/100 ml): 100

### 10. Stability and reactivity

The product is stable when used in accordance with the supplier's directions.

### 11. Toxicological information

#### Acute

##### Inhalation

The product does not release hazardous vapours.

##### Ingestion

Ingestion may cause discomfort.

##### Skin contact

May cause slight irritation.

##### Eye contact

Temporary irritation.

#### Long-term effects

None known.

Revision: 30-10-2007/EP  
Replaces: ; Replaces: 18-10-2004

## Isonit Roofpainting Gl. 12,20,50

### 12. Ecological information

Avoid discharge to drain or surface water.

#### Ecotoxicity

By analogy to similar products, the product is not expected to be toxic to aquatic organisms.

#### Mobility

Mixable with water. May spread in the aquatic environment.

#### Persistence and degradability

Readily biodegradable.

#### Bioaccumulative potential

The product is not bioaccumulable.

### 13. Disposal considerations

Not considered as special waste according to Commission decision as regards the list of wastes 2001/118/EC. Contact the local authorities.

Absorbing solution polluted with the product:

EWC code: 15 02 03 Absorbents, filter materials, wiping cloths and protection clothing other than those mentioned in 15 02 02.

### 14. Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR and IMDG.

### 15. Regulatory information

**Hazard designation:** It has been assessed that the product need not be classified according to the national classification and labelling rules.

#### Other labelling

None.

#### Volatile organic compounds (VOC):

This product contains a maximum of 19 g VOC/L. The limit value is 75 g VOC/L (cat. A/c)

#### Chemical safety assessment

Chemical safety assessment has not been performed.

### 16. Other information

#### Restrictions on use

None.

#### Training requirement

No special training is required, but a thorough knowledge of this safety data sheet should be a prerequisite condition.

#### Sources used

Approved classification and labelling guide (fifth edition) 2002.

Approved Supply List (seventh edition): Information approved for the classification and labelling of substances and preparations dangerous for supply. Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.

Transport regulations for ADR 2003 edition and IMDG 2003 edition.

Commission decision as regards the list of wastes 2001/118/EC.

#### Other information

This safety data sheet was prepared from information provided by the supplier about physical/chemical properties and all ingredients in the product.

#### Full text of the R-phrases that are stated in section 3.

R36 Irritating to eyes.

This document was created with Win2PDF available at <http://www.win2pdf.com>.  
The unregistered version of Win2PDF is for evaluation or non-commercial use only.