

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 4

Revision: 07.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Nullifire SC802

· MSDS code: W-N-SC802

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

Coating compound/ Surface coating/ paint

Fire retarding agent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

tremco illbruck Ltd

Coupland Road, Hindley Green, WIGAN, WN2 4HT

Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410

msds@tremco-illbruck.com

· Further information obtainable from:

tremco illbruck Ltd

Torrington Avenue, Coventry, CV4 9TJ

T: +44 (0) 2476855000, F: +44 (0) 2476469547

www.nullifire.com, protect@nullifire.com

tremco illbruck Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com

· 1.4 Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

· Precautionary statements

P233 Keep container tightly closed.

P260 Do not breathe spray.

P271 Use only outdoors or in a well-ventilated area.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 4

Revision: 07.01.2020

Trade name: Nullifire SC802

(Contd. of page 1)

- P280 Wear protective gloves / protective clothing.
 P284 In case of inadequate ventilation wear respiratory protection.
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- **Supplemental information:**
 EUH208 Contains CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
 EUH210 Safety data sheet available on request.
 - **Regulation (EC) No 528/2012 on biocidal products** Contains a biocidal product: C(M)IT/MIT (3:1)
 - **Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC**
 VOC 2004/42/CE (A / i) = <140 g/l
 Nullifire SC802
 = ≤16 g/l
 - **2.3 Other hazards**
 - **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous components:**

EC number: 911-815-4 Reg.nr.: 01-2119486772-26-xxxx	tris(2-chloro-1-methylethyl)phosphate	Acute Tox. 4, H302	1-<5%
--	---------------------------------------	--------------------	-------

- **SVHC -**
- **Additional information:**
 For the wording of the listed hazard phrases refer to section 16.
 Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

- **Regulation (EU) No 528/2012 Biocidal Products Regulation**

CAS: 55965-84-9	CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)	PT6
-----------------	---	-----

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:**
 Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- **After skin contact:**
 Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)

Trade name: Nullifire SC802

(Contd. of page 2)

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

· **4.2 Most important symptoms and effects, both acute and delayed**

May cause an allergic skin reaction.

· **Information for doctor:** No further relevant information available.

· **Hazards** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear fully protective suit.

Wear self-contained respiratory protective device.

· **Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective clothing.

· **6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Ensure adequate ventilation.

Clean the affected area carefully; suitable cleaners are:

Warm water and cleansing agent

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections**

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 4

Revision: 07.01.2020

Trade name: Nullifire SC802

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Avoid contact with the eyes and skin.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

Information about storage in one common storage facility: Protect from heat and direct sunlight.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Storage temperature: +5°C to +35°C

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

DNELs

Long term effects

tris(2-chloro-1-methylethyl)phosphate

Oral	consumer	0.52 mg/kg/24h (general public) (systemic effects)
Dermal	industrial	2.08 mg/kg/24h (workers) (systemic effects)
	consumer	1.04 mg/kg/24h (general public) (systemic effects)
Inhalative	industrial	5.82 mg/m ³ (workers) (systemic effects)
	consumer	1.46 mg/m ³ (general public) (systemic effects)

Short term effects

tris(2-chloro-1-methylethyl)phosphate

Dermal	industrial	8 mg/kg/24h (workers) (systemic effects)
	consumer	4 mg/kg/24h (general public) (systemic effects)
Inhalative	industrial	22.4 mg/m ³ (workers) (systemic effects)
	consumer	11.2 mg/m ³ (general public) (systemic effects)

PNECs

tris(2-chloro-1-methylethyl)phosphate

PNEC	0.64 mg/L (fresh water)
	0.064 mg/L (marine)
PNEC	1.7 mg/kg dwt (soil)
	1.34 mg/kg dwt (sediment (salt water))

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31



Printing date 07.01.2020

Version number 4

Revision: 07.01.2020

Trade name: Nullifire SC802

(Contd. of page 4)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Do not breathe spray.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
Only during spraying without adequate removal by suction.
Filter A/P2
Use suitable respiratory protective device in case of insufficient ventilation.
For further guidance,
please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Fluorocarbon rubber (Viton)
Nitrile rubber, NBR
PVC or PE gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
 Tightly sealed goggles
- **Body protection:**
 Protective work clothing

GB

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 4

Revision: 07.01.2020

Trade name: Nullifire SC802

(Contd. of page 5)

SECTION 9: Physical and chemical properties· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

Form: Liquid

Colour: White

· **Odour:** Uncharacteristic.· **pH-value:** 8.0 - 9.5· **Melting point/freezing point:** Undetermined.· **Initial boiling point and boiling range:** 100 °C· **Flash point:** Not applicable.· **Explosive properties:** Product does not present an explosion hazard.· **Vapour pressure at 20 °C:** 2.4 hPa· **Density at 20 °C:** 1.4 g/cm³· **Solubility in / Miscibility with water:** Fully miscible.· **Solvent content:**

VOC (EU) ≤16 g/l

VOC (EC) ≤1 %

· **9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity**· **10.1 Reactivity** Stable· **10.2 Chemical stability**· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.· **10.4 Conditions to avoid** No further relevant information available.· **10.5 Incompatible materials:** No further relevant information available.· **10.6 Hazardous decomposition products:**

Possible in traces.

Carbon monoxide and carbon dioxide

Nitrogen oxides

SECTION 11: Toxicological information· **11.1 Information on toxicological effects**· **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 4

Revision: 07.01.2020

Trade name: Nullifire SC802

(Contd. of page 6)

· LD/LC50 values relevant for classification:		
· tris(2-chloro-1-methylethyl)phosphate		
Oral	LD50	632 mg/kg (rat)

- **Primary irritant effect:**

- **Skin corrosion/irritation** Slight irritation possible.

- **Serious eye damage/irritation** Slight irritation possible.

- **Respiratory or skin sensitisation** Sensitising effect by skin contact is possible by prolonged exposure.

- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**

· Aquatic toxicity:		
· tris(2-chloro-1-methylethyl)phosphate		
LC50/96 h	51 mg/L	(pimephales promelas)

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **Waste disposal key:** UK (WM3) : n/a

· European waste catalogue		
08 01 20		aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 4

Revision: 07.01.2020

Trade name: Nullifire SC802

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:**
Dispose of packaging according to regulations on the disposal of packagings.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- | | |
|--|-----------------|
| · 14.1 UN-Number | |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).
"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).
COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.
"BPR" Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.
Regulation (EU) 2016/131 of 1 February 2016 approving C(M)IT/MIT (3:1) as an existing active substance for use in biocidal products for product-types 2, 4, 6, 11, 12 and 13.
HSE EH40/2005 Workplace Exposure Limits (as amended)
Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)
Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC
2001/118/EC as regards the list of wastes

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 07.01.2020

Version number 4

Revision: 07.01.2020

Trade name: Nullifire SC802

(Contd. of page 8)

2008/98/EC on waste

- **National regulations:**
- **Other regulations, limitations and prohibitive regulations**
- **Substances of very high concern (SVHC) according to REACH, Article 57** Not applicable.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H302 Harmful if swallowed.
- **Department issuing SDS:**
Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral – Category 4
- *** Data compared to the previous version altered.**