

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

Centrecoat MMA Primer FG Base

1/8

Revision 2 Revision date 2019-10-29

SECTION 1: Identification of the substance/mixture and of the com	pany/undertaking
---	------------------

1.1. Product identifier

Product name Centrecoat MMA Primer FG - Base

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application or brushing;

1.3. Details of the supplier of the safety data sheet

Company Promain UK Limited Address C1 Pierson Court

Knowl Piece. Hitchin

Hertfordshire

SG4 0TY

Web www.promain.co.uk Telephone

01462 421333

Fax

Email info@promain.co.uk

1.4. Emergency telephone number

Emergency telephone number 01462 421333

8.30am - 5.30pm Mon - Thurs. 8.30 - 4.30pm Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Flam. Liq. 2: H225; Skin Irrit. 2: H315; Skin Sens. 1: H317; STOT SE 3: H335;

2.2. Label elements

Hazard pictograms





Signal Word

Hazard Statement

Danger

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

STOT SE 3: H335 - May cause respiratory irritation.

Precautionary Statement:

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Revision 2 Revision date 2019-10-29

	P233 - Keep container tightly closed.
	P240 - Ground/bond container and receiving equipment.
	P241 - Use explosion-proof electrical/ventilating/lighting// equipment.
	P242 - Use only non-sparking tools.
	P243 - Take precautionary measures against static discharge.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
•	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P321 - Specific treatment (see on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P370+P378 - In case of fire: Use to extinguish.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
-	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Methyl methacrylate	607-035-00-6	80-62-6	201-297-1	01-2119452498-28		Flam. Liq. 2: H225; STOT SE 3: H335; Skin Irrit. 2: H315; Skin Sens. 1: H317;
N,N-Dimethyl-p-toluidine	612-056-00-9	99-97-8	202-805-4			Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT RE 2: H373; Aquatic Chronic 3: H412;
N,N-bis-(2-hydroxypropyl) -p-toluidine		38668-48-3	254-075-1	01-2119980937-17		Acute Tox. 2: H300; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact
	lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	DO NOT INDUCE VOMITING. Drink 1 to 2 glasses of water.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Eye contact	Irritating to eyes.		
Skin contact	Irritating to skin.		
Ingestion	Ingestion may cause nausea and vomiting.		

4.3. Indication of any immediate medical attention and special treatment needed

Revision 2
Revision date 2019-10-29


4.0 Indication of any immediate	Revision date 2019-10-2
•	medical attention and special treatment needed
Inhalation	Seek medical attention.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist. Seek medical attention.
Ingestion	Seek medical attention.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Carbon oxides. Dry chemical. Foam. Do NOT use water jet.
5.2. Special hazards arising from	n the substance or mixture
	Highly flammable. Burning produces irritating, toxic and obnoxious fumes. Vapour may travel considerable distance to source of ignition and flash back.
5.3. Advice for firefighters	
	Self-contained breathing apparatus. Wear protective clothing.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
· · · · · · · · · · · · · · · · · · ·	Ensure adequate ventilation of the working area. Wear suitable protective equipment. Eliminate all
	sources of ignition. Evacuate personnel to a safe area. Wear suitable respiratory equipment when necessary.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ntainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. Use explosion proof equipment.
6.4. Reference to other sections	
	See section 8 for further information. See section 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handling	
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Use explosion proof equipment. Keep away from sources of ignition - No smoking. Vapours are heavier than air.
7.2. Conditions for safe storage,	
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers. Store in original container.
7.3. Specific end use(s)	·
.,	See section 1.2 for further information.
SECTION 8: Exposure contro	
8.1. Control parameters	
·	
8.1.1. Exposure Limit Values	

Revision 2 Revision date 2019-10-29

8.1.1. Exposure Limit Values

Methyl methacrylate WEL 8-hr limit ppm: 50 WEL 8-hr limit mg/m3: 208 WEL 15 min limit ppm: 100 WEL 15 min limit mg/m3: 416 WEL 8-hr limit mg/m3 total WEL 15 min limit mg/m3 total inhalable dust: inhalable dust: WEL 8-hr limit mg/m3 total WEL 15 min limit mg/m3 total respirable dust: respirable dust:

8.2. Exposure controls



8.2.2. Individual protection measures

8.2.1. Appropriate engineering

Eye / face protection

controls

Approved safety goggles.

Skin protection -Handprotection

Chemical resistant gloves (PVC). Butyl rubber gloves.

Skin protection - Other

Wear suitable protective clothing

Respiratory protection

Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance | Liquid Colour Colourless Odour Strong/Characteristic Odour threshold No data available pН No data available Melting point No data available -48 °C Freezing Point

Initial boiling point > 100 °C 10 °C Flash point

Evaporation rate No data available Flammability (solid, gas) No data available

Upper Explosive Limit 12.5 % Lower Explosive Limit | 2.1 %

> Vapour pressure No data available

Vapour density > 1 g/cm³

Relative density No data available **Fat Solubility** No data available Partition coefficient No data available

430 °C Autoignition temperature

> 200 mPas (Cone & Plate) Viscosity

Explosive properties No data available Oxidising properties No data available Solubility Slightly soluble in water

9.2. Other information

Revision 2
Revision date 2019-10-29

	Revision	on date 2019-10-
9.2. Other information		
Conductivity	No data available	
Surface tension		
Gas group	No data available	
Benzene Content	0 %	
Lead content	0 %	
VOC (Volatile organic	0 g/l	
compounds) SECTION 10: Stability and re		
10.1. Reactivity	Caculity	
Tom Reducting	See section 10.2 for further information.	
10.2. Chemical stability	1	
<u> </u>	Stable under normal conditions.	
10.3. Possibility of hazardous re	eactions	
	Oxidising agents.	
10.4. Conditions to avoid		
	Heat, sparks and open flames.	
10.5. Incompatible materials		
	Alkalis. Oxidising agents. Peroxides. Reducing agents. Sulphur oxides.	
10.6. Hazardous decomposition	products	
	Will not decompose if stored and used as recommended.	
SECTION 11: Toxicological i	information	
11.1. Information on toxicologica	al effects	
Acute toxicity	Oral Rat LD50 = >5,000mg/kg (Methyl Methacrylate).	
Skin corrosion/irritation	Irritating to skin.	
Serious eye damage/irritation	Irritating to eyes.	
Respiratory or skin sensitisation	May cause sensitisation by skin contact.	
Germ cell mutagenicity	No mutagenic effects reported.	
Carcinogenicity	No carcinogenic effects reported.	
Reproductive toxicity	No observed effect level. No teratogenic effects reported.	
Aspiration hazard	No Significant Hazard.	
11.1.4. Toxicological Information	า	
Methyl methacrylate	Dermal Rat LD50: >5,000mg/kg Oral Rat LD50:	>2,000mg/kg
	Dermal Rabbit LD50: >5,000mg/kg Inhalation Rat LC50/4 h:	29.8mg/kg
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
Methyl methacrylate	Daphnia EC50/48h: 69.0000 mg/l Fish LC50/96h:	79.0000 mg/l
12.2. Persistence and degradab	ility	
	Readily biodegradable. OECD 301C, 14D.	
12.3. Bioaccumulative potential		

No observed effect level.

Revision 2
Revision date 2019-10-29

Partition coefficient Centrecoat MMA Primer FG - Base No data available 12.4. Mobility in soil Slightly soluble in water. 12.5. Results of PBT and vPvB assessment PBT no. vPvB no. 12.6. Other adverse effects No data is available on this product. SECTION 13: Disposal considerations General information 08 01 11* waste paint and varnish containing organic solvents or other dangerous substances. Disposal methods The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers. Disposal of packaging Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. **SECTION 14: Transport information** Hazard pictograms 14.1. UN number UN1866 14.2. UN proper shipping name RESIN SOLUTION ((Methyl Methacrylate)) 14.3. Transport hazard class(es) ADR/RID 3 Subsidiary risk **IMDG** 3 Subsidiary risk **IATA** 3 Subsidiary risk 14.4. Packing group Ш Packing group

Revision 2
Revision date 2019-10-29

14.5. Environmental hazards	14.5. Environmental hazards		
Environmental hazards	No		
Marine pollutant	No		
14.6. Special precautions for us	er		
	Not applicable.		
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code		
	Not applicable.		
ADR/RID			
Hazard ID	33		
Tunnel Category	(D/E)		
IMDG			
EmS Code	F-E S-E		
IATA			
Packing Instruction (Cargo)	364		
Maximum quantity	60 L		
Packing Instruction (Passenger)	353		
Maximum quantity	5 L		
Further information			
	The product is not classified as dangerous for carriage.		
	·		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

4 - Eye contact.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

STOT SE 3: H335 - May cause respiratory irritation.

Acute Tox. 3: H301 - Toxic if swallowed.

Acute Tox. 3: H311 - Toxic in contact with skin.

Acute Tox. 3: H331 - Toxic if inhaled.

Revision 2 Revision date 2019-10-29

Other information	
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure . Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Acute Tox. 2: H300 - Fatal if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation.
Maximum content of VOC	0 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.