

# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

# Centrecoat MMA FR Smooth Screed Page 1/8 Catalyst

Revision 1 Revision date 2019-10-29

	Revision date 2019-10-29
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Centrecoat MMA FR Smooth Screed - Catalyst
CAS No.	94-36-0
EC No.	202-327-6
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers;
	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;
1.3. Details of the supplier of the	e safety data sheet
Company	Promain UK Limited
Address	C1 Pierson Court
	Knowl Piece, Hitchin
	Hertfordshire
	SG4 0TY
<b>14</b> 7 I	
Web	www.promain.co.uk
Telephone	01462 421333
Fax	
Email	info@promain.co.uk
1.4. Emergency telephone numl	Der
Emergency telephone number	01462 421333
	8.30am - 5.30pm Mon - Thurs. 8.30am - 4.30pm Fri
SECTION 2: Hazards identif	ication
2.1. Classification of the substar	
2.1.2. Classification - EC	Self-react. CD: H242; Skin Sens. 1: H317; Eye Irrit. 2: H319; Repr. 2: H361f; Aquatic Acute 1:
1272/2008	H400;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Self-react. CD: H242 - Heating may cause a fire.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.

2.2. Label elements	
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Repr. 2: H361f - Suspected of damaging fertility.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
Precautionary Statement:	P201 - Obtain special instructions before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P220 - Keep/Store away from clothing//combustible materials.
	P234 - Keep only in original container.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P321 - Specific treatment (see on this label).
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P370+P378 - In case of fire: Use to extinguish.
	P391 - Collect spillage.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	P405 - Store locked up.
-	P411 - Store at temperatures not exceeding °C/°F.
	P420 - Store away from other materials.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	

### SECTION 3: Composition/information on ingredients

3.1. Substances

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Dibenzoyl Peroxide & Dicyclohexyl phthalate blend (Dibenzoyl peroxide)		94-36-0	202-327-6	01-2119511472-50		Self-react. CD: H242; Skin Sens. 1: H317; Eye Irrit. 2: H319; Repr. 2: H361f; Aquatic Acute 1: H400;

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing.		
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.		
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Immediately call a poison center.		
4.2. Most important sympto	ms and effects, both acute and delayed		
Inhalation	Irritating to respiratory system.		
Eye contact	Irritating to eyes.		
Skin contact	May cause sensitisation by skin contact.		
Ingestion	Ingestion may cause nausea and vomiting.		

4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions. Carbon dioxide (CO2). Dry chemical. Foam. Sand. Water spray. Do NOT use halones.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear self-contained breathing apparatus. If involved in a fire, this will support combustion. Dust explosion hazard. Caution: reignition may occur. Do not allow runoff water to enter sewers or drains.
SECTION 6: Accidental relea	ise measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. Do not breathe dust.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ntainment and cleaning up
	Sweep up. Eliminate all sources of ignition. Dispose of this material and its container to hazardous or special waste collection point.
6.4. Reference to other sections	
	See section 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handlin	9
	Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Avoid formation of dust. Avoid release to the environment. Refer to special instructions/Safety data sheets. Avoid sparks, flames, heat and sources of ignition. Do not breathe dust. Eliminate all sources of ignition. Wear suitable gloves. Wear suitable respiratory equipment when necessary.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Avoid release to the environment. Refer to special instructions/Safety data sheets. Do NOT mix with any other product. Handle and open container with care. Keep away from food, drink and animal feedingstuffs. Keep away from heat. Keep away from incompatible materials. Keep away from sources of ignition - No smoking. Keep container dry. Keep container tightly closed. Keep locked up and out of the reach of children. Keep only in the original container. Protect from frost.
7.3. Specific end use(s)	
	See section 1.2 for further information.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	

8.1.1. Exposure Limit Values		
Centrecoat MMA FR Smooth Screed - Catalyst (Dibenzoyl peroxide)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

#### 8.2. Exposure controls

Eye / face protection Skin protection -

Handprotection

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	Wear suitable protective clothing and eye/face protection.
Skin protection	Weer suitable gloves

Wear suitable gloves.

**Respiratory protection** Suitable respiratory equipment. 8.2.3. Environmental exposure Do not allow product to enter drains. controls

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

•	
Appearance	Powder
Colour	White
Odour	Slight
Odour threshold	No data available
pН	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.23 (H2O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	Not applicable.
(n-octanol/water)	
Partition coefficient	Not applicable.
Autoignition temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	Insoluble in water

9.2. Other information

9.2. Other information				
SADT	55 °C			
Conductivity	No data available			
Surface tension	No data available			
Bulk Density	No data available			
Gas group	No data available			
Benzene Content	0 %			
Lead content	0 %			
VOC (Volatile organic	0 g/l			
compounds)				
SECTION 10: Stability and re	eactivity			
10.1. Reactivity				
	Stable under normal conditions.			
10.2. Chemical stability				
	Decomposition will start at 55°C.			
10.3. Possibility of hazardous rea	actions			
	Heavy Metals. Acids. Alkalis. Reducing agents.			
10.4. Conditions to avoid				
	Avoid formation of dust. Avoid sparks, flames, heat and sources of ignition.			
10.5. Incompatible materials				
	Rust, Iron, Copper.			
10.6. Hazardous decomposition products				
	Benzoic Acid, Benzene.			
SECTION 11: Toxicological i	nformation			
11.1. Information on toxicologica	l effects			
Skin corrosion/irritation	May cause irritation to skin.			
Serious eye damage/irritation	May cause irritation to eyes.			
Respiratory or skin	May cause sensitisation by skin contact.			
sensitisation Germ cell mutagenicity	No Significant Hazard.			
Carcinogenicity	No Significant Hazard.			
Aspiration hazard	No Significant Hazard.			
Repeated or prolonged	Suspected of damaging fertility.			
exposure				
11.1.4. Toxicological Information				
Dibenzoyl Peroxide &	Oral Rat LD50: >5,000mg/kg			
Dicyclohexyl phthalate blend				
SECTION 12: Ecological info	ormation			
12.1. Toxicity				
Dibenzoyl Peroxide &	Daphnia EC50/48h:         0.1100 mg/l         Algae IC50/72h:         0.0600 mg/l			
Dicyclohexyl phthalate blend	Fish LC50/96h: 0.0600 mg/l			
12.2. Persistence and degradab	lity			

No data is available on this product.

12.3. Bioaccumulative potential

	BCF 66.6.
Partition coefficient	
	Centrecoat MMA FR Smooth Screed - Catalyst Not applicable.
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6. Other adverse effects	
	Very toxic to aquatic organisms.
SECTION 13: Disposal cons	iderations
General information	
	16 09 03 peroxides, for example hydrogen peroxide.
	Dispose of in compliance with all local and national regulations. This material and its container must be disposed of as hazardous waste.
Disposal methods	
	Dispose of this material and its container to hazardous or special waste collection point. The
	generation of waste should be avoided or minimised wherever possible. Significant quantities of
	waste product residues should not be disposed of via the foul sewer but processed in a suitable
	effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times
	comply with the requirements of environmental protection and waste disposal legislation and any
	local authority requirements. Waste packaging should be recycled if possible. Incineration should
	only be considered when recycling is not feasible. This material and its container must be disposed
	of in a safe way. Care should be taken when handling emptied containers that have not been
	cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Do NOT mix with any other product. Do not pierce or burn, even after use. Do NOT reuse empty
	containers. This material and its container must be disposed of as hazardous waste.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN3106
14.2. UN proper shipping name	
	ORGANIC PEROXIDE, TYPE D, SOLID (Dibenzoyl Peroxide)
14.3. Transport hazard class(es)	
ADR/RID	5.2
Subsidiary risk	5.2
	Print date 2019-10-29

For       DR/RID       lazard ID       unnel Category       IDG       ImS Code       F-       TA       acking Instruction (Cargo)       10       acking Instruction       Passenger)	2 es es es function of MARPOL 73/78 and the IBC Code further advise contact manufacturer.
ubsidiary risk       -         ATA       5.         ubsidiary risk       -         I.4. Packing group       -         acking group       -         I.5. Environmental hazards       Yether         Invironmental hazards       Yether         Iarine pollutant       Yether         I.7. Transport in bulk according to       For         DR/RID       -         Iazard ID       -         unnel Category       (D         IDG       For         TA       57         Iaximum quantity       10         acking Instruction (Cargo)       57         Passenger)       57	2 es es es function of MARPOL 73/78 and the IBC Code further advise contact manufacturer.
ATA 5. ubsidiary risk - I.4. Packing group acking group - I.5. Environmental hazards invironmental hazards Ye Iarine pollutant Ye I.7. Transport in bulk according to DR/RID lazard ID - unnel Category (D IDG mS Code F- TA acking Instruction (Cargo) 57 laximum quantity 10 acking Instruction S7 Passenger) 57	es es Annex II of MARPOL 73/78 and the IBC Code or further advise contact manufacturer.
ubsidiary risk       -         I.4. Packing group       -         acking group       -         I.5. Environmental hazards       Ye         Invironmental hazards       Ye         Iarine pollutant       Ye         I.7. Transport in bulk according to       Fo         DR/RID       -         Iazard ID       -         unnel Category       (D         IDG       -         Ims Code       Fo         TA       -         acking Instruction (Cargo)       57         Iaximum quantity       10         acking Instruction       57         Passenger)       57	es es Annex II of MARPOL 73/78 and the IBC Code or further advise contact manufacturer.
I.4. Packing group       -         acking group       -         I.5. Environmental hazards       Ye         Invironmental hazards       Ye         Iarine pollutant       Ye         I.7. Transport in bulk according to       Fe         DR/RID       -         Iazard ID       -         unnel Category       (D         IDG       Fe         TA       Scode         Taximum quantity       10         acking Instruction       57         Passenger)       57	Annex II of MARPOL 73/78 and the IBC Code or further advise contact manufacturer.
acking group - 4.5. Environmental hazards invironmental hazards Ye larine pollutant Ye 4.7. Transport in bulk according to For DR/RID lazard ID - unnel Category (D IDG imS Code F- TA acking Instruction (Cargo) 57 laximum quantity 10 acking Instruction 57 Passenger) 57	Annex II of MARPOL 73/78 and the IBC Code or further advise contact manufacturer.
I.5. Environmental hazards         Invironmental hazards         Invironmental hazards         Iarine pollutant         I.7. Transport in bulk according to         I.7. Transport in bulk according to         DR/RID         Iazard ID         unnel Category         IDG         Ims Code         France         TA         Iaximum quantity         Iaxing Instruction         Passenger)	Annex II of MARPOL 73/78 and the IBC Code or further advise contact manufacturer.
Invironmental hazards Ye Iarine pollutant Ye I.7. Transport in bulk according to Fc DR/RID Iazard ID - unnel Category (D IDG mS Code F- TA Tacking Instruction (Cargo) 57 Iaximum quantity 10 acking Instruction 57 Passenger) 57	Annex II of MARPOL 73/78 and the IBC Code or further advise contact manufacturer.
Iarine pollutant       Ye         I.7. Transport in bulk according to       Fo         I.7. Transport in bulk according to       Fo         DR/RID       -         Iazard ID       -         unnel Category       (D         IDG       Fo         ImS Code       Fo         TA       Fo         Packing Instruction (Cargo)       57         Iaximum quantity       10         Passenger)       57	Annex II of MARPOL 73/78 and the IBC Code or further advise contact manufacturer.
I.7. Transport in bulk according to For DR/RID lazard ID unnel Category (D IDG mS Code F- TA racking Instruction (Cargo) 57 laximum quantity 10 acking Instruction 57 Passenger) 57	Annex II of MARPOL 73/78 and the IBC Code or further advise contact manufacturer.
For       DR/RID       lazard ID       laxing Instruction (Cargo)       for acking Instruction       Passenger)	or further advise contact manufacturer.
DR/RID lazard ID unnel Category IDG mS Code F- TA laximum quantity laximum quantity laximum quantity S7 Passenger)	
lazard ID     -       unnel Category     (D       IDG     -       imS Code     F-       TA     -       acking Instruction (Cargo)     57       laximum quantity     10       'acking Instruction     57       Passenger)     57	
unnel Category     (D       IDG     F-       ImS Code     F-       TA     57       laximum quantity     10       acking Instruction     57       Passenger)     57	
IDG mS Code F- TA Tacking Instruction (Cargo) 57 Iaximum quantity 10 Tacking Instruction 57 Passenger) 57	
mS Code F- TA acking Instruction (Cargo) 57 laximum quantity 10 acking Instruction 57 Passenger)	
TA Packing Instruction (Cargo) 57 Iaximum quantity 10 Packing Instruction 57 Passenger)	
acking Instruction (Cargo)57laximum quantity10racking Instruction57Passenger)57	J S-R
Iaximum quantity10laximum quantity57laximum quantity57Passenger)57	
acking Instruction 57 Passenger)	70
Passenger)	) kg
aximum quantity 5	70
	kg
urther information	
Tł	ne product is not classified as dangerous for carriage.
ECTION 15: Regulatory inform	nation
	tal regulations/legislation specific for the substance or mixture
RI of Clar clar clar clar clar clar clar clar c	OMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 207/2006 of the European Parliament and of the Council on the Registration, Evaluation, uthorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, nending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and ommission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and ommission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. EGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of hemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 is well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 8/105/EC and 2000/21/EC.
5.2. Chemical safety assessment	
Tr	nis product contains substances for which Chemical Safety Assessments are still required.

### SECTION 16: Other information

#### Other information

Rev	/IC	inn
1/0	V 10	

This document differs from the previous version in the following areas:. 4 - Eye contact.

 Revision
 1

 Revision date
 2019-10-29

Other information	
Text of Hazard Statements in	Self-react. CD: H242 - Heating may cause a fire.
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Repr. 2: H361f - Suspected of damaging fertility.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
Maximum content of VOC	0 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.