

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

Centrecoat Epoxy Paste Adhesive Curing Agent

Page 1/8

Revision	0
Revision date	2019-10-02

	Revision date 2019-10-
SECTION 1: Identification of	f the substance/mixture and of the company/undertaking
Product name	Centrecoat Epoxy Paste Adhesive- Curing Agent
	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC9a] Coatings and paints, thinners, paint removers; [PROC10] Roller application of brushing; [ERC2] Formulation of preparations;
1.3. Details of the supplier of the	e safety data sheet
Company	Promain UK Limited
Address	Pierson Court Knowl
	Piece Hitchin,
	Hertfordshire SG4 0TY
Web	www.promain.co.uk
Telephone	01462 421333
Email	info@promain.co.uk
1.4. Emergency telephone num	ber
	01462 421333
Emergency telephone number	8.30am - 16.30pm Mon - Fri
SECTION 2: Hazards identif	
2.1. Classification of the substa	
2.1.2. Classification - EC 1272/2008	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Acute Tox. 4: H332 - Harmful if inhaled.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.





Page 2/8

2.2. Label elements	
Precautionary Statement: Prevention	 P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling. P270 - Do no eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	 P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302+P352 - IF ON SKIN: Wash with plenty of water/. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. P312 - Call a POISON CENTER/doctor/ /if you feel unwell. P330 - Rinse mouth. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to
2.3. Other hazards	
Other hazards	No data is available on this product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Benzyl alcohol	603-057-00-5	100-51-6	202-859-9	01-2119492630-38	30 - 40%	Acute Tox. 4: H332; Acute Tox. 4: H302;
m-xylylenediamine		1477-55-0	216-032-5	01-2119480150-50	10 - 20%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Acute Tox. 4: H332; Aquatic Chronic 3: H412;
3-Aminomethyl-3,5,5-trimethylcyclo hexylamine	612-067-00-9	2855-13-2	220-666-8	01-2119514687-32	10 - 20%	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412;
Salicylic Acid		69-72-7	200-712-3	01-2119486984-17	1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
4,4'-Isopropylidenediphol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine)		113930-69-1			1 - 10%	Acute Tox. 4: H302; Skin Sens. 1: H317; Aquatic Chronic 2: H411;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing.	





Page 3/8

Revision date 2019-10-02

4.1. Description of first aid meas	ures		
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.		
Ingestion	Move the exposed person to fresh air. Drink 1 to 2 glasses of water. DO NOT INDUCE VOMITING.		
4.2. Most important symptoms a	nd effects, both acute and delayed		
Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.		
Eye contact	Risk of serious damage to eyes.		
Skin contact	May cause irritation to skin.		
Ingestion	HARMFUL IF SWALLOWED. Causes burns.		
4.3. Indication of any immediate	medical attention and special treatment needed		
Inhalation	If you feel unwell, seek medical advice (show the label where possible).		
Eye contact	Seek medical attention.		
Skin contact	Seek medical attention if irritation or symptoms persist.		
Ingestion	Seek urgent medical attention.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
	Use extinguishing media appropriate to the surrounding fire conditions. Carbon oxides. Dry chemical. Foam. Do NOT use water jet.		
5.2. Special hazards arising fron	n the substance or mixture		
	Burning produces irritating, toxic and obnoxious fumes.		
5.3. Advice for firefighters			
	Wear self contained breathing apparatus and protective clothing.		
Further information			
	Dispose of as special waste in compliance with official regulations.		
SECTION 6: Accidental relea	ase measures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes.		
6.2. Environmental precautions			
	Do not allow product to enter drains. Prevent further spillage if safe.		
6.3. Methods and material for co			
	Absorb with inert, absorbent material. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.		
6.4. Reference to other sections			
	See section 8 for further information.		
	See section 13 for further information.		
SECTION 7: Handling and st	lorage		
7.1. Precautions for safe handlin	<u>g</u>		
	Ensure adequate ventilation of the working area. Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Keep containers tightly closed. Keep in a cool, dry, well ventilated area. Store in correctly labelled containers.		
7.3. Specific end use(s)			
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.		





SECTION 8: Exposure controls/personal protection

8.1. Control parameters

This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace. WEL-8hr Limit - 90mg/m3, (Benzyl Alcohol).

8.2. Exposure controls



8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Wear suitable gloves.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	Wear suitable respiratory equipment when necessary.
Occupational exposure controls	Keep away from food, drink and animal feedingstuffs.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Light yellow
Odour	Characteristic
pН	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	> 200 °C
Flash point	100 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	10 Pa
Vapour density	No data available
Relative density	1.06 (H2O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	380 °C
Viscosity	200 mPas (Cone & Plate)
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Insoluble in water

9.2. Other information



9.2. Other information		
Conductivity	No data available	
Surface tension	No data available	
Gas group	No data available	
Benzene Content	0 %	
Lead content	0 %	
VOC (Volatile organic compounds)	0 g/l	
SECTION 10: Stability and re		
10.1. Reactivity		
	Stable under normal conditions.	
10.2. Chemical stability		
	Stable under normal conditions.	
10.3. Possibility of hazardous re	actions	
	Reacts with. Acids. Alkalis. Oxidising agents.	
10.4. Conditions to avoid		
	No data is available on this product.	
10.5. Incompatible materials		
	Strong oxidising agents.	
10.6. Hazardous decomposition	products	
	No data is available on this product.	
SECTION 11: Toxicological i	information	
11.1. Information on toxicologica	al effects	
Skin corrosion/irritation	May cause severe irritation to skin, eyes and mucous meml	branes.
Serious eye damage/irritation	Risk of serious damage to eyes. Strong caustic effect.	
Respiratory or skin sensitisation	May cause sensitisation by skin contact.	
Germ cell mutagenicity	No mutagenic effects reported.	
Reproductive toxicity	No observed effect level. No teratogenic effects reported.	
11.1.4. Toxicological Information	1	
3-Aminomethyl-3,5,5-trimethylcy clohexylamine	Dermal Rat LD50: >2000mg/kg	Oral Rat LD50: 1030mg/kg
	Dermal Rabbit LD50: 1840mg/kg	
Benzyl alcohol	Oral Rat LD50: 1230mg/kg	Dermal Rabbit LD50: 2000mg/kg
11.1.13. Other information		
	Swallowing will lead to a strong caustic effect on mouth and	throat and danger of perforation of
	esophagus and stomach.	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
3-Aminomethyl-3,5,5-trimethylcy clohexylamine	Daphnia EC50/48h: 23 mg/l	Algae IC50/72h: 50.0000 mg/l
	Fish LC50/96h: 110.0000 mg/l	
Benzyl alcohol	Daphnia EC50/48h: 400.0000 mg/l	Algae IC50/72h: 640.0000 mg/l
	Fish LC50/96h: 645.0000 mg/l	





Revision 0 Revision date 2019-10-02

12.2. Persistence and degradability

	No data is available on this product.
PBT	
	Not applicable.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
[Curing Agent No data available
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations.
General information	
	08 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS. 08 02 wastes from MFSU of other coatings (including ceramic materials). 08 02 99 wastes not otherwise specified.
Disposal methods	
	The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point. Do NOT reuse empty containers.
SECTION 14: Transport info	rmation

Hazard pictograms







Revision 0 Revision date 2019-10-02

14.1. UN number

UN2735

	UN2735
14.2. UN proper shipping name	
	AMINES, LIQUID, CORROSIVE N.O.S. (Isophoronediamine)
14.3. Transport hazard class(es	3)
ADR/RID	8
Subsidiary risk]-
IMDG	8
Subsidiary risk	-
ΙΑΤΑ	8
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for us	ser
	Always transport in closed containers that are upright and secure. Ensure that persons
	transporting the product know what to do in the event of a spillage.
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code
	For transport approval see regulatory information.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
ΙΑΤΑ	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L
SECTION 15: Regulatory in	formation
15.1. Safety, health and enviror	nmental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.





Page 8/8

15.2. Chemical safety assessment

This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Other information	
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 4: H332 - Harmful if inhaled. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Acute Tox. 4: H312 - Harmful in contact with skin. Eye Dam. 1: H318 - Causes serious eye damage.
Maximum content of VOC	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

