

## Centrecoat Armourcoat WB 2-200 Resin

Page 1/7

Revision 3  
Revision date 2018-07-10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** Centrecoat Armourcoat WB 2-200 Resin

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Description** Restricted to professional users.  
Component Of A Two Pack Epoxy Flooring Coating.

#### 1.3. Details of the supplier of the safety data sheet

**Company** Promain UK Limited  
**Address** Promain House C1  
Pierson Court Knowl  
Piece, Hitchin  
Hertfordshire  
**Web** SG4 0TY  
**Telephone** www.promain.co.uk  
**Fax** 01462 421333  
**Email** -  
info@promain.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone number** 01462 421333  
8.30am - 5.30pm Mon - Thurs. 8.30am - 4.30pm Fri

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**2.1.1. Classification - 1999/45/EC** Xn; R62-63 Xi; R36/38-43 N; R51/53  
Symbols: Xn: Harmful. N: Dangerous for the environment.

**Main hazards** Irritating to eyes and skin. May cause sensitisation by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Possible risk of impaired fertility. Possible risk of harm to the unborn child.

**2.1.2. Classification - EC 1272/2008** Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 2: H411;

#### 2.2. Label elements

**Hazard pictograms**



**Signal Word**

Danger

**Hazard Statement**

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  
Skin Sens. 1: H317 - May cause an allergic skin reaction.  
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Print date 2018-07-10

# Centrecoat Armourcoat WB 2-200 Resin

Revision 3

Revision date 2018-07-10

## 2.2. Label elements

<b>Precautionary Statement: Prevention</b>	<p>P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  P264 - Wash thoroughly after handling.  P272 - Contaminated work clothing should not be allowed out of the workplace.  P273 - Avoid release to the environment.  P280 - Wear protective gloves/protective clothing/eye protection/face protection.</p>
<b>Precautionary Statement: Response</b>	<p>P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  P302+P352 - IF ON SKIN: Wash with plenty of water/ .  P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  P310 - Immediately call a POISON CENTER/doctor/ .  P321 - Specific treatment (see on this label).  P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  P363 - Wash contaminated clothing before reuse.  P391 - Collect spillage.</p>
<b>Precautionary Statement: Storage</b>	P405 - Store locked up.
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to local and national regulations

## 2.3. Other hazards

<b>Other hazards</b>	No data available.
----------------------	--------------------

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Bisphenol A-(epichlorhydrin) (reaction product)	603-074-00-8	25068-38-6	500-033-5	01-2119456619-26		Xi; R36/38 R43 N; R51/53	
Bisphenol F - epichlorohydrin resin with Number Average Molecular Weight < 700		9003-36-5		01-2119454392-40			
Nonylphenol	601-053-00-8	25154-52-3	246-672-0	01-2119510715-45		Repr. Cat. 3; R62-63 Xn; R22 C; R34 N; R50/53	
Glycidylether of a C12/C14-alcohol mixture		68609-97-2	271-846-8	01-2119485289-22			

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Bisphenol A-(epichlorhydrin) (reaction product)	603-074-00-8	25068-38-6	500-033-5	01-2119456619-26		Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411; Repr. 2: H361fd; Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;	
Nonylphenol	601-053-00-8	25154-52-3	246-672-0	01-2119510715-45			

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air.
<b>Eye contact</b>	Flush Immediately eye thoroughly with clean water. Consult a physician immediately if irritation persists.
<b>Skin contact</b>	Remove affected person from source of contamination. Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above.

Print date 2018-07-10

# Centrecoat Armourcoat WB 2-200 Resin

Revision 3

Revision date 2018-07-10

## 4.1. Description of first aid measures

Ingestion	Get medical attention if irritation persists after washing. DO NOT induce the patient to vomit, medical advice is required.
-----------	--

## 4.2. Most important symptoms and effects, both acute and delayed

Eye contact	Irritating to eyes.
Skin contact	Irritating to skin.
Ingestion	DO NOT INDUCE VOMITING.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Carbon dioxide (CO <sub>2</sub> ). Foam. Water spray, fog or mist.
--	--

### 5.2. Special hazards arising from the substance or mixture

	Fire will produce dense black smoke.
--	--------------------------------------

### 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary. Protective equipment.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Isolate area. Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment.
--	--

### 6.2. Environmental precautions

	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.
--	---

### 6.3. Methods and material for containment and cleaning up

	Absorb with inert, absorbent material.
--	--

### 6.4. Reference to other sections

	Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.
--	---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Avoid prolonged skin contact. After contact with skin, wash immediately with plenty of water and soap.
--	--

### 7.2. Conditions for safe storage, including any incompatibilities

	Store in original container.
--	------------------------------

### 7.3. Specific end use(s)

	Avoid contact with skin.
--	--------------------------

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

	Are listed on the following items according to where it is going to be used.
--	--

### 8.2. Exposure controls

# Centrecoat Armourcoat WB 2-200 Resin

Revision 3

Revision date 2018-07-10

## 8.2. Exposure controls



### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

### Eye / face protection

safety glasses with side-shields.

### Skin protection - Handprotection

Wear suitable gloves.

### Skin protection - Other

Wear suitable protective clothing.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid
<b>Colour</b>	Various
<b>Odour</b>	Mild
<b>Odour threshold</b>	No data available
<b>pH</b>	No data available
<b>Melting point</b>	No data available
<b>Freezing Point</b>	No data available
<b>Initial boiling point</b>	No data available
<b>Flash point</b>	No data available
<b>Evaporation rate</b>	No data available
<b>Flammability (solid, gas)</b>	No data available
<b>Vapour pressure</b>	No data available
<b>Vapour density</b>	No data available
<b>Relative density</b>	No data available
<b>Fat Solubility</b>	No data available
<b>Partition coefficient</b>	No data available
<b>Autoignition temperature</b>	No data available
<b>Viscosity</b>	No data available
<b>Explosive properties</b>	No data available
<b>Oxidising properties</b>	No data available
<b>Solubility</b>	No data available

### 9.2. Other information

<b>Conductivity</b>	No data available
<b>Surface tension</b>	No data available
<b>Gas group</b>	No data available
<b>Benzene Content</b>	No data available
<b>Lead content</b>	No data available
<b>VOC (Volatile organic compounds)</b>	No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This product is stable if stored and handled as prescribed/indicated.

# Centrecoat Armourcoat WB 2-200 Resin

Revision 3

Revision date 2018-07-10

## 10.3. Possibility of hazardous reactions

	No data is available on this product.
--	---------------------------------------

## 10.4. Conditions to avoid

	Avoid temperatures above 300oC. Potentially violent decomposition can occur above 350oC. Generation of gas during decomposition can cause pressure in closed systems. Pressure build-up can ve rapid.
--	---

## 10.5. Incompatible materials

	Acids. Bases. Oxidising agents.
--	---------------------------------

## 10.6. Hazardous decomposition products

	No data is available on this product.
--	---------------------------------------

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	No data is available on this product.
Serious eye damage/irritation	No data is available on this product.
Respiratory or skin sensitisation	No data is available on this product.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.

#### 11.1.4. Toxicological Information

	No data available
--	-------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

	No data available
--	-------------------

### 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

### 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

### Partition coefficient

	Centrecoat Armourcoat WB 2-200 Resin No data available
--	--

### 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

### 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

### 12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

	This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 91/869/EEC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing
--	--

Print date 2018-07-10

# Centrecoat Armourcoat WB 2-200 Resin

Revision 3

Revision date 2018-07-10

## 13.1. Waste treatment methods

hazardous waste. For used, contaminated and residue materials additional evaluations may be required. Do not dump into any sewers, on the ground, or into any body of water.

## SECTION 14: Transport information

### Hazard pictograms



### 14.1. UN number

UN3082

### 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((Epoxy Resin))

### 14.3. Transport hazard class(es)

ADR/RID	9
Subsidiary risk	-
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	-

### 14.4. Packing group

Packing group III

### 14.5. Environmental hazards

Environmental hazards	Yes
Marine pollutant	Yes

### 14.6. Special precautions for user

Use in conjunction with Manufacturers recommended guidelines.

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available.

### ADR/RID

Hazard ID	90
Tunnel Category	(E)

### IMDG

EmS Code	F-A S-F
----------	---------

### IATA

Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction (Passenger)	964
Maximum quantity	450 L

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,

# Centrecoat Armourcoat WB 2-200 Resin

Revision 3

Revision date 2018-07-10

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

## 15.2. Chemical safety assessment

For advice on essential measures see sections 7 and 8 of this safety data sheet.

## SECTION 16: Other information

### Other information

<b>Revision</b>	This document differs from the previous version in the following areas: 2 - Precautionary Statement: Disposal. 9 - 9.1. Information on basic physical and chemical properties (Flash point). 9 - 9.1. Information on basic physical and chemical properties (Evaporation rate). 9 - 9.1. Information on basic physical and chemical properties (Odour threshold). 9 - 9.2. Other information (Benzene Content). 9 - 9.2. Other information (Product Subcategory). 9 - 9.2. Other information (Lead content). 16 - Maximum content of VOC.
<b>Text of risk phrases in Section 3</b>	R22 - Harmful if swallowed. R34 - Causes burns. R36/38 - Irritating to eyes and skin. R43 - May cause sensitisation by skin contact. R50/53 - Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R62 - Possible risk of impaired fertility. R63 - Possible risk of harm to the unborn child.
<b>Text of Hazard Statements in Section 3</b>	Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Repr. 2: H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
<b>Product Subcategory</b>	Two-pack reactive performance coatings for specific end use such as floors - 500 g/l.

### General information

This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.

### Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Print date 2018-07-10