

Centrecoat R26
Pretreatment For Tanilised Timber

Compilation date: 10/05/2014 Revision No: 4 Page: 1

Section 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier****Product name:** Centrecoat R26 Pretreatment For Tanilised Timber**Product code:** R26**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of substance / mixture:** Decking Cleaner**1.3. Details of the supplier of the safety data sheet**

- Name of Supplier: Promain UK Limited
- Address of Supplier: Promain House
Pierson Court Hitchin,
Hertfordshire SG4 0TY
- Telephone: 01462 421333
- Email: info@promain.co.uk

1.4. Emergency telephone number

- Emergency Telephone: 01462 421333 (available during office hours)

Section 2: Hazards identification**2.1. Classification of the substance or mixture****Classification under CLP:** Skin Corr. 1A: H314; Skin Irrit. 2: H315; Eye Dam. 1: H318**Most important adverse effects:** Causes skin irritation. Causes serious eye damage.**2.2. Label elements****Label elements:****Hazard statements:** H315: Causes skin irritation.

H318: Causes serious eye damage.

Hazard pictograms: GHS05: Corrosion**Signal words:** Danger**Precautionary statements:** P102: Keep out of reach of children.

P262: Do not get in eyes, on skin, or on clothing.

P260: Do not breathe fumes.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical attention.

P314: Get medical advice/attention if you feel unwell.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ISOTRIDECANOL ETHOXYLATE (EO 6 - 20)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	24938-91-8	-	Acute Tox. 4: H302+332; Eye Dam. 1: H318	4.000%

QUATERNARY C12-14 ALKYL METHYLE AMINE ETHOXYLATE METHYL CHLORIDE

-	863679-20-3	-	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318	2.000%
---	-------------	---	---	--------

3-BUTOXYPROPAN-2-OL

225-878-4	5131-66-8	-	Eye Irrit. 2: H319; Skin Irrit. 2: H315	2.000%
-----------	-----------	---	---	--------

SODIUM HYDROXIDE

215-185-5	1310-73-2	-	Skin Corr. 1A: H314	1.500%
-----------	-----------	---	---------------------	--------

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water. Seek medical attention if irritation persists after washing

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor. Get medical attention immediately! Immediately

rinse mouth and drink plenty of water. Call an ambulance. Bring along these instructions. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air. Wash hands and contaminated areas with water and soap before leaving the work site. Avoid eating, drinking and smoking when using the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

SODIUM HYDROXIDE

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	2 mg/m3	-	-

DNEL/PNEC Values

Hazardous ingredients:

3-BUTOXYPROPAN-2-OL

Type	Exposure	Value	Population	Effect
PNEC	Fresh water	0,525mg/l	-	-
PNEC	Marine water	0,0525mg/l	-	-
PNEC	Intermittent use/release	0,0525mg/l	-	-
PNEC	Sewage Treatment Plant	10 mg/l	-	-
PNEC	Fresh water sediments	2,36mg/kg	-	-
PNEC	Marine sediments	0,236mg/kg	-	-
PNEC	Soil (agricultural)	0,16mg/kg	-	-

DNEL	Dermal - Long Term	44 mg/kg	Workers	Systemic
DNEL	Inhalation - Long Term	270,5 mg/m ³	Workers	Systemic
DNEL	Dermal - Long Term	16 mg/kg	Consumers	Systemic
DNEL	Inhalation - Long Term	33,8 mg/m ³	Consumers	Systemic
DNEL	Ingestion - Long Term	8,75 mg/kg bw/d	Consumers	Systemic

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing with elasticated cuffs and closed neck.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale yellow

Odour: Characteristic odour

Evaporation rate: Slow

Oxidising: No data available.

Solubility in water: Soluble

Viscosity: Non-viscous

Boiling point/range°C: 100

Melting point/range°C: No data available.

Flammability limits %: lower: No data available.

upper: No data available.

Flash point°C: >93

Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available.

Vapour pressure: No data available.

Relative density: 1.02

pH: 13.5

VOC g/l: 50

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

3-BUTOXYPROPAN-2-OL

DERMAL	RAT	LD50	2000	mg/kg
ORAL	RAT	LD50	2000	mg/kg

SODIUM HYDROXIDE

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ISOTRIDECANOL ETHOXYLATE (EO 6 - 20)

Daphnia magna Acute	48H EC50	1-100	mg/l
FISH Acute	96H LC50	1-100	mg/l

3-BUTOXYPROPAN-2-OL

ALGAE	96H NOEC	560	mg/l
Bacteria	3H EC50	1	mg/l
Daphnia magna	48H EC50	1000	mg/l
FISH	96H LC50	560	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H EC50	1000	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: Dispose of as normal industrial waste.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: N/A

14.2. UN proper shipping name

Shipping name: N/A
(N/A)

14.3. Transport hazard class(es)

Transport class: N/A

14.4. Packing group

Packing group: N/A

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user**Section 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Section 16: Other information**Other information**

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H302+332: Harmful if swallowed or if inhaled.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.