

Centrecoat Armourcoat  
3-400 MT  
Base

Page 1/7

Revision 0 Revision date 2021-01-07

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name	Centrecoat Armourcoat 3-400 MT Base
--------------	-------------------------------------

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Restricted to professional users. Component Of A Two Pack Epoxy Flooring Coating.
-------------	--

## 1.3. Details of the supplier of the safety data sheet

Company	Promain UK Limited
Address	Promain House Pierson Court Knowl Piece, Hitchin Hertfordshire SG4 0TY
Web	
Telephone	
Email	01462 421333 promain.co.uk

## 1.4. Emergency telephone number

Emergency telephone number	01462 421333 08.30 - 17.30 Monday to Thursday, 08.30 - 16.30 Friday
----------------------------	--

## SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
--------------------------------------	---

## 2.2. Label elements

Hazard pictograms



Signal Word

Warning

Hazard Statement

Skin Irrit. 2: H315 - Causes skin irritation.  
Skin Sens. 1: H317 - May cause an allergic skin reaction.  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statement:  
Prevention

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P264 - Wash thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.

Print date 2021-01-07

# Centrecoat Armourcoat 3-400 MT Base

Revision 0

Revision date 2021-01-07

## 2.2. Label elements

<b>Precautionary Statement: Response</b>	<p>P280 - Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P302+P352 - IF ON SKIN: Wash with plenty of water/ .</p> <p>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P321 - Specific treatment (see on this label).</p> <p>P332+P313 - If skin irritation occurs: Get medical advice/attention.</p> <p>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</p> <p>P337+P313 - If eye irritation persists: Get medical advice/attention.</p>
<b>Precautionary Statement: Disposal</b>	P501 - Dispose of contents/container to local and national regulations

## 2.3. Other hazards

<b>Other hazards</b>	No data available.
----------------------	--------------------

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2-methoxy-1-methylethyl acetate (1-Methoxypropylacetate)	607-195-00-7	108-65-6	203-603-9	01-2119475791-29	0.5 - 1%	Flam. Liq. 3: H226;
Bisphenol A-(epichlorhydrin) (reaction product)	603-074-00-8	25068-38-6	500-033-5	01-2119456619-26	20 - 30%	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411;

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>Inhalation</b>	Move the exposed person to fresh air.
<b>Eye contact</b>	Flush Immediately eye thoroughly with clean water. Consult a physician immediately if irritation persists.
<b>Skin contact</b>	Remove affected person from source of contamination. Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if irritation persists after washing.
<b>Ingestion</b>	DO NOT induce the patient to vomit, medical advice is required.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Eye contact</b>	Irritating to eyes.
<b>Skin contact</b>	Irritating to skin.
<b>Ingestion</b>	DO NOT INDUCE VOMITING.

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Inhalation</b>	Seek medical attention if irritation or symptoms persist.
<b>Eye contact</b>	Seek medical attention if irritation or symptoms persist.
<b>Skin contact</b>	Seek medical attention if irritation or symptoms persist.
<b>Ingestion</b>	Seek medical attention if irritation or symptoms persist.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	Carbon dioxide (CO2). Foam. Water spray, fog or mist.
--	---

### 5.2. Special hazards arising from the substance or mixture

	Fire will produce dense black smoke.
--	--------------------------------------

### 5.3. Advice for firefighters

# Centrecoat Armourcoat 3-400 MT Base

Revision 0

Revision date 2021-01-07

## 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary. Protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Isolate area. Keep unnecessary and unprotected personnel from entering the area. Use appropriate safety equipment.

### 6.2. Environmental precautions

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

### 6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material.

### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid prolonged skin contact. After contact with skin, wash immediately with plenty of water and soap.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in original container.

### 7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure controls/personal protection


### 8.1. Control parameters

Are listed on the following items according to where it is going to be used.

#### 8.1.1. Exposure Limit Values

2-methoxy-1-methylethyl acetate (1-Methoxypropylacetate)	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 274
	WEL 15 min limit ppm: 100	WEL 15 min limit mg/m3: 548
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

### 8.2. Exposure controls



#### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.

#### Eye / face protection

safety glasses with side-shields.

#### Skin protection -

Wear suitable gloves.

#### Handprotection

#### Skin protection - Other

Wear suitable protective clothing.

# Centrecoat Armourcoat 3-400 MT Base

Revision 0

Revision date 2021-01-07

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Various
Odour	Mild
Odour threshold	No data available
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	Not applicable.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This product is stable if stored and handled as prescribed/indicated.

### 10.3. Possibility of hazardous reactions

No data is available on this product.

### 10.4. Conditions to avoid

Avoid temperatures above 300oC. Potentially violent decomposition can occur above 350oC. Generation of gas during decomposition can cause pressure in closed systems. Pressure build-up can be rapid.

### 10.5. Incompatible materials

Acids. Bases. Oxidising agents.

### 10.6. Hazardous decomposition products

No data is available on this product.

## SECTION 11: Toxicological information

# Centrecoat Armourcoat 3-400 MT Base

Revision 0

Revision date 2021-01-07

## 11.1. Information on toxicological effects

Acute toxicity	No data is available on this product.
Skin corrosion/irritation	No data is available on this product.
Serious eye damage/irritation	No data is available on this product.
Respiratory or skin sensitisation	No data is available on this product.
Germ cell mutagenicity	No data is available on this product.
Carcinogenicity	No data is available on this product.
Reproductive toxicity	No data is available on this product.

## 11.1.4. Toxicological Information

	No data available
--	-------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

	No data available
--	-------------------

### 12.2. Persistence and degradability

	No data is available on this product.
--	---------------------------------------

### 12.3. Bioaccumulative potential

	No data is available on this product.
--	---------------------------------------

### Partition coefficient

	Centrecoat Armourcoat 3-350 MT Base No data available 2-methoxy-1-methylethyl acetate No data available
--	---

### 12.4. Mobility in soil

	No data is available on this product.
--	---------------------------------------

### 12.5. Results of PBT and vPvB assessment

	No data is available on this product.
--	---------------------------------------

### 12.6. Other adverse effects

	No data is available on this product.
--	---------------------------------------

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

	This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 91/869/EEC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residue materials additional evaluations may be required. Do not dump into any sewers, on the ground, or into any body of water.
--	---

## SECTION 14: Transport information

### Hazard pictograms

	 
--	---

### 14.1. UN number

	UN3082
--	--------

### 14.2. UN proper shipping name

Print date 2021-01-07

# Centrecoat Armourcoat 3-400 MT Base

Revision 0

Revision date 2021-01-07

## 14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((Epoxy Resin))

## 14.3. Transport hazard class(es)

ADR/RID	9
Subsidiary risk	-
IMDG	9
Subsidiary risk	-
IATA	9
Subsidiary risk	-

## 14.4. Packing group

Packing group III

## 14.5. Environmental hazards

Environmental hazards	Yes
Marine pollutant	Yes

## 14.6. Special precautions for user

Use in conjunction with Manufacturers recommended guidelines.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available.

## ADR/RID

Hazard ID	90
Tunnel Category	(E)

## IMDG

EmS Code	F-A S-F
----------	---------

## IATA

Packing Instruction (Cargo)	964
Maximum quantity	450 L
Packing Instruction (Passenger)	964
Maximum quantity	450 L

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

### 15.2. Chemical safety assessment

For advice on essential measures see sections 7 and 8 of this safety data sheet.

**Centrecoat Armourcoat 3-400 MT Base**

Revision 0

Revision date 2021-01-07

**SECTION 16: Other information****Other information****Text of Hazard Statements in Section 3**

Flam. Liq. 3: H226 - Flammable liquid and vapour.  
Skin Irrit. 2: H315 - Causes skin irritation.  
Skin Sens. 1: H317 - May cause an allergic skin reaction.  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

**General information**

This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.

**Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.