

SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

Centrecoat Armourcoat Multi-Use Primer Hardener

		Revision	3	Page	1/8	Revision date	2018-05-22
SECTION 1: Identification of	the substance/mixture a	and of the compan	y/under	taking			
1.1. Product identifier							
Product name	Centrecoat Armourcoa	t Multi-Use Primer	- Harden	er			
1.2. Relevant identified uses of t	he substance or mixture a	nd uses advised aga	inst				
Description	· · · · · · · · · · · · · · · · · · ·	estricted to professional users. component of a Two Pack Polyurethane Floor Primer.					
1.3. Details of the supplier of the	safety data sheet						
Company Address Web Telephone	Promain UK Limited Promain House Pierson Court Knowl Piece, Hitchin Hertfordshire SG4 0TY						
Email Email address of the competent person 1.4. Emergency telephone numbers	01462 421333 info@promain.co.uk per						
Emergency telephone number	01462 421333	. Th 00 00	40 00 F				

08.30 - 17.30 Monday to Thursday, 08.30 - 16.30 Friday

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/EC	Xn; R20-40-42/43-48/20 Xi; R36/37/38 Symbols: Xn: Harmful.
Main hazards	Harmful by inhalation. Irritating to eyes, respiratory system and skin. Limited evidence of a carcinogenic effect. May cause sensitisation by inhalation and skin contact. May cause sensitisation by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation.
2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Acute Tox. 4: H332; Resp. Sens. 1: H334; STOT SE 3: H335; Carc. 2: H351; STOT RE 2: H373;

2.2. Label elements

Hazard pictograms





Signal Word

Hazard Statement

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Revision 3 Revision date 2018-05-22

2.2. Label elements	
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H332 - Harmful if inhaled.
	Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	STOT SE 3: H335 - May cause respiratory irritation.
	Carc. 2: H351 - Suspected of causing cancer .
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
Precautionary Statement:	P201 - Obtain special instructions before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P271 - Use only outdoors or in a well-ventilated area.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P284 - [In case of inadequate ventilation] wear respiratory protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P314 - Get medical advice/attention if you feel unwell.
	P321 - Specific treatment (see on this label).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER/doctor/ .
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	P405 - Store locked up.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	
2.3. Other hazards	
Other hazards	According to Regulation (EC) No 1272/2008 (CLP)

Other hazards	Accordi	ing to	Regul	ation (E	C) No 127	2/2008	(CLF	')				
								_		 		

No specific dangers known, if the regulations/notes for storage and handling are considered.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methylenediphenyl diisocyanate	615-005-00-9	26447-40-5	247-714-0	01-2119450154-45	70 - 80%	Carc. Cat. 3; R40 Xn; R20-48/20 Xi; R36/37/38 R42/43	
4,4'-Diphenylmethane-diisocyanate	615-005-00-9	9016-87-9		01-2119457014-47	10 - 20%		

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Methylenediphenyl diisocyanate	615-005-00-9	26447-40-5	247-714-0	01-2119450154-45		Carc. 2: H351; Acute Tox. 4: H332; STOT RE 2: H373; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334; Skin Sens. 1: H317;	
4,4'-Diphenylmethane-diisocyanate	615-005-00-9	9016-87-9		01-2119457014-47	10 - 20%		

Revision 3 Revision date 2018-05-22

	Revision date 2018-05-
SECTION 4: First aid me	easures
4.1. Description of first aid r	neasures
Inhalation	Keep patient calm, remove to fresh air, seek medical attention.
Eye contact	Immediately wash affected eyes for at least 15 minutes under running water with eyelids help
•	open, consult an eye specialist.
Skin contact	After contact with skin, wash immediately with plenty of water and soap.
Ingestion	Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention.
4.2. Most important symptor	ms and effects, both acute and delayed
Eye contact	Irritating to eyes.
Skin contact	Irritating to skin.
4.3. Indication of any immed	diate medical attention and special treatment needed
	Treatment:- Treat according to symptoms (decontamination, vital functions), no known specific antidote, administer corticosteroid dose aerosol to prevent pulmonary odema.
SECTION 5: Firefighting	measures
5.1. Extinguishing media	
	Dry powder, carbon dioxide, alcohol-resistant foam, water spray.
5.2. Special hazards arising	g from the substance or mixture
oin oposiai nanaras anomg	Carbon dioxide, carbon monoxide, hydrogen cyanide, hydrocyanic acid, nitorgen oxides,
	isocyanate.
	The substance/groups of substances mentioned can be released in case of fire.
5.3. Advice for firefighters	
	Special protective equipment. Wear self-contained breathing apparatus and chemical-protective clothing.
Further information	
	Keep containers cool by spraying with water if exposed to fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.
SECTION 6: Accidental	
6.1. Personal precautions, p	protective equipment and emergency procedures
	Use personal protective clothing. Ensure adequate ventilation. Use breathing aparatus if exposed to vapours/dust/aerosol.
6.2. Environmental precauti	ions
	Do not empty into drains. Do not discharge into the subsoil/soil.
6.3. Methods and material f	or containment and cleaning up
	For large amounts:- Pump off product. For residues;- Pick up with absorbent material (e.g sand, sawdust, general purpose binder). Dispose of absorbed material in accordance with regulations. Neutralize with a solution of 5-10% Sodium carbonate, 0.2-2 % detergents and 90-95 % water.
6.4. Reference to other sect	tions
	Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.
SECTION 7: Handling a	nd storage
7.1. Precautions for safe ha	
	Provide suitable exhaust ventilation at the processing machines. Ensure thorough ventilation of stores and work areas. Avoid aerosol formation. When handling heated product, vapours of the product about the ventilated and reprint the product about the product and product and product and product about the product and product about the product and product and product about the processing machines.

product should be ventilated and respiratory protection used. Wear respiratory protection when

Revision 3 Revision date 2018-05-22

7.1. Precautions for safe handling

spraying. Danger of bursting when seal gastight. Protect against moisture. Products freshly manufactured from isocyanates can contain incompletely reacted isocyanates and other dangerous substances. Clean up comtamination as soon as they occur. Provide basic employee training to prevent/minimize exposures.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from water. Segregate from foods and animal feeds. Segregate from acids and bases.

Suitable materials for containers; carbon steel (iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), tin (tinplate), Stainless steel 1 4301 (V2).

Unsuitable materials for containers;- paper, board.

Further information on storage containers; Keep container tightly closed in cool, well-ventilated place. Protect against moisture. Formation of CO2 and build up of pressure possible. Danger of bursting when sealed gastight. Information concerning the compliance to the Packaging (Essential Requirements) Regulations 1998 and their amendments may be obtained from the manufacturer.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this secrtion 7 is to be observed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Are listed on the following items according to where it is going to be used.

8.1.1. Exposure Limit Values

4,4'-Diphenylmethane-diisocyan ate	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 0.02
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3: 0.07
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Methylenediphenyl diisocyanate	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 0.02
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3: 0.07
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:

8.2. Exposure controls









Eye / face protection

Skin protection - Other

Skin protection - Handprotection

Chaminal registers aloues

Chemical resistant gloves.

Wear suitable protective clothing.

safety glasses with side-shields.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 3 Revision date 2018-05-22

- 4			
9.1.	Information on	basic physical and	l chemical properties

Appearance | Liquid Colour Yellowish Odour Earthy, musty Odour threshold No data available рΗ No data available Melting point No data available Freezing Point No data available No data available Initial boiling point Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) No data available Vapour pressure No data available Vapour density No data available Relative density No data available **Fat Solubility** No data available Partition coefficient No data available Autoignition temperature No data available Viscosity No data available **Explosive properties** No data available Oxidising properties No data available Solubility No data available

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

This product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

Reacts with water, with formation of carbon dioxide. Risk of bursting. Reacts with substances which contain active hydrogen.

10.4. Conditions to avoid

Temperature < 15o C.

10.5. Incompatible materials

Acids, alcohols, amines, water, Alkalines.

10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity No data is available on this product.

Revision

Revision date 2018-05-22 11.1. Information on toxicological effects Skin corrosion/irritation Sensitization. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin May cause sensitisation by inhalation. sensitisation Germ cell mutagenicity No data is available on this product. Carcinogenicity No data is available on this product. Reproductive toxicity No data is available on this product. 11.1.4. Toxicological Information No data available SECTION 12: Ecological information 12.1. Toxicity No data available 12.2. Persistence and degradability No data is available on this product. 12.3. Bioaccumulative potential No data is available on this product. Partition coefficient Centrecoat Armourcoat Multi-Use Primer - Hardener No data available 12.4. Mobility in soil No data is available on this product. 12.5. Results of PBT and vPvB assessment No data is available on this product. 12.6. Other adverse effects No data is available on this product. **SECTION 13: Disposal considerations** 13.1. Waste treatment methods Completely empty the packaging and process it according to local legislation. **SECTION 14: Transport information** 14.1. UN number The product is not classified as dangerous for carriage. 14.2. UN proper shipping name The product is not classified as dangerous for carriage. 14.3. Transport hazard class(es) The product is not classified as dangerous for carriage. 14.4. Packing group The product is not classified as dangerous for carriage. 14.5. Environmental hazards The product is not classified as dangerous for carriage. 14.6. Special precautions for user

Revision 3
Revision date 2018-05-22

The product is not classified as dangerous for carriage.

The product is not classified as dangerous for carriage.

The product is not classified as dangerous for carriage.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

15.2. Chemical safety assessment

For advice on essential measures see sections 7 and 8 of this safety data sheet.

SECTION 16: Other information

O4L	information
CHIPPE	intormation

Revision This document differs from the previous version in the following areas:.

9 - 9.1. Information on basic physical and chemical properties (PH).

9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).

9 - 9.1. Information on basic physical and chemical properties (Flash point).

9 - 9.1. Information on basic physical and chemical properties (Odour threshold).

9 - 9.2. Other information (Benzene Content).

9 - 9.2. Other information (Lead content).

Text of risk phrases in Section

3

R20 - Harmful by inhalation.

R36/37/38 - Irritating to eyes, respiratory system and skin.

R40 - Limited evidence of a carcinogenic effect.

R42/43 - May cause sensitisation by inhalation and skin contact.

R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Text of Hazard Statements in Section 3

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Acute Tox. 4: H332 - Harmful if inhaled.

Resp. Sens. 1: H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

STOT SE 3: H335 - May cause respiratory irritation.

Carc. 2: H351 - Suspected of causing cancer.

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .

General information

This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and

3

Centrecoat Armourcoat Multi-Use Primer - Hardener

Revision Revision date 2018-05-22

Further information belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.