

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

Page: 1 Compilation date: 01/12/2020

Revision No: 1

#### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: Centrecoat Epoxy Damp Proof Basement Primer PART B

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC9a: Coatings and paints, thinners, paint removers.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Promain UK Limited Unit C1 Pierson Court, Knowl Piece, Hitchin, Hertfordshire, SG4 0TY United Kingdom T 01462 421333 sales@promain.co.uk - www.promain.co.uk

Tel: 01462 421333

Email: info@promain.co.uk

### 1.4. Emergency telephone number

Emergency tel: 01462 421333

(08.30 to 16.30 Mon to Fri)

### Section 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification under CLP:	Acute Tox. 4: H302; Aquatic Chronic 2: H411; Repr. 1A: H360; Skin Corr. 1B: H314; Skin
	Sens. 1A: H317; STOT SE 3: H335
Most important adverse effects:	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an
	allergic skin reaction. May cause respiratory irritation. May damage fertility or the unborn
	child. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

## Label elements:

Hazard statements: H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H335: May cause respiratory irritation.

[cont...]



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

## Product name: Centrecoat Epoxy Damp Proof Basement Primer PART B

Page: 2

H360: May damage fertility or the unborn child.

H411: Toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark

GHS08: Health hazard

GHS09: Environmental



Signal words:DangerPrecautionary statements:P260: Do not breathe dust/fume/gas/mist/vapours/spray.P280: Wear protective gloves/protective clothing/eye protection/face protection.P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomitingP302+P352: IF ON SKIN: Wash with plenty of water.P362+P364: Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

# Section 3: Composition/information on ingredients

3.2. Mixtures

Section 4: First aid measures

# 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Do not induce vomiting.

Inhalation: Move to fresh air in case of accidental inhalation of vapours.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: No data available.

Eye contact: May cause permanent damage.

Ingestion: No data available.

Inhalation: No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

# Section 5: Fire-fighting measures



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

### Product name: Centrecoat Epoxy Damp Proof Basement Primer PART B

Page: 3

#### 5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Carbon dioxide. Water.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In combustion emits toxic fumes of carbon dioxide. In combustion emits toxic fumes of carbon monoxide. In combustion emits toxic fumes of nitrogen oxides.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus.

### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Do not attempt to take action without suitable protective clothing - see section 8 of SDS.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand.

# 6.4. Reference to other sections

### Section 7: Handling and storage

### 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

### 7.2. Conditions for safe storage, including any incompatibilities

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC9a: Coatings and paints, thinners, paint removers.

### Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

**DNEL/PNEC** Values

DNEL / PNEC No data available.

### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

### Product name: Centrecoat Epoxy Damp Proof Basement Primer PART B

Page: 4

**Eye protection:** Safety glasses. **Skin protection:** Protective clothing.

# Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow-brown

Viscosity: Viscous

### 9.2. Other information

**Other information:** No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

# 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

#### 10.4. Conditions to avoid

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

## 11.1. Information on toxicological effects

### Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	-	Hazardous: calculated
Reproductive toxicity		Hazardous: calculated



Daga: 5

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

### Product name: Centrecoat Epoxy Damp Proof Basement Primer PART B

			Fage. 0	
	INH	Hazardous: calculated		
re				
No data available.				
May cause permanent damage.				
No data available.				
No data available.				
nation				
No data av	vailable.			
ability				
No data av	vailable.			
ial				
No data av	vailable.			
No data av	vailable.			
B assessme	ent			
This produ	uct is not identified as	a PBT/vPvB substance.		
	May cause No data av No data av nation No data av ability No data av ial No data av B assessme	No data available. May cause permanent damage No data available. No data available. <b>nation</b> No data available. <b>ability</b> No data available. <b>ial</b> No data available. <b>B assessment</b>	Ire No data available. May cause permanent damage. No data available. No data available. nation No data available. ability No data available. ial No data available. No data available.	

13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1760

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, N.O.S.

14.3. Transport hazard class(es)

Transport class: 8



# SAFETY DATA SHEET

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

## Product name: Centrecoat Epoxy Damp Proof Basement Primer PART B

	Froduct name. Centrecoal Epoxy Damp Proof Dasement Primer PART B
	Page: 6
14.4. Packing group	
Packing group:	П
14.5. Environmental hazards	
Environmentally hazardous:	Yes Marine pollutant: No
14.6. Special precautions for	JSer
Tunnel code:	E
Transport category:	2
Section 15: Regulatory inform	nation
15.1. Safety, health and enviro	onmental regulations/legislation specific for the substance or mixture
15.2. Chemical Safety Assess	nent
Section 16: Other information	
Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	2015/830.
	* indicates text in the SDS which has changed since the last revision.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H317: May cause an allergic skin reaction.
	H335: May cause respiratory irritation.
	H360: May damage fertility or the unborn child.
	H411: Toxic to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.