

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 1.0

Revision: 05.07.2018

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- Trade name: KEIM CONCRETAL-BLACK
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture Sol-silicate paint for concrete
- · Uses advised against All other uses are not recommended.
- 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keim.com / sales@keimpaints.co.uk

- Further information obtainable from: David Pratt Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Aqueous solution of silicic acid potassium salt, silica sol, acrylic polymer, mineral fillers, pigments, additives.

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 1.0

Revision: 05.07.2018

(Contd. of page 1)

Trade name: KEIM CONCRETAL-BLACK

· Dangerous components:

12001-26-2 Mica

substance with a Community workplace exposure limit $\geq 0.1 \le 2.5\%$

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:
- No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours.

Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation

Avoid contact with skin and eyes.

Particular danger of slipping on leaked/spilled product.

Respect the protection rules (see section 7 a. 8).

(Contd. on page 3)

GB



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 1.0

Revision: 05.07.2018

Trade name: KEIM CONCRETAL-BLACK

(Contd. of page 2) · 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. Dilute with plenty of water. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. Flush rests with sufficient amount of water. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. **SECTION 7: Handling and storage** · 7.1 Precautions for safe handling Keep receptacles tightly sealed. Avoid contact with skin and eyes. Do not inhale aerosols. Ensure good ventilation/exhaustion at the workplace. See item 8 (8.2) for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles. • Information about storage in one common storage facility: Do not store together with acids. · Further information about storage conditions: Store in a cool place. Protect from frost. Protect from heat and direct sunlight. · Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

GB



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 1.0

Revision: 05.07.2018

Trade name: KEIM CONCRETAL-BLACK

(Contd. of page 3)

12001 WEL	lients with limit values that require monitoring at the workplace: -26-2 Mica Long-term value: 10* 0.8** mg/m ³ *total inhalable **respirable
WEL	Long-term value: 10* 0.8** mg/m³ *total inhalable **respirable
	*total inhalable **respirable
Additi	
	onal information: The lists valid during the making were used as basis.
8.2 Ex	posure controls
	nal protective equipment:
	al protective and hygienic measures:
	contact with the eyes and skin.
	inhale aerosols.
	hands before breaks and at the end of work.
	liately remove all soiled and contaminated clothing
	ratory protection:
	itable respiratory protective device only when aerosol or mist is formed.
Filter:	
	ction of hands: Protective gloves
water	al of gloves e material e.g.:
	impregnated cotton-gloves
	imended thickness of the material: ≥ 0.5 mm
	rubber, NBR
	nmended thickness of the material: \geq 0.4 mm
	ubber, BR
	nmended thickness of the material: \geq 0.7 mm
of qua substa	election of the suitable gloves does not only depend on the material, but also on further main lity and varies from manufacturer to manufacturer. As the product is a preparation of seven inces, the resistance of the glove material can not be calculated in advance and has therefore thecked prior to the application.
	ration time of glove material
	for the permeation: Level \geq 6 (480 min)
	etermined penetration times according to EN 374 part III are not performed under practi
	ons. Therefore a maximum wearing time, which corresponds to 50% of the penetration tin
	mmended.
	rotection: Tightly sealed goggles
	protection:
	tive work clothing
After c	ontact with skin wash thoroughly with water and apply lotion. tion and supervision of exposure into the environment See Section 12 and 6.2

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 1.0

Revision: 05.07.2018

Trade name: KEIM CONCRETAL-BLACK

(Contd. of page 4)

9.1 Information on basic physical and o General Information	chemical properties
Appearance:	
Form:	Pasty
Colour:	Black
Odour:	Weak, characteristic
Odour threshold:	Not determined.
pH-value at 20 °C:	~11*
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: ~100 °C
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
Oxidising properties	Not applicable.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	1.55-1.65* g/cm³
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient: n-octanol/water:	Not applicable.
Viscosity:	
Dynamic at 20 °C:	1500-2000* mPas
Kinematic:	Not determined.
9.2 Other information	* The values are for freshly produced material and ma

GB (Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 1.0

Revision: 05.07.2018

Trade name: KEIM CONCRETAL-BLACK

(Contd. of page 5)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- · 10.5 Incompatible materials: Acids
- 10.6 Hazardous decomposition products:
- No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation Frequent persistent contact with the skin may cause skin irritation.
- Serious eye damage/irritation In case of longer exposure, irritating effect is possible.
- · during inhalation: Irritant effect possible.
- · during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Other information (about experimental toxicology):

Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

• CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) not applicable

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

GB



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 1.0

Revision: 05.07.2018

(Contd. of page 6)

Trade name: KEIM CONCRETAL-BLACK

· Additional ecological information:

· AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

- According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:
- The product contains BaSO4.

General notes:

At present there are no ecotoxicological assessments.

Do not allow product to reach ground water, water course or sewage system.

- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- **Recommendation** Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.
- · European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information				
· 14.1 UN-Number · ADR, IMDG, IATA	Void			
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void			
· 14.3 Transport hazard class(es)				
· ADR, IMDG, IATA				
· Class	Void			
· 14.4 Packing group				
· ADR, IMDG, IATA	Void			
· 14.5 Environmental hazards:				
· Marine pollutant:	No			
		(Contd. on page 8)		



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.07.2018

Version number 1.0

Revision: 05.07.2018

Trade name: KEIM CONCRETAL-BLACK

	(Contd. of page 7)
• 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable.
· Transport/Additional information:	No dangerous good in sense of these transport regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 not applicable
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** KEIMFARBEN Germany, Product safety department

Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) ** Data compared to the previous version altered.