

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- · Trade name: KEIM GRANITAL-GROB
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the mixture
- Highly filled exterior paint for priming and intermediate coats
- · Uses advised against All other uses are not recommended.

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keim.com / sales@keimpaints.co.uk

- **Further information obtainable from:** David Pratt Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk
- **1.4 Emergency telephone number:** GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Additional information:
- EUH210 Safety data sheet available on request.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- · 2.3 Other hazards Alkaline product. Avoid contact with skin and eyes.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable
- · **vPvB:** Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Purely mineral fillers, potassium water glass, pure acrylate emulsion



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

Trade name: KEIM GRANITAL-GROB

Dangerous components:		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119486799-10- xxxx	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm] Carc. 2, H351	2.5-10%
CAS: 12001-26-2 EC number: 601-648-2	Mica substance with a Community workplace exposure limit	2.5-10%

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

No special measures required.

When seeing the doctor we suggest to present this safety data sheet.

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- Do not use solvents or thinners.
- If skin irritation continues, consult a doctor.
- After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing: Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- · 5.3 Advice for firefighters
- · Specila protective equipment: Wear self-contained respiratory protective device.
- · Additional information

In case of fire do not breathe smoke, fumes and vapours.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

GB



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

Trade name: KEIM GRANITAL-GROB

(Contd. of page 2)

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures	
Respect the protection rules (see section 7 a. 8). Avoid contact with skin and eyes.	
Ensure adequate ventilation	
Particular danger of slipping on leaked/spilled product.	
· 6.2 Environmental precautions:	
Do not allow product to reach soil, sewage system or any water course.	
Follow local governmental rules and regulations.	
Dilute with plenty of water.	
6.3 Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Ensure adequate ventilation.	
Dispose of the material collected according to regulations.	
Clear contaminated areas thoroughly.	
Flush rests with sufficient amount of water.	
· 6.4 Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
	_
SECTION 7: Handling and storage	
SECTION 7. Handling and storage	
· 7.1 Precautions for safe handling	
Keep receptacles tightly sealed.	
Avoid contact with skin and eyes.	
Do not inhale aerosols.	
See item 8 (8.2) for information about suitable protective equipment and technical precautions.	
Respect the protection rules.	
Information about fire - and explosion protection:	
The product is not flammable.	
No special measures required.	
[•] 7.2 Conditions for safe storage, including any incompatibilities	
Storage:	
Requirements to be met by storerooms and receptacles:	
Store only in unopened original receptacles.	
Keep in the original containers in a cool and dry place.	
Information about storage in one common storage facility: Do not store together with acids.	
· Further information about storage conditions:	
Protect from frost.	
Store in a cool place.	
Protect from heat and direct sunlight.	
· Storage class: 12	I
(Contd. on page 4) GB	



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

Trade name: KEIM GRANITAL-GROB

• 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 μm]

WEL Long-term value: 10* 4** mg/m³ *total inhalable **respirable

12001-26-2 Mica

WEL Long-term value: 10* 0.8** mg/m³

*total inhalable **respirable

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Avoid contact with the eyes and skin.

Do not inhale aerosols.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Filter: P

- · Hand protection Protective gloves
- Material of gloves

suitable material e.g.:

- Nitrile impregnated cotton-gloves
- PVC or PE gloves

Recommended thickness of the material: ≥ 0.5 mm

Natural rubber, NR

Recommended thickness of the material: \geq 0.6 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material
- Value for the permeation: level \geq 6 (480 min)

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye/face protection Tightly sealed goggles

Body protection: Protective work clothing

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

(Contd. of page 4)

Trade name: KEIM GRANITAL-GROB

• Environmental exposure controls See Section 12 and 6.2

No further relevant information available.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chem General Information 	nical properties
	Different eccending to colouring
Colour:	Different, according to colouring.
Odour:	Odourless
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	Not determined
· Flammability	Not applicable
• Lower and upper explosion limit	
· Lower:	Not applicable
· Upper:	Not applicable
Flash point:	Not applicable
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined
pH at 20 °C	~11*
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic at 20 °C:	1.700-2.100* mPas
· Solubility	1.700-2.100 111 43
· water:	Miscible
· Partition coefficient n-octanol/water (log	MISCIDIE
	Natannliachla
value)	Not applicable
· Vapour pressure at 20 °C:	~23 hPa
· Density and/or relative density	
Density at 20 °C:	1.5-1.7* g/cm ³
· Vapour density	Not applicable.
9.2 Other information	* The values are for freshly produced material
	and may change with the time.
· Appearance:	, ,
· Form:	Pasty
· Important information on protection of heal	
and environment, and on safety.	
· Ignition temperature:	Not determined
• Explosive properties:	Product does not present an explosion hazard.
• Change in condition	
· Softening point/range	
· Oxidising properties:	Not applicable
Ovidiality higherites.	Not applicable
	(Contd. on page 6)



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

Trade name: KEIM GRANITAL-GROB

Evaporation rate	Not applicable.	
•		
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

- **10.2 Chemical stability** Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm]

Inhalative ATE mix (4h)	>5 mg/l (inhalation)
-------------------------	----------------------

ATE mix >2,000 mg/kg (dermal)

(Contd. on page 7)



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

Trade name: KEIM GRANITAL-GROB

		(Contd. of page >2,000 mg/kg (orally)
	NOAEL	3,500 mg/kg /Oral (rat) (90d)
· Skin co	rrosion/irrita	tion Frequent persistent contact with the skin may cause skin irritation.
	eye damage	
		osure, slightly irritating effect to the eyes is possible.
		ritant effect possible.
· during s	swallowing:	Irritant effect possible
		sensitisation Based on available data, the classification criteria are not met.
		city Based on available data, the classification criteria are not met.
		ed on available data, the classification criteria are not met.
		y Based on available data, the classification criteria are not met.
		rre Based on available data, the classification criteria are not met.
· STOT-re	epeated expo	DSURE Based on available data, the classification criteria are not met.
Aspirati	i on hazard Ba	ased on available data, the classification criteria are not met.
 Aspirati Other in 	ion hazard Banformation (a	ased on available data, the classification criteria are not met. bout experimental toxicology):
• Aspirati • Other in Experim	i on hazard Ba Iformation (a Jental analysis	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available.
• Aspirati • Other in Experim The prod	ion hazard Ba Iformation (a Iental analysis duct was not t	ased on available data, the classification criteria are not met. bout experimental toxicology): are not available. tested. The statements on toxicology have been derived from the properties
• Aspirati • Other in Experim The proo the indiv	ion hazard Ba Iformation (a Jental analysis duct was not f vidual compon	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available. tested. The statements on toxicology have been derived from the properties lents.
Aspirati Other in Experim The pro- the indiv Subacu	ion hazard Ba formation (a lental analysis duct was not f ridual compon te to chronic	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available. tested. The statements on toxicology have been derived from the properties tents. a toxicity:
• Aspirati • Other in Experim The pro- the indiv • Subacu • Repeate	ion hazard Ba formation (a iental analysis duct was not t ridual compon te to chronic ed dose toxic	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available. tested. The statements on toxicology have been derived from the properties tents. toxicity: tity
• Aspirati • Other in Experim The pro- the indiv • Subacu • Repeate	ion hazard Ba formation (a iental analysis duct was not t ridual compon te to chronic ed dose toxic i7-7 titanium	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available. tested. The statements on toxicology have been derived from the properties tents. toxicity: tity
Aspirati Other in Experim The pro- the indiv Subacu Repeate 13463-6	ion hazard Ba formation (a ental analysis duct was not t ridual compon te to chronic ed dose toxic 7-7 titanium aerodyna	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available. tested. The statements on toxicology have been derived from the properties tents. toxicity: city dioxide [in powder form containing 1 % or more of particles with
Aspirati Other in Experim The proo the indiv Subacu Repeate 13463-6	ion hazard Ba formation (a eental analysis duct was not f ridual compon te to chronic ad dose toxic 7-7 titanium aerodyna re NOAEC 1	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available. tested. The statements on toxicology have been derived from the properties tents. toxicity: city dioxide [in powder form containing 1 % or more of particles with amic diameter ≤ 10 µm] 0 mg/m³ (rat) (90d)
Aspirati Other in Experim The prod the indiv Subacu Repeate 13463-6	ion hazard Ba formation (a iental analysis duct was not f idual compon te to chronic d dose toxic 7-7 titanium aerodyna re NOAEC 11 fects (carcine	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available. tested. The statements on toxicology have been derived from the properties tents. a toxicity: city dioxide [in powder form containing 1 % or more of particles with amic diameter ≤ 10 μm]
Aspirati Other in Experim The pro- the indiv Subacu Subacu Repeate 13463-6	ion hazard Ba formation (a iental analysis duct was not f idual compon te to chronic d dose toxic 7-7 titanium aerodyna re NOAEC 11 fects (carcine	ased on available data, the classification criteria are not met. bout experimental toxicology): a are not available. tested. The statements on toxicology have been derived from the properties tested. The statements on toxicology have been derived from the properties tested. The statements on toxicology have been derived from the properties tested. The statements on toxicology have been derived from the properties tested. The statements on toxicology have been derived from the properties tested. The statements on toxicology have been derived from the properties tested. The statements on toxicology have been derived from the properties toxicity: toticity: dioxide [in powder form containing 1 % or more of particles with amic diameter ≤ 10 μm] 0 mg/m³ (rat) (90d) togenity, mutagenicity and toxicity for reproduction) Not applicable other hazards

SECTION 12: Ecological information

· 12.1 Toxicity

g (sediment fresh water) eshwater alga) (OECD 201)
eshwater alga) (OECD 201)
lgae) (ISO 10253)
narine fish) (OECD 203)
eshwater fish) (EPA-540/9-85-006)
iphnia) (OECD 202)

(Contd. on page 8)

[–] GB



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021 Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

Trade name: KEIM GRANITAL-GROB

12.4 Mobili	in soil No further relevant information available.	(Contd. of page
	of PBT and vPvB assessment	
PBT: Not a		
vPvB: Not a		
	ne disrupting properties	
	loes not contain substances with endocrine disrupting prope	erties
•	lverse effects	
	cological information:	
AOX-indica	•	
Due to the	bstance of content which do not include organic jointed hal on the AOX-load of the waste water.	logens, the product can n
According	o the formulation contains the following heavy metals a	and compounds from th
EU guidelii	NO. 2006/11/EC:	-
The produc	contains TiO2.	
General no	S:	
	product to reach ground water, water course or sewage syst	tem.
	ere are no ecotoxicological assessments.	
The staten components	ents on ecotoxicology have been derived from the pro	operties of the individu
Water haza	class 1 (German Regulation) (Self-assessment): slightly ha	azardous for water

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

- · Uncleaned packaging:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport inform	ation	
 14.1 UN number or ID number ADR, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Void	
		(Contd. on page 9)



Page 9/10

Printing date 06.07.2021

Safety data sheet according to 1907/2006/EC, Article 31

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

Trade name: KEIM GRANITAL-GROB

	(Contd. of page 8
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable
 14.7 Maritime transport in bulk accordi IMO instruments 	ng to Not applicable
· Transport/Additional information:	No dangerous good in sense of these transpor regulations.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008 For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Not applicable
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H351 Suspected of causing cancer.
- · Department issuing SDS: KEIMFARBEN Germany, Product safety department
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

(Contd. on page 10)

---- GB



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.07.2021 Version

Version number 12.1 (replaces version 12.0)

Revision: 06.07.2021

Trade name: KEIM GRANITAL-GROB

(Contd. of page 9)

GB

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
EC10: Effective concentration at 10% mortality rate.
EC50: Half maximal effective concentration.
LC10: Lethal concentration at 10% mortality rate.
NOEC: No observed effect concentration.
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
Carc. 2: Carcinogenicity – Category 2
** Data compared to the previous version altered.