

Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

- Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against • Application of the substance / the mixture
- Dry mortar to be mixed with water and then used as a plaster for walls and ceilings indoors and outdoors.

Renovation and thin layer exterior wall render, based on lime cement with a small amount of organic additives and fibre reinforcement.

- · Uses advised against All other uses are not recommended.
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

KEIM MINERAL PAINTS LTD Santok Building / Deer Park Way, Donnington Wood GB-Telford, Shropshire TF2 7NA Tel +44 1952 231 250 / Fax +44 1952 231 251 www.keim.com / sales@keimpaints.co.uk

- Further information obtainable from: David Pratt Telefon: +44 1952 231250 E-Mail: sales@keimpaints.co.uk
 1.4 Emergency telephone number:
- GBK GmbH Global Regulatory Compliance Emergency number: +49(0)6132/84463

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: Cement, portland, chemicals

(Contd. on page 2)

GB



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

	(Contd. of page 1)
calcium dihydro	bxide
 Hazard statem 	ents
H315 Causes s	skin irritation.
H318 Causes s	erious eye damage.
H335 May caus	se respiratory irritation.
· Precautionary	statements
P261	Avoid breathing dust.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P315	Get immediate medical advice/attention.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P362	Take off contaminated clothing.
P332+P313	5
[.] 2.3 Other haza	ırds
This Product co	ontains cement. Cement produces an alkaline reaction with moisture or water. Avoid
	es and prolonged skin contact.
5	T and vPvB assessment
• PBT: Not applie	

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Portland-cement, calcium dihydroxide, aggregates and additives
- · Dangerous components:

	•		
	CAS: 65997-15-1	Cement, portland, chemicals	10-25%
		♦ Eye Dam. 1, H318; < Skin Irrit. 2, H315; STOT SE 3, H335	
	CAS: 1305-62-0	calcium dihydroxide	2.5-10%
	EINECS: 215-137-3	📀 Eye Dam. 1, H318; 🕔 Skin Irrit. 2, H315; STOT SE	<u>:</u>
	Reg.nr.: 01-2119475151-45-XXXX	3, H335	
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: When seeing the doctor we suggest to present this safety data sheet.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- Do not use solvents or thinners.

(Contd. on page 3)

GB



Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

(Contd. of page 2)

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor. **After swallowing:**

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information
- Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eves. Avoid formation of dust. Use respiratory protective device against the effects of fumes/dust/aerosol. Product forms slippery surface when combined with water. 6.2 Environmental precautions: Do not allow product to reach soil, sewage system or any water course. Follow local governmental rules and regulations. 6.3 Methods and material for containment and cleaning up: Close drainages (Risk of blocking) Danger of slipping! Avoid formation of dust. Ensure adequate ventilation. Pick up mechanically. Dispose of the material collected according to regulations. Clear contaminated areas thoroughly. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

GB



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Avoid contact with skin and eyes. Keep receptacles tightly sealed. Prevent formation of dust. Ensure good ventilation/exhaustion at the workplace. Any unavoidable deposit of dust must be regularly removed. See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules. Information about fire - and explosion protection: The product is not flammable. No special measures required. · 7.2 Conditions for safe storage, including any incompatibilities · Storage: Requirements to be met by storerooms and receptacles: Keep in the original containers in a cool and dry place. Store only in unopened original receptacles. Information about storage in one common storage facility: Do not store together with acids. Further information about storage conditions: Store in dry conditions. Protect from humidity and water. Avoid dust formations and deposits. Keep container tightly sealed. Protect from heat and direct sunlight. Storage class: 13

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters	
Ingredients with limit values that require more	onitoring at the workplace:
65997-15-1 Cement, portland, chemicals	
WEL Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust	
1305-62-0 calcium dihydroxide	
WEL Long-term value: 5 mg/m ³	
·DNELs	
1305-62-0 calcium dihydroxide	
Inhalative Acute - local effects, worker	4 (worker)
	(Contd. on page 5)



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

	Acute - local effects, consu	Imer	4 mg/m ³ (consumer) (Contd. of page
	Long-term - local effects, v		1 mg/m ³ (worker)
	Long-term - local effects, o		1 (consumer)
		onsumer	
PNECs			
	calcium dihydroxide	0.40	(free allowed and)
•	mpartment - freshwater	-	(freshwater)
•	mpartment - marine water	U U	
	compartment - soil	, 0	/kg dw (soil)
Sewage tr	eatment plant	3 mg/l (se	ewage sludge)
Additiona	I information: The lists val	lid during t	he making were used as basis.
Vacuum c Avoid com Do not inh Wash han Immediate Respirato In a dusty Filter: FFF Protection Protective Alkaline re Material c suitable m Nitrile imp Recomme The select of quality a substance to be chect Value for t The deter conditions is recomm	act with the eyes and skin. ale dust / smoke / mist. ds before breaks and at the dy remove all soiled and co ry protection: environment wear suitable and hands: gloves sistant gloves f gloves aterial e.g.: regnated cotton-gloves nded thickness of the material ion of the suitable gloves d and varies from manufacturs, the resistance of the gloves be prior to the application on time of glove material he permeation: Level ≥ 6 (4 mined penetration times a . Therefore a maximum we ended. break trough time has to b observed.	. Do not bl e end of w ntaminate facemask facemask facemask is 0.5 loes not ou rer to mar ve materia 480 min) ccording t earing time	d clothing
· Eye prote			
• Eye prote In a dusty	environment wear protectiv	e goggles	
• Eye prote In a dusty Tightly sea	environment wear protectiv aled goggles	e goggles	
Eye prote In a dusty Tightly sea	environment wear protectiv aled goggles	e goggles	



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

(Contd. of page 5)

GB

After contact with skin wash thoroughly with water and apply lotion. • Limitation and supervision of exposure into the environment See Section 12 and 6.2

9.1 Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Powder
Colour:	White
Odour:	Odourless
Odour threshold:	Not determined.
pH-value at 20 °C:	11.5-13.5*
-	with water mixed
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range	: Not applicable.
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
Oxidising properties	Not applicable.
Vapour pressure:	Not applicable
Density at 20 °C:	1.1-1.3* g/cm ³
	Bulk density
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water at 20 °C:	< 2 g/l (Ca(OH)2)
	miscible
Partition coefficient: n-octanol/water:	Not applicable.



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

(Contd. of page 6)

· Viscosity: Dynamic: Kinematic:

· 9.2 Other information

Not applicable. Not applicable. * The values are for freshly produced material and may change with the time.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Reacts with water alkaline and hardens.
- 10.2 Chemical stability Stable under normal conditions of storage and use.
- Thermal decomposition / conditions to be avoided:
- Stable at environment temperature.

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid Humidity
- · 10.5 Incompatible materials: Acids
- · 10.6 Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

1305-62-0 calcium dihydroxide

Oral LD50 >2,000 mg/kg (rat) (OECD 425)

Dermal LD50 >2,500 mg/kg (rabbit) (OECD 402)

- Primary irritant effect:
- Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye damage.
- · during inhalation: Irritating to respiratory system.
- · during swallowing: Irritant effect possible
- · Respiratory or skin sensitisation
- Product is reduced in chromate. Within the indicated storage time sensitization is not expected.
- Other information (about experimental toxicology):
- Experimental analysis are not available.

The product was not tested. The statements on toxicology have been derived from the properties of the individual components.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) not applicable

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

[–] GB



Page 8/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

(Contd. of page 7)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

1305-62-0 calcium dihydroxide
NOEC 72 mg/l (freshwater alga)
14 mg/l (invertebrate marine organisms)
EC10/LC10 oder NOEC 2,000 mg/kg (Soil macro-organisms)
12,000 mg/kg (soil microorganisms)
NOEC 21 mg/kg (plants)
EC 50/48h 49.1 mg/l (freshwater invertebrate organisms)
EC 50/72 h 184.57 mg/l (freshwater alga)
LC 50/96 h 457 mg/l (marine fish)
50.6 mg/l (freshwater fish)
158 mg/l (invertebrate marine organisms)
 12.4 Mobility in soil No further relevant information available. Additional ecological information: AOX-indication: Due to the substance of content which do not include organic jointed halogens, the product can take influence on the AOX-load of the waste water. According to the formulation contains the following heavy metals and compounds from a EU guideline NO. 2006/11/EC: According to our current data base the product does not consist of any heavy metals or substance of EU-directives 76/464/EWG. General notes: At present there are no ecotoxicological assessments. Do not allow product to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water 12.5 Results of PBT and vPvB assessment PBT: Not applicable. (Contd. on page)



Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

• **12.6 Other adverse effects** No further relevant information available.

(Contd. of page 8)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed with household garbage. Do not allow product to reach sewage system. Disposal must be made according to official regulations.

· European waste catalogue

17 01 01 concrete

· Uncleaned packaging:

· Recommendation:

Non contaminated packagings may be recycled.

Disposal must be made according to official regulations.

Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport informa	tion
· 14.1 UN-Number · ADR, IMDG, IATA	Void
 14.2 UN proper shipping name ADR, IMDG, IATA 	Void
14.3 Transport hazard class(es)	
ADR, IMDG, IATA Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ar of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	No dangerous good in sense of these transpor regulations.
UN "Model Regulation":	Void

(Contd. on page 10)



Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

(Contd. of page 9)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008
- For information on labelling please refer to section 2 of this document.
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:
- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- Other regulations, limitations and prohibitive regulations
- · Please note:
- TRGS 200 (Germany) TRGS 500 (Germany) TRGS 510 (Germany)
- TRGS 900 (Germany)
- Substances of very high concern (SVHC) according to REACH, Article 57 not applicable
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage.

- H335 May cause respiratory irritation.
- · Department issuing SDS: KEIMFARBEN Germany, Product safety department

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative EC10: Effective concentration at 10% mortality rate. EC50: Half maximal effective concentration.



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.07.2017

Version number 12

Revision: 11.07.2017

Trade name: KEIM UNIVERSAL RENDER FINE (UNIVERSALPUTZ-FEIN)

(Contd. of page 10)

LC10: Lethal concentration at 10% mortality rate. NOEC: No observed effect concentration. REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006) Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 • * Data compared to the previous version altered.

GB -