



## LIQUID WAX CLEANER

Cleans and refreshes in one step!



3029  
Clear



3087 White  
Transparent



1 APPLICATION

### PRODUCT DESCRIPTION

Clear or transparent wax based care product for occasionally refreshing wooden flooring treated with Polyx®-Oil, furniture as well as other oiled and waxed wood surfaces in indoor areas.

Through appropriate care, the surface is provided with the natural, safe hard waxes (carnauba and candelilla waxes). The floor stays hard-wearing without forming a film.

### RECOMMENDED USE

Osmo Liquid Wax Cleaner is ideal for removing tough stains, e.g. grease or shoe polish, and best suited for refreshing all surfaces treated with Osmo Polyx®-Oil.

### INGREDIENTS

Based on natural plant waxes (carnauba wax, candelilla wax); paraffin, aliphatic hydrocarbons (>30%). Detailed declaration of ingredients available upon request.

### TECHNICAL DATA

Specific gravity: 0.77-0.8 g/cm<sup>3</sup>

Viscosity: >30s DIN EN ISO 2431/3 mm, viscid

Odour: faint/mild, odourless after drying

Flash point: >60°C acc. DIN EN ISO 2719

### STORAGE

Up to 5 years and longer if container is kept dry and closed tightly. If thickened by frost, store for 24-36 hours at room temperature before use.

### SURFACE PREPARATION

Wood surface must be dust-free and dry. For this purpose generally a dust mop, a mop or a vacuum cleaner is suitable. For simple cleaning and maintenance, Osmo Cleaning Kit for Floors (Dust-Mop, Micro-Mop Plush and an Active Fibre Cloth) is highly recommended. For cleaning high-traffic and dirty

flooring, e.g. in public spaces, use Osmo Micro-Mop (water mixed with Osmo Wash and Care) and buffed dry afterwards.

### METHODS OF APPLICATION

Manual application: For removing stains and for intensive maintenance, use Osmo Liquid Wax Cleaner with our Active Fibre Cloth (approx. 2 teaspoons per m<sup>2</sup>). Rub away especially tough stains with Osmo Liquid Wax Cleaner with a cloth or a Scotchpad.

Machine application: Apply Osmo Liquid Wax Cleaner with a single disc machine and a white pad (approx. 2 teaspoons per m<sup>2</sup>). Spread Liquid Wax Cleaner on the surface evenly and rub in.

Should streaks appear, either turn the pad over or use a new pad, also see FloorXCenter description.

To achieve a higher gloss level, polish the dried surface with a white pad.

### CLEANING OF TOOLS

With Osmo Brush Cleaner (free of aromatic compounds).

### DRYING TIME

Approx. 30-40 minutes (normal climatic conditions, 23 °C/50 % rel. humidity). Lower temperatures and/or higher air humidity can increase the drying time. Ventilate well while drying.

### COVERAGE

Product coverage of Osmo Liquid Wax Cleaner strongly depends on the absorption and on the level of contamination on the substrate. (1 litre of care product covers approx. 80-100 m<sup>2</sup>, 2 teaspoons for approx. 1 m<sup>2</sup>).



## NOTE

Through the routine application of hard waxes (carnauba and candelilla waxes), the flooring is refreshed and its resistance to stains and wear is improved.

However it is absolutely essential in the course of years to reapply the necessary oil ingredients in Polyx®-Oil to the floor.

Only use very sparingly otherwise traffic marks may appear.

Use Osmo Liquid Wax Cleaner White only on white substrates.

On especially high traffic areas, refinish the cleaned area with Osmo Polyx®-Oil.

## CAUTION

Keep out of reach of children. Do not get in eyes, on skin, or on clothing. Repeated exposure may cause skin dryness or cracking. If medical advice is needed, have product container or label at hand. Use only outdoors or in a well-ventilated area. Safety data sheet available on request.

## DISPOSAL

Dispose of leftover product and completely emptied packaging according to local official guidelines (waste code number 08 01 11). Only completely emptied cans can be recycled.

## COLOUR TONES

3029 Clear

3087 White Transparent

## SIZES

Liquid Wax Cleaner: 0.5 L; 1 L; 10 L

Liquid Wax Cleaner White: 0.5 L; 1 L

The above mentioned information is provided to the best of our knowledge however without any liability.

Version 02/17



## LIQUID WAX CLEANER SPRAY

Cleans and refreshes in one step!



3029  
Clear, Spray



1 APPLICATION

### PRODUCT DESCRIPTION

Clear wax based spray care product for the occasional regeneration of wood flooring treated with Polyx®-Oil, furniture as well as other oiled and waxed wood surfaces in indoor areas.

Through appropriate care, the surface is provided with the natural, safe hard waxes (carnauba and candelilla waxes). The floor stays hard-wearing without forming a film.

### RECOMMENDED USE

Osmo Liquid Wax Cleaner Spray can be used on all surfaces that are resistant to white spirit, such as wood, cork, Linoleum, PVC, synthetic surfaces, stone, marble and ceramic tiles.

The wax is dirt-repellent. Even strong dirt and stains will not penetrate the surface. Carry out a trial application on unfamiliar surfaces.

### INGREDIENTS

Based on natural plant waxes (carnauba and candelilla waxes), paraffins, aliphatic hydrocarbons (> 30%).

### TECHNICAL DATA

Specific weight: 0.77-0.8 g/cm<sup>3</sup>

Viscosity: not applicable

Odour: faint/mild, odourless after drying

Flash point: not applicable to aerosols

### STORAGE

5 years and longer

### SURFACE PREPARATION

Wood surface must be dust-free and dry. For this purpose generally a dust mop, a mop or a vacuum cleaner is suitable. For simple cleaning and maintenance, Osmo Cleaning Kit for Floors (Dust-Mop, Micro-Mop Plush and an Active Fibre Cloth) is highly recommended. Floor surfaces which are prone to heavier traffic, for example commercial interiors, should first be damply mopped (water with Osmo Wash and Care) and allowed to dry before applying Liquid Wax Cleaner.

### METHODS OF APPLICATION

Shake well before use.

For regular maintenance, hold spray can upright and spray sparingly on the clean and dry surface at a distance of about 30 cm (12 inches), and rub evenly with a cloth or a Scotchpad.

To remove stains, spray directly onto the contamination – for especially stubborn deposits, use a cloth or Scotchpad.

Wipe away loosened dirt.

### CLEANING OF TOOLS

With Osmo Brush Cleaner (free of aromatic compounds).

### DRYING TIME

Approx. 30-40 minutes (normal climatic conditions, 23 °C/50 % rel. humidity). Lower temperatures and/or higher air humidity can increase the drying time.

Ventilate well while drying.

### COVERAGE

The coverage of Osmo Liquid Wax Cleaner Spray depends significantly on surface absorption and on the level of contamination.

(1 litre spray covers approx. 80-100 m<sup>2</sup>.)



## NOTE

Through the routine application of hard waxes (carnauba and candelilla waxes), the flooring is refreshed and its resistance to stains and wear is improved.

However it is absolutely essential in the course of years to reapply the necessary oil ingredients in Polyx®-Oil to the floor.

Only spray very sparingly otherwise traffic marks may appear.

## CAUTION

Extremely flammable aerosol. Pressurized container: May burst if heated.

Do not spray on an open flame or other ignition source. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C. Repeated exposure may cause skin dryness or cracking. Keep out of reach of children. Do not get in eyes, on skin, or on clothing. Do not breathe spray. Use only outdoors or in a well-ventilated area. If medical advice is needed, have product container or label at hand.

Propellant: propane/butane.

Danger



## DISPOSAL

Dispose of leftover product and completely emptied packaging according to local official guidelines (waste code number 08 01 11). Only completely emptied cans can be recycled.

## COLOUR TONES

3029 Clear, Spray

## SIZES

400 ml spray

The above mentioned information is provided to the best of our knowledge however without any liability.

Version 02/17