## Safety data sheet

Page: 1/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

## beko ALLCON 10

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Product for construction chemicals Recommended use: for industrial and professional users

## 1.3. Details of the supplier of the safety data sheet

Company: beko GmbH Rappenfeldstraße 5 DE-86653 Monheim GERMANY

Telephone: +49-9091-90898-0

E-mail address: info@beko-group.com

## 1.4. Emergency telephone number

**Emergency Call:** 

Poison Control Center Mainz - 24 hour emergency service - phone: +49 (0) 6131/19240

#### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP]

Skin Corr./Irrit. 2
Eye Dam./Irrit. 2
Resp. Sens. 1
Skin Sens. 1
Carc. 2
STOT SE 3 (irritating to respiratory system)
STOT RE 2

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

H319, H315, H334, H317, H373, H335, H351

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Pictogram:





Hazard Statement:

Causes serious eye irritation. H319

H315 Causes skin irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if

inhaled.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

Precautionary Statements (Prevention):

Wear protective gloves/protective clothing/eye protection/face P280

protection.

P260 Do not breathe dust/gas/mist/vapours. P201 Obtain special instructions before use. P271

Use only outdoors or in a well-ventilated area. P202

Do not handle until all safety precautions have been read and

understood.

P284 In case of inadequate ventilation wear respiratory protection.

Contaminated work clothing should not be allowed out of the workplace. P272

P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

#### (ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

P308 + P311	IF exposed or concerned: Call a POISON CENTER or doctor/physician.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P314 Get medical advice/attention if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P337 + P313 If eye irritation persists: Get medical advice/attention.

#### Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

#### According to Regulation (EC) No 1272/2008 [CLP]

Hazard determining component(s) for labelling: Diphenylmethanediisocyanate, isomeres and homologues, 2,2'-Methylenediphenyl diisocyanate, o-(p-isocyanatobenzyl)phenyl isocyanate

## 2.3. Other hazards

#### According to Regulation (EC) No 1272/2008 [CLP]

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

## **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

#### Chemical nature

Blend based on: isocyanate

Hazardous ingredients (GHS)

according to Regulation (EC) No. 1272/2008

P-MDI

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

#### (ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Content (W/W): >= 7 % - < 15 %

Acute Tox. 4 (Inhalation - vapour)

CAS Number: 9016-87-9

Eye Dam./Irrit. 2 Skin Corr./Irrit. 2

STOT SE 3 (irr. to respiratory syst.)

Skin Sens. 1 Resp. Sens. 1

Carc. 2

STOT RE 2 (by inhalation)

H315, H317, H319, H332, H334, H335, H351,

H373 EUH204

4,4'-methylenediphenyl diisocyanate

Content (W/W): >= 1 % - < 3 %

CAS Number: 101-68-8 EC-Number: 202-966-0

REACH registration number: 01-

2119457014-47

INDEX-Number: 615-005-00-9

Acute Tox. 4 (Inhalation - mist)

Skin Corr./Irrit. 2 Eye Dam./Irrit. 2 Resp. Sens. 1 Skin Sens. 1

Carc. 2

STOT SE 3 (irr. to respiratory syst.)

STOT RE 2

STOT RE (Respiratory system) 2 (by inhalation) H319, H315, H332, H334, H317, H373, H335,

H351, H373

<u>Differing classification according to current</u> <u>knowledge and the criteria given in Annex I of</u>

Regulation (EC) No. 1272/2008 Acute Tox. 4 (Inhalation - mist)

Skin Corr./Irrit. 2 Eye Dam./Irrit. 2 Resp. Sens. 1 Skin Sens. 1B

Carc. 2

STOT SE 3 (irr. to respiratory syst.)

STOT RE 2

STOT RE (Respiratory system) 2 (by inhalation)

Specific concentration limit:

Resp. Sens. 1: >= 0.1 % Skin Corr./Irrit. 2: >= 5 % Eye Dam./Irrit. 2: >= 5 %

STOT SE 3, irr. to respiratory syst.: >= 5 %

o-(p-isocyanatobenzyl)phenyl isocyanate

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Acute Tox. 4 (Inhalation - mist) Content (W/W): >= 0.3 % - < 3 %

CAS Number: 5873-54-1 Skin Corr./Irrit. 2 EC-Number: 227-534-9 Eve Dam./Irrit. 2 REACH registration number: 01-Resp. Sens. 1 2119480143-45 Skin Sens. 1

INDEX-Number: 615-005-00-9 Carc. 2

STOT SE 3 (irr. to respiratory syst.)

STOT RE 2

H319, H315, H332, H334, H317, H335, H351,

H373

Specific concentration limit:

Resp. Sens. 1: >= 0.1 % Skin Corr./Irrit. 2: >= 5 % Eye Dam./Irrit. 2: >= 5 %

STOT SE 3, irr. to respiratory syst.: >= 5 %

2,2'-Methylenediphenyl diisocyanate

Content (W/W): >= 0.1 % - < 1 %Acute Tox. 4 (Inhalation - vapour)

Skin Corr./Irrit. 2 CAS Number: 2536-05-2 EC-Number: 219-799-4 Eve Dam./Irrit. 2 INDEX-Number: 615-005-00-9 Resp. Sens. 1 Skin Sens. 1

Carc. 2

STOT SE 3 (irr. to respiratory syst.)

STOT RE 2

H319, H315, H332, H334, H317, H335, H351,

H373

Specific concentration limit:

Resp. Sens. 1: >= 0.1 % Skin Corr./Irrit. 2: >= 5 % Eve Dam./Irrit. 2: >= 5 %

STOT SE 3, irr. to respiratory syst.: >= 5 %

4-isocyanatosulphonyltoluene

Content (W/W): > 0.1 % - <= 1 % Skin Corr./Irrit. 2 CAS Number: 4083-64-1 Eye Dam./Irrit. 2 EC-Number: 223-810-8 Resp. Sens. 1

INDEX-Number: 615-012-00-7 STOT SE 3 (irr. to respiratory syst.)

H319, H315, H334, H335

**EUH014** 

Specific concentration limit:

Skin Corr./Irrit. 2: >= 5 % Eye Dam./Irrit. 2: >= 5 %

STOT SE 3, irr. to respiratory syst.: >= 5 %

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

### **SECTION 4: First-Aid Measures**

#### 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air. If symptoms persist, seek medical advice.

#### On skin contact:

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

#### On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### On ingestion:

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: coughing, Eye irritation, skin irritation, allergic symptoms

Hazards: Respiratory sensitization may result in allergic (asthma-like) signs in the lower respiratory tract including wheezing, shortness of breath and difficulty breathing, the onset of which may be delayed. Repeated inhalation of high concentrations may cause lung damage, including reduced lung function, which may be permanent. Substances eliciting lower respiratory tract irritation may worsen the asthma-like reactions that may be produced by product exposures.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## **SECTION 5: Fire-Fighting Measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

foam, water spray, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

## 5.2. Special hazards arising from the substance or mixture

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Carbon dioxide, carbon monoxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

#### 5.3. Advice for fire-fighters

Special protective equipment:

Wear a self-contained breathing apparatus.

#### Further information:

The degree of risk is governed by the burning substance and the fire conditions. If exposed to fire, keep containers cool by spraying with water. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Contaminated extinguishing water must be disposed of in accordance with official regulations.

#### **SECTION 6: Accidental Release Measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing dust/fume/gas/mist/vapours/spray. Wear eye/face protection. Use personal protective clothing. Handle in accordance with good building materials hygiene and safety practice.

#### 6.2. Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

For large amounts: Pick up with suitable appliance and dispose of. Dispose of absorbed material in accordance with regulations.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Avoid skin contact. Ensure adequate ventilation. No special measures necessary provided product is used correctly.

Protection against fire and explosion:

Product is not explosive.

## 7.2. Conditions for safe storage, including any incompatibilities

Observe VCI storage rules.

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Keep only in the original container in a cool, well-ventilated place. Protect from direct sunlight.

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Protect from temperatures below: -10 °C

Characteristics of the product are irreversibly changed below the limit temperature.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

#### 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control parameters

Components with occupational exposure limits

101-68-8: 4,4'-methylenediphenyl diisocyanate

1317-65-3: Limestone

2536-05-2: 2,2'-Methylenediphenyl diisocyanate 5873-54-1: o-(p-isocyanatobenzyl)phenyl isocyanate

9016-87-9: Isocyanic acid, polymethylenepolyphenylene ester (P-MDI)

#### 8.2. Exposure controls

## Personal protective equipment

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Combination filter for gases/vapours of organic, inorganic, acid inorganic and alkaline compounds (e.g. EN 14387 Type ABEK).

#### Hand protection:

impermeable gloves

Synthetic rubber gloves

Manufacturer's directions for use should be observed because of great diversity of types.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen based on level of activity and exposure.

## General safety and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with the skin, eyes and clothing. Avoid exposure - obtain special instructions before use. Handle in accordance with good building materials hygiene and safety practice. Wearing of closed work clothing is recommended. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). When using do not eat or drink.

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

Form: pasty Colour: beige

Odour: characteristic

Odour threshold:

No applicable information available.

pH value:

not applicable

Melting point: < 0 °C Boiling point: > 150 °C Flash point: > 180 °C

Evaporation rate:

not determined

Flammability: not determined

Flammability of Aerosol Products:

not applicable, the product does not

form flammable aerosoles

Lower explosion limit:

dropped

Ignition temperature: > 400 °C

Vapour pressure:

The product has not been tested.

Density: approx. 1.4 g/cm3

(20 °C)

Relative vapour density (air):

not determined

Solubility in water: not soluble

Partitioning coefficient n-octanol/water (log Kow):

Study does not need to be

conducted.

Self ignition: not self-igniting

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Viscosity, dynamic:

not determined

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

#### 9.2. Other information

Bulk density:

not applicable

Miscibility with water:

immiscible

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Flow time: 91 s (20 °C)

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

## **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

## 10.4. Conditions to avoid

See MSDS section 7 - Handling and storage.

## 10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents, strong reducing agents

## 10.6. Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological Information**

## 11.1. Information on toxicological effects

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Based on available Data, the classification criteria are not met.

### **Irritation**

Assessment of irritating effects:

Eye contact causes irritation. Skin contact causes irritation.

## Respiratory/Skin sensitization

Assessment of sensitization:

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

The substance may cause sensitization of the respiratory tract. Sensitization after skin contact possible.

#### Germ cell mutagenicity

#### Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Carcinogenicity

#### Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests.

#### Reproductive toxicity

#### Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Developmental toxicity

#### Assessment of teratogenicity:

The chemical structure does not suggest a specific alert for such an effect. Based on available Data, the classification criteria are not met.

#### Specific target organ toxicity (single exposure)

#### Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

#### Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs.

## **Aspiration hazard**

No aspiration hazard expected.

#### Other relevant toxicity information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

## **SECTION 12: Ecological Information**

#### 12.1. Toxicity

Assessment of aquatic toxicity:

Based on available Data, the classification criteria are not met. There is a high probability that the product is not acutely harmful to aquatic organisms.

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

#### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

Based on a weight of evidence, the compound will not bioaccumulate.

#### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Volatility: The substance will not evaporate into the atmosphere from the water surface.

Adsorption in soil: Adsorption to solid soil phase is not expected.

#### 12.5. Results of PBT and vPvB assessment

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

#### 12.6. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

#### 12.7. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Contaminated packaging:

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

## **SECTION 14: Transport Information**

## **Land transport**

**ADR** 

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

RID

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### Inland waterway transport

ADN

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user:

Transport in inland waterway vessel

Not evaluated

#### Sea transport

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

**IMDG** 

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

#### Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

UN number:
UN proper shipping name:
Transport hazard class(es):
Packing group:
Environmental hazards:
Special precautions for

Not applicable
Not applicable
Not applicable
Not applicable
Not applicable
Not applicable

user

## 14.1. UN number

See corresponding entries for "UN number" for the respective regulations in the tables above.

## 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

## 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

## 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

## 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

## **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 56, 3

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

## 15.2. Chemical Safety Assessment

Chemical Safety Assessment not required

#### **SECTION 16: Other Information**

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

H332

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

Resp. Sens.

Skin Sens.

Carc.

Respiratory sensitization

Skin sensitization

Carcinogenicity

STOT SE Specific target organ toxicity — single exposure STOT RE Specific target organ toxicity — repeated exposure

Acute Tox. Acute toxicity

H319 Causes serious eye irritation. H315 Causes skin irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs (Respiratory system) through prolonged or

repeated exposure (inhalation).

H373 May cause damage to organs () through prolonged or repeated exposure.

EUH204 Contains isocyanates. May produce an allergic reaction.

EUH014 Reacts violently with water.

Page: 16/16

Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 30.01.2019 Version: 2.8

Product: beko ALLCON 10

(ID no. 30519449/SDS\_GEN\_EU/EN)

Date of print 20.02.2019

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.