

Chlorinated Rubber

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Chlorinated Rubber
CAS No. Not applicable.
EC No. Not applicable.
REACH Registration No. Not known.
Unique Formula Identifier (UFI) MS00-E0W8-H00N-CANA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) PC9a Coatings and paints, thinners, paint removers
Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Flag Paints Ltd
Address of Manufacturer 8 Springfield Road
Springfield Industrial Estate
Burnham-On-Crouch
Essex
Postal code CM0 8UA
Telephone: +441621785173
Fax +441621785393
E-mail sales@flagpaints.co.uk
Office hours 09:00 - 17:00

Supplier

Company Identification Flag Paints Ltd
Address of Supplier 8 Springfield Road
Springfield Industrial Estate
Burnham-On-Crouch
Essex
Postal code CM0 8UA
Telephone: +441621785173
Fax +441621785393
E-mail sales@flagpaints.co.uk
Office hours 09:00 - 17:00

1.4 Emergency telephone number

Emergency Phone No. +441621785173
Contact I Cowen

National response center

Address NHS Direct
Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Chlorinated Rubber

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 3 : Flammable liquid and vapour.
STOT SE 3 : May cause respiratory irritation. May cause drowsiness or dizziness.
Aquatic Chronic 2 : Toxic to aquatic life with long lasting effects.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name

Chlorinated Rubber

Hazard Pictogram(s)



GHS02

GHS07

GHS09

Signal Word(s)

Warning

Hazard Statement(s)

H226: Flammable liquid and vapour.
H335: May cause respiratory irritation.
H336: May cause drowsiness or dizziness.
H411: Toxic to aquatic life with long lasting effects.
EUH208: Contains: (2-butanone oxime ethyl methyl ketoxime ethyl methyl ketone oxime, cobalt bis(2-ethylhexanoate)) May produce an allergic reaction.

Precautionary Statement(s)

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260: Do not breathe dust/fume/gas/mist/vapours/spray.
P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI)

MS00-E0W8-H00N-CANA

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Hydrocarbons, C9, aromatics		918-668-5 01-2119455851-35	20-50	Flam. Liq. 3 H226 Asp. Tox. 1 H304 STOT SE 3 H335 STOT SE 3 H336 Aquatic Chronic 2 H411	GHS02 GHS08 GHS07 GHS09
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics		918-481-9 01-2119457273-39	0.1 - 2%	Asp. Tox. 1 H304	GHS08
calcium isononanoate	53988-05-9	258-901-1 01-2119978299-15-0000	0.1 - 2%	Acute Tox. 4 H302 Eye Irrit. 2 H319	GHS07

Chlorinated Rubber

cobalt bis(2-ethylhexanoate)	136-52-7	205-250-6	0.1 - 2%	Flam. Liq. 3 H226 Acute Tox. 4 H302 Skin Sens. 1 H317 Resp. Sens. 1 H334 STOT SE 3 H336	GHS02 GHS08 GHS07
2-butanone oxime ethyl methyl ketoxime ethyl methyl ketone oxime	96-29-7	202-496-6 01-2119539477-28	0.1 - 2%	Acute Tox. 4 H312 Skin Sens. 1 H317 Eye Dam. 1 H318 Carc. 2 H351	GHS05 GHS08 GHS07
(2-methoxymethylethoxy)propanol	34590-94-8	252-104-2 01-2119450011-60-XXXX	0.01 - 0.1	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1A H314 Eye Dam. 1 H318 Acute Tox. 3 H331 STOT SE 2 H371	GHS06 GHS05 GHS08

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
calcium isononanoate	53988-05-9			Acute Tox. 4 (H302) : 500.000
cobalt bis(2-ethylhexanoate)	136-52-7			Acute Tox. 4 (H302) : 500.000
2-butanone oxime ethyl methyl ketoxime ethyl methyl ketone oxime	96-29-7			Acute Tox. 4 (H312) : 1100.000 (15th ATP)
(2-methoxymethylethoxy)propanol	34590-94-8			Acute Tox. 3 (H301) : 100.000 Acute Tox. 3 (H311) : 300.000 Acute Tox. 3 (H331) : 3.000

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit.
For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
Skin Contact	Take off immediately all contaminated clothing. Rinse skin with water.
Eye Contact	Treat symptomatically.
Ingestion	Treat symptomatically.

4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

Call a POISON CENTER/doctor if you feel unwell. Unlikely to be required but if necessary treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing media	Use water spray, dry powder or carbon dioxide to extinguish.
Unsuitable extinguishing media	Water jet spray

5.2 Special hazards arising from the substance or mixture

Chlorinated Rubber

Flammable liquid and vapour. Combustion or thermal decomposition will evolve toxic and irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Wear suitable protective clothing and gloves.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

7.3 Specific end use(s)

PC9a Coatings and paints, thinners, paint removers

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure
Limits

Chlorinated Rubber

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
(2-methoxymethylethoxy) propanol	34590-94-8	50	308			Sk

Region	Source
United Kingdom	UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark	Notes
Sk	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation.

8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Not normally required. Wear suitable gloves if prolonged skin contact is likely.



Respiratory protection

Normally no personal respiratory protection is necessary. Handling of larger amounts A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	coloured
Odour	Aromatic odour.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	150 - 185 °C
Flammability	Not known.
Lower and upper explosion limit	0.8 - 6.7 Lower and upper explosion limit
Flash Point	38 - 50 °C
Auto-ignition temperature	488 °C
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	>21MM2/SEC@40 °C

Chlorinated Rubber

Solubility	Solubility (Water) : Insoluble in water. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	0.82
Density and/or relative density	Density (g/ml) : 0.96 g/l
Relative vapour density	Not known.
Particle characteristics	Not known.

9.2 Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 44052.86000
Acute toxicity - Skin Contact	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 211946.05000
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 3448.28000
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.

Chlorinated Rubber

Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : May cause respiratory irritation. May cause drowsiness or dizziness.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Self classification: Not classified.

11.2 Information on other hazards

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Endocrine disrupting properties

None known.

12.7 Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

Chlorinated Rubber

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number or ID number

UN No. 1263

14.2 UN proper shipping name

UN proper shipping name PAINT RELATED MATERIAL

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 3
ADR Classification Code F1
Special Provisions 163 367 650
Limited Quantities 5 L
Excepted Quantities E1
Emergency Action Code •3YE
Mixed Packing Instructions for Packages P001 R001
Special Packing Provisions for Packages PP1
Mixed Packing Instructions for Packages MP19
Packing Instructions for Portable Tanks
Special Provisions for Portable Tanks
Tank Code for Tanks
Special Provisions for Tanks
Vehicle for Tank Carriage
ADR Transport Category 3
Tunnel Restriction Code E
Special Provisions for Carriage - Packages
Special Provisions for Carriage - Bulk
Special Provisions for Carriage - Loading, Unloading and Handling
Special Provisions for Carriage - S2 Operation
ADR HIN

IMDG

IMDG Class 3
Special Provisions 163 367 650
Limited Quantities 5 L

Chlorinated Rubber


Excepted Quantities E1
Mixed Packing Instructions for Packages P001 R001
Special Packing Provisions for Packages PP1
Packing Instructions for Portable Tanks
Special Provisions for Portable Tanks
IMDG EMS F-E, S-E
Stowage and Handling Category A
Segregation
Marine Pollutant

ICAO/IATA

IATA Proper Shipping Name
Excepted Quantities
Passenger and Cargo Aircraft Limited Quantities Packing Instructions
Passenger and Cargo Aircraft Limited Quantities Max net Qty
Passenger and Cargo Aircraft Packing Instructions
Passenger and Cargo Aircraft Max net Qty
Cargo Aircraft Packing Instructions
Cargo Aircraft Max net Qty
Special Provisions
Emergency Response
Guidebook (ERG) Code

Labels

Labels 3



14.4 Packing group

Packing group III

14.5 Environmental hazards

Environmental hazards Classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Maritime transport in bulk according to IMO instruments

Chlorinated Rubber

No information available

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles calcium isononanoate (53988-05-9), cobalt bis(2-ethylhexanoate) (136-52-7), (2-methoxymethylethoxy)propanol (34590-94-8), calcium dipropionate (4075-81-4), 2-butanone oxime ethyl methyl ketoxime ethyl methyl ketone oxime (96-29-7), Hydrocarbons, C9, aromatics (), Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics ()

Community Rolling Action Plan (CoRAP) 2-ethylhexanoic acid (149-57-5), Butanone oxime (96-29-7)

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants Not listed

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Not listed

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

National regulations

Other Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)



GHS02



GHS07



GHS09

GHS05: GHS: Corrosion

Chlorinated Rubber

Hazard classification	<p>GHS06: GHS: Skull and crossbones</p> <p>GHS08: GHS: Health hazard</p> <p>Flam. Liq. 3 : Flammable liquid, Category 3</p> <p>Acute Tox. 3 : Acute toxicity, Category 3</p> <p>Acute Tox. 4 : Acute toxicity, Category 4</p> <p>Asp. Tox. 1 : Aspiration hazard, Category 1</p> <p>Acute Tox. 3 : Acute toxicity, Category 3</p> <p>Acute Tox. 4 : Acute toxicity, Category 4</p> <p>Skin Corr. 1A : Skin corrosion/irritation, Category 1A</p> <p>Skin Sens. 1 : Skin sensitization, Category 1</p> <p>Eye Dam. 1 : Serious eye damage/irritation, Category 1</p> <p>Eye Irrit. 2 : Serious eye damage/irritation, Category 2</p> <p>Acute Tox. 3 : Acute toxicity, Category 3</p> <p>Resp. Sens. 1 : Respiratory sensitization, Category 1</p> <p>STOT SE 3 : Specific target organ toxicity — single exposure, Category 3</p> <p>STOT SE 3 : Specific target organ toxicity — single exposure, Category 3</p> <p>STOT SE 3 : Specific target organ toxicity — single exposure, Category 3</p> <p>Carc. 2 : Carcinogenicity, Category 2</p> <p>STOT SE 2 : Specific target organ toxicity — single exposure, Category 2</p> <p>Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2</p>
Hazard Statement(s)	<p>H226: Flammable liquid and vapour.</p> <p>H301: Toxic if swallowed.</p> <p>H302: Harmful if swallowed.</p> <p>H304: May be fatal if swallowed and enters airways.</p> <p>H311: Toxic in contact with skin.</p> <p>H312: Harmful in contact with skin.</p> <p>H314: Causes severe skin burns and eye damage.</p> <p>H317: May cause an allergic skin reaction.</p> <p>H318: Causes serious eye damage.</p> <p>H319: Causes serious eye irritation.</p> <p>H331: Toxic if inhaled.</p> <p>H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.</p> <p>H335: May cause respiratory irritation.</p> <p>H336: May cause drowsiness or dizziness.</p> <p>H351: Suspected of causing cancer.</p> <p>H371: May cause damage to organs.</p> <p>H411: Toxic to aquatic life with long lasting effects.</p>
Precautionary Statement(s)	<p>P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P233: Keep container tightly closed.</p> <p>P240: Ground and bond container and receiving equipment.</p> <p>P241: Use explosion-proof electrical/ventilating/lighting/equipment.</p> <p>P242: Use non-sparking tools.</p> <p>P243: Take action to prevent static discharges.</p>

Chlorinated Rubber

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P271: Use only outdoors or in a well-ventilated area.
P273: Avoid release to the environment.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312: Call a POISON CENTER/doctor if you feel unwell.
P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.
P391: Collect spillage.
P403+P233: Store in a well-ventilated place. Keep container tightly closed.
P403+P235: Store in a well-ventilated place. Keep cool.
P405: Store locked up.
P501: Dispose of contents in accordance with local, state or national legislation.

Acronyms

ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE : Acute Toxicity Estimate
CAS : Chemical Abstracts Service
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DNEL : Derived No Effect Level
EC : European Community
EINECS : European Inventory of Existing Commercial Chemical Substances
IATA : International Air Transport Association
IBC : Intermediate Bulk Container
ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods
LTEL : Long term exposure limit
PBT : Persistent, Bioaccumulative and Toxic
PNEC : Predicted No Effect Concentration
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals
RID : Regulations concerning the International Carriage of Dangerous Goods by Rail
STEL : Short term exposure limit
STOT : Specific Target Organ Toxicity
UN : United Nations
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Flag Paints Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Flag Paints Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.