

## Antislip WB Floor Paints

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name Antislip WB Floor Paints  
CAS No. Not applicable.  
EC No. Not applicable.  
REACH Registration No. Not known.  
Unique Formula Identifier (UFI)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) PC9a Coatings and paints, thinners, paint removers  
Uses Advised Against Not known.

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer

Company Identification Flag Paints Ltd  
Address of Manufacturer 8 Springfield Road  
Springfield Industrial Estate  
Burnham-On-Crouch  
Essex  
Postal code CM0 8UA  
Telephone: +441621785173  
Fax +441621785393  
E-mail sales@flagpaints.co.uk  
Office hours 09:00 - 17:00

##### Supplier

Company Identification Flag Paints Ltd  
Address of Supplier 8 Springfield Road  
Springfield Industrial Estate  
Burnham-On-Crouch  
Essex  
Postal code CM0 8UA  
Telephone: +441621785173  
Fax +441621785393  
E-mail sales@flagpaints.co.uk  
Office hours 09:00 - 17:00

#### 1.4 Emergency telephone number

Emergency Phone No. +441621785173  
Contact I Cowen

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP) Not classified as dangerous for supply/use.

#### 2.2 Label elements

## Antislip WB Floor Paints

Product Name	According to Regulation (EC) No. 1272/2008 (CLP) Antislip WB Floor Paints
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	EUH208: Contains: (2-methyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)) May produce an allergic reaction.
Precautionary Statement(s)	P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children.
Unique Formula Identifier (UFI)	

### 2.3 Other hazards

None known.

### 2.4 Additional Information

For full text of H/P Statements see section 16.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	270-325-2	0.01- 0.1	Acute Tox. 4 H302 Acute Tox. 4 H312 Skin Corr. 1A H314 Aquatic Acute 1 H400	GHS05 GHS07 GHS09
bronopol (INN) 2-bromo-2-nitropropane-1,3-diol	52-51-7	200-143-0	0.001- 0.01	Acute Tox. 4 H302 Acute Tox. 4 H312 Skin Irrit. 2 H315 Eye Dam. 1 H318 STOT SE 3 H335 Aquatic Acute 1 H400	GHS05 GHS07 GHS09
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9		0.0001 - 0.001	Acute Tox. 3 H301 Acute Tox. 2 H310 Skin Corr. 1C H314 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09
2-methyl-2H-isothiazol-3-one	2682-20-4	220-239-6	0.0001 - 0.001	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1A H317 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M-factor	ATE
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1			Acute Tox. 4 (H302) : 500.000 Acute Tox. 4 (H312) : 1100.000

## Antislip WB Floor Paints

bronopol (INN) 2-bromo-2-nitropropane-1,3-diol	52-51-7			Aquatic Acute 1: 10	Acute Tox. 4 (H302) : 500.000 Acute Tox. 4 (H312) : 1100.000
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Skin Corr. 1C	C>= 0.60 <= 100.00	Aquatic Chronic 1: 100	Acute Tox. 3 (H301) : 0.000
		Skin Irrit. 2	C>= 0.06 < 0.60	Aquatic Acute 1: 100	Acute Tox. 2 (H310) : 0.000 Acute Tox. 2 (H330) : 0.000
		Skin Sens. 1A	C>= 0.0015 <= 100.00		
		Eye Dam. 1	C>= 0.60 <= 100.00		
		Eye Irrit. 2	C>= 0.06 < 0.60		
2-methyl-2H-isothiazol-3-one	2682-20-4	Skin Sens. 1	C>= 0.002 <= 100.00	Aquatic Acute 1: 10	Acute Tox. 3 (H301) : 0.000 Acute Tox. 3 (H311) : 0.000 Acute Tox. 2 (H330) : 0.000

Contains no non-classified vPvB substances or substances with a Union workplace exposure limit.  
For full text of H/P Statements see section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures

Inhalation	Treat symptomatically.
Skin Contact	Treat symptomatically.
Eye Contact	Treat symptomatically.
Ingestion	Treat symptomatically.

#### 4.2 Most important symptoms and effects, both acute and delayed

None anticipated. Treat symptomatically.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Unlikely to be required but if necessary treat symptomatically.

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

Suitable Extinguishing media	As appropriate for surrounding fire.
Unsuitable extinguishing media	None.

#### 5.2 Special hazards arising from the substance or mixture

Heating may cause decomposition.

#### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. Dike fire control water for later disposal.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely.

#### 6.2 Environmental precautions

Avoid release to the environment. Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

#### 6.3 Methods and material for containment and cleaning up

## Antislip WB Floor Paints

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

### 6.4 Reference to other sections

See Also Section 8, 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling

### 7.2 Conditions for safe storage, including any incompatibilities

Storage temperature	Ambient.
Storage life	Stable under normal conditions.
Incompatible materials	None known.

### 7.3 Specific end use(s)

PC9a Coatings and paints, thinners, paint removers

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

8.1.1 Occupational Exposure Limits	No Occupational Exposure Limit assigned.
------------------------------------	--

### 8.2 Exposure controls

8.2.1. Appropriate engineering controls	Ensure adequate ventilation.
---	------------------------------

8.2.2. Personal protection equipment



Eye Protection      Wear eye protection with side protection (EN166).



Skin protection      Not normally required.



Respiratory protection      Normally no personal respiratory protection is necessary.



Thermal hazards      None known.

8.2.3. Environmental Exposure Controls	Do not release large quantities into the surface water or into drains.
--	--

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	Liquid.
Colour	Not known.

## Antislip WB Floor Paints

Odour	Not known.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	Not known.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	Not known.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Not known. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.

### 9.2 Other information

None.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity

None anticipated.

### 10.2 Chemical Stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

### 10.4 Conditions to avoid

None anticipated.

### 10.5 Incompatible materials

Not known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 800000.00000
Acute toxicity - Skin Contact	Calculation method : Not classified.

## Antislip WB Floor Paints

	Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 1000000.00000
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 71428.57000
Skin corrosion/irritation	Calculation method : Not classified.
Serious eye damage/irritation	Calculation method : Not classified.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

### 11.2 Information on other hazards

Not known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Harmful to aquatic life.

Toxicity - Aquatic invertebrates	Not known.
Toxicity - Fish	Not known.
Toxicity - Algae	Not known.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

### 12.2 Persistence and degradability

Not known.

### 12.3 Bioaccumulative potential

Not known.

### 12.4 Mobility in soil

Not known.

### 12.5 Results of PBT and vPvB assessment

Not known.

### 12.6 Endocrine disrupting properties

None known.

### 12.7 Other adverse effects

## Antislip WB Floor Paints

Not known.

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Dispose at suitable refuse site.

#### 13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

### SECTION 14: TRANSPORT INFORMATION

**Not classified as hazardous for transport.**

#### 14.1 UN number or ID number

Not applicable

#### 14.2 UN proper shipping name

Not applicable

#### 14.3 Transport hazard class(es)

Not applicable

#### 14.4 Packing group

Not applicable

#### 14.5 Environmental hazards

Not classified as a Marine Pollutant.

#### 14.6 Special precautions for user

Not known

#### 14.7 Maritime transport in bulk according to IMO instruments

Not known

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation Not listed

REACH: ANNEX XIV list of substances subject to authorisation Not listed

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles ammonia  
% (1336-21-6), Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1), 2-phenylphenol (ISO) biphenyl-2-ol 2-hydroxybiphenyl (90-43-7), bronopol (INN) 2-bromo-2-nitropropane-1,3-diol (52-51-7), reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (55965-84-9), 2-methyl-2H-isothiazol-3-one (2682-20-4)

Community Rolling Action Plan (CoRAP) Not listed

## Antislip WB Floor Paints

Regulation (EU) N° 2019/1021 of Not listed  
the European Parliament and of  
the Council on persistent  
organic pollutants

Regulation (EC) N° 1005/2009 Not listed  
on substances that deplete the  
ozone layer

Regulation (EU) N° 649/2012 of Not listed  
the European Parliament and of  
the Council concerning the  
export and import of hazardous  
chemicals

### National regulations

Other Not known.

### 15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

## SECTION 16: OTHER INFORMATION

The following sections contain  
revisions or new statements:

### LEGEND

Hazard Pictogram(s)	None. GHS05: GHS: Corrosion GHS06: GHS: Skull and crossbones GHS07: GHS: Exclamation mark GHS09: GHS: Environment
Hazard classification	Acute Tox. 3 : Acute toxicity, Category 3 Acute Tox. 4 : Acute toxicity, Category 4 Acute Tox. 2 : Acute toxicity, Category 2 Acute Tox. 3 : Acute toxicity, Category 3 Acute Tox. 4 : Acute toxicity, Category 4 Skin Corr. 1A : Skin corrosion/irritation, Category 1A Skin Corr. 1B : Skin corrosion/irritation, Category 1B Skin Corr. 1C : Skin corrosion/irritation, Category 1C Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Skin Sens. 1A : Skin sensitization, Category 1A Eye Dam. 1 : Serious eye damage/irritation, Category 1 Acute Tox. 2 : Acute toxicity, Category 2 STOT SE 3 : Specific target organ toxicity — single exposure, Category 3 Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1
Hazard Statement(s)	H301: Toxic if swallowed. H302: Harmful if swallowed. H310: Fatal in contact with skin. H311: Toxic in contact with skin.



## Antislip WB Floor Paints

H312: Harmful in contact with skin.  
H314: Causes severe skin burns and eye damage.  
H315: Causes skin irritation.  
H317: May cause an allergic skin reaction.  
H318: Causes serious eye damage.  
H330: Fatal if inhaled.  
H335: May cause respiratory irritation.  
H400: Very toxic to aquatic life.  
H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

None.

Acronyms

ATE : Acute Toxicity Estimate  
CAS : Chemical Abstracts Service  
CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures  
DNEL : Derived No Effect Level  
EC : European Community  
EINECS : European Inventory of Existing Commercial Chemical Substances  
LTEL : Long term exposure limit  
PBT : Persistent, Bioaccumulative and Toxic  
PNEC : Predicted No Effect Concentration  
REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals  
STEL : Short term exposure limit  
STOT : Specific Target Organ Toxicity  
vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS

Regulation (EC) No. 1272/2008 (CLP)

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Flag Paints Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Flag Paints Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.