

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : OWATROL RENOVATEUR ECLAIRCISSANT BOIS RENOCLEAR Product code : owrenoclear. UFI : KG82-407V-100G-823U

1.2. Relevant identified uses of the substance or mixture and uses advised against

Traitement de surface

1.3. Details of the supplier of the safety data sheet

Registered company name : DURIEU SA.

Address : 29 rue de Wedel, ZI.59540.CAUDRY.FRANCE. Telephone : +33 (0)3-27-76-60-60. Fax : +33 (0)3-61-54-00-21. accueil@durieu.com http://www.durieu.com

1.4. Emergency telephone number : +33 (0)1-45-42-59-59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net..

Other emergency numbers

UNITED KINGDOM :UK National poisons emergency number: +44 (0) 870 600 6266 IRELAND, EIRE:Ireland National Poisons Information Centre: +353 (0) 1 8379964

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Substance that is corrosive to metals, Category 1 (Met. Corr. 1, H290).

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Contact with acids liberates very toxic gas (EUH032).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word : DANGER Product identifiers : EC 231-836-6 CHLORITE DE SODIUM 20-35% Additional labeling : EUH206 Warning! Do not use together with other products. May release dangerous gases (chlorine). Hazard statements : H290 May be corrosive to metals. H302 Harmful if swallowed. H318 Causes serious eye damage. EUH032 Contact with acids liberates very toxic gas. Precautionary statements - General : P101 If medical advice is needed, have product container or label at hand.

OWATROL RENOVATE	UR ECLAIRCISSANT BOIS RENOCLEAR - owrenoclear
P102	Keep out of reach of children.
Precautionary state	ments - Prevention :
P234	Keep only in original packaging.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/
Precautionary state	ments - Response :
P301 + P312	IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell.
P305 + P351 + P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/
P330	Rinse mouth.
P390	Absorb spillage to prevent material damage.
Precautionary state	ments - Disposal :
P501	Dispose of contents / container in accordance with local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

3.2. Mixtures

Composition :

(EC) 1272/2008	Note	%	
GHS06, GHS05, GHS09 10 <= x %			
Dgr			
Met. Corr. 1, H290			
Acute Tox. 3, H301			
Eye Dam. 1, H318			
Aquatic Chronic 3, H412			
Aquatic Acute 1, H400			
M Acute = 1			
EUH:032			
	GHS06, GHS05, GHS09 Dgr Met. Corr. 1, H290 Acute Tox. 3, H301 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	GHS06, GHS05, GHS09 Dgr Met. Corr. 1, H290 Acute Tox. 3, H301 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	

(Full text of H-phrases: see section 16)

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

Suitable methods of extinction

- In the event of a fire, use :
- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

- chlorine (Cl2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

🖓 Storage

Keep out of reach of children.

Keep away from food and drink, including those for animals.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

Hand protection

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- PVC (polyvinyl chloride)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

General information ·

Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state :	Viscous liquid.					
Important health, safety and environmental information	ion					
pH :	Not relevant.					
Boiling point/boiling range :	Not relevant.					
Flash point interval :	Not relevant.					
Vapour pressure (50°C) :	Not relevant.					
Density :	= 1					
Water solubility :	Insoluble.					
Melting point/melting range :	Not relevant.					
Self-ignition temperature :	Not relevant.					
Decomposition point/decomposition range :	Not relevant.	Not relevant.				

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

This mixture reacts with acids, releasing very toxic gases in dangerous quantities.

Mixture which by chemical action can corrode and even destroy metals.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

- Avoid :
- heating
- neaun
- heat

10.5. Incompatible materials

- Keep away from :
- acids

- combustible material

Releases a highly toxic gas when in contact with acids.

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- chlorine (Cl2)

SECTION 11 : TOXICOLOGICAL INFORMATION

2

11.1. Information on toxicological effects

Harmful if swallowed.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1.1. Substances

Acute toxicity :

CHLORITE DE SODIUM 20-35% (CAS: 7758-19-2)

Autres lignes directrices

2,000 < LD50 <= 5000 mg/kg

Dermal route :

LD50 > 2000 mg/kg

11.1.2. Mixture

Acute toxicity :

Dermal route :

Skin corrosion/skin irritation :

Irritation :

No observed effect. Average score < 1.5

No observed effect.

Serious damage to eyes/eye irritation :

Causes serious eye damage.

Iritis :

: Average score > 1.5 The risk of serious ocular lesions is based on the low/high pH and has been confirmed by tests.

Monograph(s) from the IARC (International Agency for Research on Cancer) :

CAS 7758-19-2 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

CHLORITE DE SODIUM 20-35% (CAS: 7758-19-2) Fish toxicity :

LC50 = 0.65 mg/l Factor M = 1 Species : Cyprinodon variegatus Duration of exposure : 96 h

NOEC = 0.1 mg/l

SAFETY DATA SHEET (REGULATION (EC) n° 1907/200	Version 9.1 (25-05-2021) - Page 6/8	
OWATROL RENOVATEUR ECLAIRCISSANT BOIS REN	OCLEAR - owrenoclear	
Crustacean toxicity :	EC50 <= 1 mg/l	
	Species : Daphnia magna	
	Duration of exposure : 48 h	
	NOEC <= 0.1 mg/l	
Algae toxicity :	ECr50 = 5.33 mg/l	
	Duration of exposure : 96 h	
	NOEC = 0.01 mg/l	
Aquatic plant toxicity :	NOEC <= 0.1 mg/l	
12.1.2. Mixtures		
No aquatic toxicity data available for the mixture.		
12.2. Persistence and degradability		
12.2.1. Substances		
CHLORITE DE SODIUM 20-35% (CAS: 7758-19-2)		
Biodegradability :	Rapidly degradable.	
12.3. Bioaccumulative potential		
12.3.1. Substances		
CHLORITE DE SODIUM 20-35% (CAS: 7758-19-2)		
Octanol/water partition coefficient :	log Koe = -2.7	
12.4. Mobility in soil		
No data available.		
12.5. Results of PBT and vPvB assessment		
No data available.		
12.6. Other adverse effects		
No data available.		

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

Note: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2019 - IMDG 2018 - ICAO/IATA 2020).

14.1. UN number

1760

14.2. UN proper shipping name

UN1760=CORROSIVE LIQUID, N.O.S. (chlorite de sodium 20-35%)

14.3. Transport hazard class(es)

- Classification :



14.4. Packing group

Ш

14.5. Environmental hazards

_

14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C9	III	8	80	5 L	274	E1	3	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregati	
								Handling	on	
	8	-	III	5 L	F-A, S-B	223 274	E1	Category	-	
								A SW2		
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	8	-	III	852	5 L	856	60 L	A3 A803	E1	
	8	-	III	Y841	1 L	-	-	A3 A803	E1	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)

- Container information:

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H290	May be corrosive to metals.
H301	Toxic if swallowed.
H318	Causes serious eye damage.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.
EUH032	Contact with acids liberates very toxic gas.

Abbreviations :

UFI : Unique Formula Identifier

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class). GHS05 : Corrosion GHS07 : Exclamation mark PBT: Persistent, bioaccumulable and toxic. vPvB : Very persistent, very bioaccumulable. SVHC : Substances of very high concern.