

SAFETY DATA SHEET RonaFloor Epoxy Primer - Part A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name RonaFloor Epoxy Primer - Part A

Product number PC098

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen) [AC4] Stone, plaster, cement, glass and ceramic articles [ERC5] Industrial use resulting in inclusion into or onto a matrix [PROC5] Mixing or blending in batch processes for

formulation of preparations and articles (multistage and/or significant contact) Two-

component, epoxy-based adhesive. Sealant.

1.3. Details of the supplier of the safety data sheet

Supplier Ronacrete Limited

Ronac House Flex Meadow Harlow Essex CM19 5TD

www.ronacrete.co.uk Tel: 01279 638 700 Fax: 01279 638 701

email: sds@ronacrete.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1279 638700

National emergency telephone UK Consumers NHS 111. Medical professionals - www.toxbase.org

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 2 - H411

Classification (67/548/EEC or Xi; R36/38. N; R51/53. R43

1999/45/EC)

2.2. Label elements

RonaFloor Epoxy Primer - Part A

Pictogram





Signal word Warning

Hazard statements H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P261 Avoid breathing vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with national regulations.

Contains reaction product: bisphenol-A-(epichlorhydrin), Epoxy resin, oxirane, mono[(C12-14-

alkyloxy)methyl] derivs.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

reaction product: bisphenol-A-(epichlorhydrin)

30-60%

Classification

Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Skin Irrit. 2 - H315 Aquatic Chronic 2 - H411

Epoxy resin 30-60%

CAS number: 55492-52-9

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

Skin Sens. 1 - H317

Aquatic Chronic 2 - H411

RonaFloor Epoxy Primer - Part A

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

10-30%

Classification Skin Irrit. 2 - H315

Skin Sens. 1 - H317

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention if

symptoms are severe or persist.

Ingestion Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

May cause chemical burns in mouth and throat. Do not induce vomiting.

Skin contact The product contains a sensitising substance. Remove contaminated clothing immediately

and wash skin with soap and water. Get medical attention if symptoms are severe or persist

after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of

water. Continue to rinse for at least 15 minutes. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion Burning sensation in mouth. Severe stomach pain.

Skin contact May cause irritation. Repeated exposure may cause skin dryness or cracking.

Eye contact Causes serious eye damage. A single exposure may cause the following adverse effects:

Severe irritation, burning, tearing and blurred vision.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

No action shall be taken without appropriate training or involving any personal risk.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

RonaFloor Epoxy Primer - Part A

Personal precautions Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Environmental precautions Dangerous for the environment if discharged into watercourses. Do not discharge into drains

or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material. Place waste in labelled, sealed

containers.

6.4. Reference to other sections

Reference to other sections For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment











Appropriate engineering controls

ontrois

Observe any occupational exposure limits for the product or ingredients.

Eye/face protection Wear chemical splash goggles.

Hand protection It is recommended that chemical-resistant, impervious gloves are worn.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures When using do not eat, drink or smoke. Wash at the end of each work shift and before eating,

smoking and using the toilet. Take off contaminated clothing and wash it before reuse.

Respiratory protection Respiratory protection must be used if the airborne contamination exceeds the recommended

occupational exposure limit.

Environmental exposure

controls

Keep container tightly sealed when not in use. Store in a demarcated bunded area to prevent

release to drains and/or watercourses.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

RonaFloor Epoxy Primer - Part A

Appearance Liquid.

Colourless.

Odour Mild.

Initial boiling point and range 200°C @ 760 mm Hg

Flash point 100°C Relative density 1.12

Solubility(ies) Insoluble in water.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See Section 10.3 (Possibility of hazardous reactions) for further information.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

The following materials may react with the product: Alkalis. Acids. Amines. Strong oxidising

agents.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Acids. Alkalis. Amines.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation May cause irritation.

Ingestion May cause stomach pain or vomiting. May cause chemical burns in mouth, oesophagus and

stomach.

Skin contact The product contains a sensitising substance. In the event of any sensitisation symptoms

developing, ensure further exposure is avoided. Repeated exposure may cause skin dryness

or cracking. Use appropriate hand lotion to prevent defatting and cracking of skin.

Eye contact This product is strongly irritating. Symptoms following overexposure may include the following:

Severe irritation, burning and tearing. Redness. Pain.

SECTION 12: Ecological Information

12.1. Toxicity

RonaFloor Epoxy Primer - Part A

Toxicity The product contains a substance which is toxic to aquatic organisms and which may cause

long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

Persistence and degradability The product is not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Immiscible with water.

12.4. Mobility in soil

Mobility Not known.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

No data available.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods For s

For small quantities, mix Part A and Part B together thoroughly in the correct proportions. After 7 days the mixture forms a non-hazardous solid for disposal by the appropriate method. Do not allow more than 1 Kg of the mixed material (Part A + Part B) as a reacting mass to remain in the container after mixing. The reaction between Part A and Part B is exothermic, with heat energy given out and a rapid rise in temperature. Pouring the reacting mass onto stone aggregate, or forming a shallow pool with a large surface area will allow the heat energy to dissipate to its surroundings. Where there is an excess of Part A or Part B that cannot be reacted off, this must be disposed of by a licensed waste disposal company in accordance with national guidelines. All containers must be properly labelled and a Safety data sheet provided for the waste disposal company.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3082

UN No. (IMDG) 3082

UN No. (ICAO) 3082

UN No. (ADN) 3082

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN)

Proper shipping name

(IMDG)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN)

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN)

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN)

14.3. Transport hazard class(es)

ADR/RID class

9

RonaFloor Epoxy Primer - Part A

ADR/RID classification code M6
ADR/RID label 9
IMDG class 9
ICAO class/division 9

Transport labels



ADN class

14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ADN packing group III

ICAO packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number 90

(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Dangerous Preparations Directive 1999/45/EC.

Dangerous Substances Directive 67/548/EEC.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

RonaFloor Epoxy Primer - Part A

Guidance www.echa.europa.eu

www.hse.gov.uk

Workplace Exposure Limits EH40.

Supplier product information and safety data sheets.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by sds@ronacrete.co.uk

Revision date 28/04/2015

Revision 1

SDS number 4634

Risk phrases in full R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

R43 May cause sensitisation by skin contact.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.