Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830. - United Kingdom (UK)

# SAFETY DATA SHEET

Interplus 634 Paint Disbonder

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

## 1.1 Product identifier

: Interplus 634 Paint Disbonder

Product name Product code

: GMA634

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Professional application of coatings and inks		
Uses advised against	Reason	
All Other Uses		

#### 1.3 Details of the supplier of the safety data sheet

International Farg AB Holmedalen 3 Aspereds Industriomrade SE-424 22 Angered Sweden

Tel: +46 (0) 31 928500 Fax: +46 (0) 31 928530

e-mail address of person : sdsfellinguk@akzonobel.com responsible for this SDS National contact

1.4 Emergency telephone number			
National advisory body/	<u>Poison Centre (For use only by lic</u>	<u>ensed medical professionals.)</u>	
Telephone number	: +44 (0)344 892 0111 (UK)	+353 (0)1 809 2566 (Eire)	
<u>Supplier</u>			
Telephone number	: +46 8 33 12 31		

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Product definition : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Acute Tox. 4, H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

#### 2.2 Label elements



# **SECTION 2: Hazards identification**

Hazard pictograms	
Signal word	: Warning
Hazard statements	: Harmful if swallowed. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
Precautionary statements	
General	: Not applicable.
Prevention	: Wear eye or face protection. Avoid release to the environment. Do not eat, drink or smoke when using this product.
Response	: IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: benzyl alcohol
Supplemental label elements	:
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.

2.3 Other hazards	
Other hazards which do not result in classification	: None known.

# **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture				
Product/ingredient name	Identifiers	% by weight	<u>Classification</u> Regulation (EC) No. 1272/2008 [CLP]	Nota (s)	Туре
benzyl alcohol	REACH #: 01-2119492630-38 EC: 202-859-9 CAS: 100-51-6 Index: 603-057-00-5	≥25 - ≤45	Acute Tox. 4, H302 Acute Tox. 4, H332	-	[1]
hydrogen peroxide	EC: 231-765-0 CAS: 7722-84-1 Index: 008-003-00-9	≥3 - <8	Ox. Liq. 1, H271 Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Chronic 2, H411	В	[1] [2]
			See Section 16 for the full text of the H statements declared above.		

04/06/2019

## AkzoNobel

## **SECTION 3: Composition/information on ingredients**

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

## Туре

[1] Substance classified with a health or environmental hazard

- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General	<ul> <li>In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.</li> </ul>
Eye contact	<ul> <li>Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.</li> </ul>
Inhalation	<ul> <li>Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Seek medical attention.</li> </ul>
Skin contact	<ul> <li>Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Seek medical attention if irritation persists. Do NOT use solvents or thinners.</li> </ul>
Ingestion	<ul> <li>If swallowed, seek medical advice immediately and show the container or label.</li> <li>Keep person warm and at rest. Do NOT induce vomiting.</li> </ul>
Protection of first-aiders	<ul> <li>No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.</li> </ul>

#### 4.2 Most important symptoms and effects, both acute and delayed

Potential acute health eff	<u>ects</u>
Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Harmful if swallowed. Irritating to mouth, throat and stomach.
Over-exposure signs/syn	nptoms
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: headache drowsiness/fatigue dizziness/vertigo muscle weakness unconsciousness
Skin contact	: No specific data.
Ingestion	: No specific data.

Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.



## **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	None known.	
5.2 Special hazards arising f	the substance or mixture	
Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.	
Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide	
5.3 Advice for firefighters		
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident there is a fire. No action shall be taken involving any personal risk or without suitable training.	if
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.	ſ

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal r Evacuate surrounding areas. Keep unnecessar entering. Do not touch or walk through spilt mat mist. Provide adequate ventilation. Wear appro- inadequate. Put on appropriate personal protect	y and unprotected personnel from erial. Avoid breathing vapour or priate respirator when ventilation is
For emergency responders	: If specialised clothing is required to deal with the information in Section 8 on suitable and unsuitable information in "For non-emergency personnel".	
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and c and sewers. Inform the relevant authorities if the pollution (sewers, waterways, soil or air). Water to the environment if released in large quantities	e product has caused environmental polluting material. May be harmful
6.3 Methods and material for	containment and cleaning up	
Small spill	: Stop leak if without risk. Move containers from s up if water-soluble. Alternatively, or if water-inso material and place in an appropriate waste dispo- licensed waste disposal contractor.	luble, absorb with an inert dry
Large spill	: Stop leak if without risk. Move containers from a from upwind. Prevent entry into sewers, water of areas. Wash spillages into an effluent treatmen Contain and collect spillage with non-combustibl earth, vermiculite or diatomaceous earth and pla according to local regulations. Dispose of via a Contaminated absorbent material may pose the	ourses, basements or confined t plant or proceed as follows. e, absorbent material e.g. sand, ice in container for disposal licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information See Section 8 for information on appropriate per See Section 13 for additional waste treatment in	sonal protective equipment.
Date of issue/Date of revision Version : 4	: 04/06/2019 4/12	AkzoNobel

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## 7.2 Conditions for safe storage, including any incompatibilities

Do not store above the following temperature: 45°C (113°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Vapours are heavier than air and may spread along floors. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### 7.3 Specific end use(s)

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

## 8.1 Control parameters

#### **Occupational exposure limits**

Product/ingredient name	Exposure limit values
hydrogen peroxide	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 2.8 mg/m <sup>3</sup> 15 minutes. STEL: 2 ppm 15 minutes. TWA: 1.4 mg/m <sup>3</sup> 8 hours. TWA: 1 ppm 8 hours.
procedures atmosphere or of the ventilatio protective equip the following: E the assessmen limit values and atmospheres - of exposure to o (Workplace atm for the measure	ontains ingredients with exposure limits, personal, workplace biological monitoring may be required to determine the effectiveness in or other control measures and/or the necessity to use respiratory oment. Reference should be made to monitoring standards, such as European Standard EN 689 (Workplace atmospheres - Guidance for t of exposure by inhalation to chemical agents for comparison with measurement strategy) European Standard EN 14042 (Workplace Guide for the application and use of procedures for the assessment chemical and biological agents) European Standard EN 482 nospheres - General requirements for the performance of procedures ement of chemical agents) Reference to national guidance methods for the determination of hazardous substances will also be

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**



# **SECTION 8: Exposure controls/personal protection**

No PNECs available

8.2 Exposure controls		
Appropriate engineering controls	Bood general ventilation should be sufficient to control worker exposure ontaminants.	e to airborne
Individual protection measured		
Hygiene measures	Vash hands, forearms and face thoroughly after handling chemical pro- efore eating, smoking and using the lavatory and at the end of the work ppropriate techniques should be used to remove potentially contamina- Vash contaminated clothing before reusing. Ensure that eyewash state afety showers are close to the workstation location.	king period. ated clothing.
Eye/face protection	afety eyewear complying with an approved standard should be used v ssessment indicates this is necessary to avoid exposure to liquid spla ases or dusts. Use eye protection according to EN 166, designed to p gainst liquid splashes. If contact is possible, the following protection s rorn, unless the assessment indicates a higher degree of protection: o plash goggles.	shes, mists, rotect hould be
Skin protection		
Hand protection	Ise chemical resistant gloves classified under Standard EN 374: Prote gainst chemicals and micro-organisms. Recommended: Viton® or loves. When prolonged or frequently repeated contact may occur, a g rotection class of 6 (breakthrough time greater than 480 minutes acco 74) is recommended. When only brief contact is expected, a glove wit rotection class of 2 or higher (breakthrough time greater than 30 minu ccording to EN 374) is recommended. The user must check that the f type of glove selected for handling this product is the most appropria nto account the particular conditions of use, as included in the user's ri ssessment. NOTICE: The selection of a specific glove for a particular nd duration of use in a workplace should also take into account all relevent andled, physical requirements (cut/puncture protection, dexterity, there rotection), potential body reactions to glove materials, as well as the in pecifications provided by the glove supplier. Barrier creams may help the exposed areas of the skin but should not be applied once exposure ccurred.	Nitrile love with a rding to EN h a tes final choice te and takes sk application evant ay be mal nstructions/ to protect
Body protection	ersonal protective equipment for the body should be selected based of eing performed and the risks involved and should be approved by a sp efore handling this product.EN ISO 13688	
Other skin protection	ppropriate footwear and any additional skin protection measures shoun elected based on the task being performed and the risks involved and pproved by a specialist before handling this product.	
Respiratory protection	Ise a properly fitted, air-purifying or air-fed respirator complying with an tandard if a risk assessment indicates this is necessary according to E tespirator selection must be based on known or anticipated exposure azards of the product and the safe working limits of the selected respi tecommended: half-face mask APF4	N529. evels, the
Environmental exposure controls	missions from ventilation or work process equipment should be check nsure they comply with the requirements of environmental protection I n some cases, fume scrubbers, filters or engineering modifications to t quipment will be necessary to reduce emissions to acceptable levels.	egislation.
<b>ISECTION 9: Physica</b>	d chemical properties	

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Colour	: Blue.
Odour	: Odourless.
Odour threshold	: Not available.
Date of issue/Date of revision	: 04/06/2019

Version : 4

## AkzoNobel

X.International.

# X.International.

## **SECTION 9: Physical and chemical properties**

рН	2.5	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Lowest known value: 100°C (212°F) (water).	
Flash point	Closed cup: 101°C	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits	Greatest known range: Lower: 1.3% Upper: 13% (benzyl alcohol)	
Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	1.04	
Solubility(ies)	Not available.	
Partition coefficient: n-octanol/ water	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Kinematic (room temperature): 12000.1 mm <sup>2</sup> /s	
Explosive properties	Not available.	
Oxidising properties	Not available.	

#### 9.2 Other information

No additional information.

## **SECTION 10: Stability and reactivity**

	· · · · · · · · · · · · · · · · · · ·
10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: No specific data.
10.5 Incompatible materials	: No specific data.
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
benzyl alcohol	LC50 Inhalation Vapour	Rat	>4178 mg/l	4 hours
	LD50 Dermal	Rabbit	2000 mg/kg	-
	LD50 Oral	Rat	1620 mg/kg	-
hydrogen peroxide solution	LD50 Dermal	Rat	4060 mg/kg	-
	LD50 Oral	Rat	376 mg/kg	-
Conclusion/Summary	: Not available.			

Acute toxicity estimates

## **SECTION 11: Toxicological information**

Route	ATE value
Oral	1250.7 mg/kg
Inhalation (vapours)	28.95 mg/l

X.International.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
benzyl alcohol	Skin - Mild irritant	Man	-	48 hours 16	-
				milligrams	
	Skin - Moderate irritant	Pig	-	100 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
hydrogen peroxide solution	Eyes - Severe irritant	Rabbit	-	1 milligrams	-
Conclusion/Summary	: Not available.				
<u>Sensitisation</u>					
Conclusion/Summary	Not available.				
conclusion/Summary	i itot avallabio.				
•					
•	Test	Experim	ent		Result
Mutagenicity	1	Experim Subject: Mammalian		Positive	
Mutagenicity Product/ingredient name	Test	•		Positive	
Mutagenicity         Product/ingredient name         hydrogen peroxide solution         Conclusion/Summary	Test	•		Positive	
Mutagenicity         Product/ingredient name         hydrogen peroxide solution         Conclusion/Summary	Test	•		Positive	
Mutagenicity Product/ingredient name hydrogen peroxide solution Conclusion/Summary Carcinogenicity Conclusion/Summary	Test - : Not available.	•		Positive	
Mutagenicity Product/ingredient name hydrogen peroxide solution Conclusion/Summary Carcinogenicity Conclusion/Summary	Test - : Not available.	•		Positive	
Mutagenicity Product/ingredient name hydrogen peroxide solution Conclusion/Summary Carcinogenicity Conclusion/Summary Reproductive toxicity	Test - : Not available. : Not available.	•		Positive	
Mutagenicity Product/ingredient name hydrogen peroxide solution Conclusion/Summary Carcinogenicity Conclusion/Summary Reproductive toxicity Conclusion/Summary	Test - : Not available. : Not available.	•		Positive	

Product/ingredient name	Category	Route of exposure	Target organs
hydrogen peroxide solution	Category 3	Not applicable.	Respiratory tract irritation

## Specific target organ toxicity (repeated exposure)

Not available.

## Aspiration hazard

Not available.

## Information on likely routes : Not available.

of exposure

## Potential acute health effects

Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: Harmful if swallowed. Irritating to mouth, throat and stomach.

8/12

## Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
	rediless

# AkzoNobel

## **SECTION 11: Toxicological information**

Inhalation	: Adverse symptoms may include the following: headache
	drowsiness/fatigue dizziness/vertigo
	muscle weakness unconsciousness
Skin contact	: No specific data.
Ingestion	: No specific data.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health effects		
Not available.		
Conclusion/Summary	: Not available.	
General	: No known significant effects or critical hazards	3.
Carcinogenicity	: No known significant effects or critical hazards	<b>3</b> .
Mutagenicity	: No known significant effects or critical hazards	<b>3</b> .
Teratogenicity	: No known significant effects or critical hazards	<b>3</b> .
Developmental effects	: No known significant effects or critical hazards	<b>3</b> .
Fertility effects	: No known significant effects or critical hazards	3.

#### Other information

: Not available.

## **SECTION 12: Ecological information**

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
hydrogen peroxide solution	Acute EC50 1.2 mg/l Marine water	Algae - Dunaliella tertiolecta - Exponential growth phase	72 hours
	Acute EC50 5.38 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 2320 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 30 mg/l Fresh water	Fish - Siluriformes - Fingerling	96 hours

**Conclusion/Summary** : Not available.

## 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
benzyl alcohol	0.87	-	low
hydrogen peroxide solution	-1.36	-	low

## 12.4 Mobility in soil



## **SECTION 12: Ecological information**

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

12.5 Results of PBT and vPvB assessment			
PBT	: Not applicable.		
vPvB	: Not applicable.		

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	<ul> <li>Dispose of containers contaminated by the product in accordance with local or national legal provisions. This material and its container must be disposed of as hazardous waste. Dispose of via a licensed waste disposal contractor.</li> </ul>
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-
14.3 Transport hazard class(es)	-	-	-
14.4 Packing group	-	-	-
14.5 Environmental hazards	No.	No.	No.
Additional information	-	-	-

IMDG Code Segregation group

2

## AkzoNobel

## **SECTION 14: Transport information**

14.6 Special precautions for user	: <b>Transport within user's premises:</b> always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	: Not available.
SECTION 15: Regulat	ory information
EU Regulation (EC) No. 1907	nmental regulations/legislation specific for the substance or mixture //2006 (REACH) Inces subject to authorisation
Annex XIV Substances of very high of	
None of the components are	e listed.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Other EU regulations	
Europe inventory	: Not determined.
Special packaging requirem	ents
Containers to be fitted with child-resistant fastenings	: Not applicable.
Tactile warning of danger	: Not applicable.
Ozone depleting substance Not listed.	es (1005/2009/EU)
Prior Informed Consent (PI	<u>C) (649/2012/EU)</u>

Not listed.

#### National regulations

References

: Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II and Regulation (EC) No. 1272/2008 (CLP)

assessment

## **SECTION 16: Other information**

Indicates information	that has changed from previously issued version.
Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative</li> </ul>
Procedure used to deri	the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]



## **SECTION 16: Other information**

<b>X</b> .International	R
-------------------------	---

Classi	tion Justification	
Acute Tox. 4, H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	Calculation method Calculation method Calculation method	
Full text of abbreviated H statements	H271May cause fire or explosion; strong ofH302Harmful if swallowed.H314Causes severe skin burns and eye ofH319Causes serious eye irritation.H332Harmful if inhaled.H335May cause respiratory irritation.H411Toxic to aquatic life with long lastingH412Harmful to aquatic life with long lasting	lamage. effects.
Full text of classifications [CLP/GHS]	Acute Tox. 4, H302 Acute Tox. 4, H332 Aquatic Chronic 2, H411 Aquatic Chronic 3, H412 Eye Irrit. 2, H319ACUTE TOXICITY (oral) - Category ACUTE TOXICITY (inhalation) - Cat LONG-TERM AQUATIC HAZARD - LONG-TERM AQUATIC HAZARD - SERIOUS EYE DAMAGE/ EYE IRR 2 OXI. Liq. 1, H271 Skin Corr. 1A, H314 STOT SE 3, H335ACUTE TOXICITY (oral) - Category LONG-TERM AQUATIC HAZARD - SERIOUS EYE DAMAGE/ EYE IRR 2 OXIDIZING LIQUIDS - Category 1 SKIN CORROSION/IRRITATION - C SPECIFIC TARGET ORGAN TOXIC EXPOSURE) (Respiratory tract irrita)	egory 4 Category 2 Category 3 ITATION - Category Category 1A CITY (SINGLE
Date of printing	04/06/2019	
Date of issue/ Date of revision	04/06/2019	
Date of previous issue	01/06/2017	
Version	4	

#### Notice to reader

IMPORTANT NOTE: the information contained in this data sheet (as may be amended from time to time) is not intended to be exhaustive and is presented in good faith and believed to be correct as of the date on which it is prepared. It is the user's responsibility to verify that this data sheet is current prior to using the product to which it relates.

Persons using the information must make their own determinations as to the suitability of the relevant product for their purposes prior to use. Where those purposes are other than as specifically recommended in this safety data sheet, then the user uses the product at their own risk.

MANUFACTURER'S DISCLAIMER: the conditions, methods and factors affecting the handling, storage, application, use and disposal of the product are not under the control and knowledge of the manufacturer. Therefore the manufacturer does not assume responsibility for any adverse events which may occur in the handling, storage, application, use, misuse or disposal of the product and, so far as permitted by applicable law, the manufacturer expressly disclaims liability for any and all loss, damages and/or expenses arising out of or in any way connected to the storage, handling, use or disposal of the product. Safe handling, storage, use and disposal are the responsibility of the users. Users must comply with all applicable health and safety laws.

Unless we have agreed to the contrary, all products are supplied by us subject to our standard terms and conditions of business, which include limitations of liability. Please make sure to refer to these and / or the relevant agreement which you have with AkzoNobel (or its affiliate, as the case may be). © AkzoNobel

