## Safety Data Sheet MAPEGROUT SV-T grey

Safety Data Sheet dated: 01/06/2022 - version 3



## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Mixture identification:

Trade name: MAPEGROUT SV-T grey

Trade code: 9026579 UFI: J7M1-109R-U008-NSWY

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Ready prepared cement mortar

Uses advised against: Data not available

#### 1.3. Details of the supplier of the safety data sheet

Company: MAPEI U.K. Ltd - Mapei House Steel Park Road

Halesowen - West Midlands B62 8HD

phone: +44(0)121 508 6970 - fax: +44(0)121 5086 960 - www.mapei.co.uk (office hour 8:30-17:30)

Responsible: sicurezza@mapei.it

1.4. Emergency telephone number

call NHS 111 or a doctor/OHES Environmental Ltd +44(0)333 333 9962

#### **SECTION 2: Hazards identification**





#### 2.1. Classification of the substance or mixture

## Regulation (EC) n. 1272/2008 (CLP)

Skin Irrit. 2 Causes skin irritation.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1B May cause an allergic skin reaction.

Adverse physicochemical, human health and environmental effects:

physicochemical, numan nealth and environmental effects

No other hazards

#### 2.2. Label elements

Regulation (EC) n. 1272/2008 (CLP)

## **Pictograms and Signal Words**



Danger

#### **Hazard statements:**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

## **Precautionary statements:**

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/clothing and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

**Contains:** 

portland cement, Cr(VI) < 2 ppm

#### Special provisions according to Annex XVII of REACH and subsequent amendments:

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 1 of 11

None.

#### 2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq$  0.1%.

Other Hazards: No other hazards

This preparation contains cement. Contact between cement and body fluids (e.g. sweat and eye fluids) may cause irritation or burns

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not Relevant

#### 3.2. Mixtures

Mixture identification: MAPEGROUT SV-T grey

#### Hazardous components within the meaning of the CLP regulation and related classification:

Concentra tion (% w/w)	Name	Ident. Numb.	Classification	Registration Number
≥10 - <20 %	portland cement, Cr(VI) < 2 ppm		Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335	
< 0,00015 %	formaldehyde		Acute Tox. 3, H311 Acute Tox. 3, H331 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 Carc. 1B, H350	
			Specific Concentration Limits: $0.2\% \le C < 100\%$ : Skin Sens. 1 H317 $5\% \le C < 25\%$ : Skin Irrit. 2 H315 $5\% \le C < 25\%$ : Eye Irrit. 2 H319 $5\% \le C < 100\%$ : STOT SE 3 H335 $25\% \le C < 100\%$ : Skin Corr. 1B H314	

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## 4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

## 4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 2 of 11

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### 5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

#### 5.3. Advice for firefighters

Use suitable breathing apparatus.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

#### 6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

#### 6.4. Reference to other sections

See also section 8 and 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### List of components with OEL value

	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
portland cement, Cr(VI) < 2 ppm CAS: 65997-15-1	Nationa	I FINLAND		1					FINLAND, respirabel fraktion
	NDS	POLAND		6					frakcja wdychalna
	NDS	POLAND		2					frakcja respirabilna
	SUVA	SWITZERLAND		5					A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 3 of 11

DF	G	GERMANY		15				
Nat	tional	SPAIN		4,000				5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust)
Nat	tional	PORTUGAL		10				
Nat	tional	BELGIUM		10				
		HUNGARY		10				
Ma		MALAYSIA		10,000				
Nat		UNITED KINGDOM		10,000				inhalable dust
Nat		UNITED KINGDOM		4,000				respirable dust
Nat	tional	CROATIA		10,000		10,000		
DF	G	GERMANY	С	15				
AC	GIH	AUSTRALIA		1,000				A4 - Not Classifiable as a Human Carcinogen; pulmonary function; respiratory symptoms; asthma
	laysi DEL	MALAYSIA		10				5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust)
Nat		UNITED KINGDOM		10		30,000		5 mg/m3 TWA (containing <1% of free Silica, respirable dust);10 mg/m3 TWA (containing <1% of free Silica, total dust)
Nat		UNITED KINGDOM		4,000				
Nat	tional	ROMANIA		10				
AC	GIH			1				A4 - Not Classifiable as a Human Carcinogen; pulmonary function; respiratory symptoms; asthma
Nat	tional	SPAIN		4				
Nat	tional	FINLAND		5				
ND	S	POLAND		6				
Nat	tional	LATVIA		6				
AC	GIH		С				0,3	DSEN, RSEN, A2 - URT and eye irr
DF	G	GERMANY	С			0,74	0,6	
AC	GIH				0,1		0,3	A1 - Confirmed Human Carcinogen;eye and upper respiratory tract irritation;upper respiratory tract cancer;dermal sensitizer; respiratory sensitizer
Nat	tional	SWEDEN		0,37	0,3			
Nat	tional	FRANCE			0,5		1	
Nat	tional	SPAIN		0,37	0,3	0,74	0,6	
		GREECE		2,5	2	2,5	2	
		DENMARK	С	•		0,4	0,3	
		FINLAND		0,37	0,3	-	•	
		<del></del> -		.,	- , -			

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 4 of 11

formaldehyde CAS: 50-00-0

National	FINLAND	С			1,2	1	
	GERMANY	C	0,37	0,3	1,2	-	
	NORWAY		0,6	0,5			
	NORWAY	С	5/5	5,5	1,2	1	
NDS	POLAND		0,37		-,-	_	
NDSCh	POLAND		-,-		0,74		
CHE	SWITZERLAND				0,74	0,6	
NDS	NETHERLANDS		0,15		0,5	,	
National	CZECH REPUBLIC		0,5				
National	HUNGARY		0,6		0,6		
Malaysi	MALAYSIA	С	•		0,37	0,3	
a OEL							
National	PORTUGAL	С				0,3	
National	ESTONIA		0,6	0,5	1,2	1	
National	LATVIA		0,5				
National	CZECH REPUBLIC	С			1		
National	SLOVAKIA	С			0,74		
National	SLOVAKIA		0,37	0,3			
National	SLOVENIA		0,62	0,5	0,62	0,5	
National	UNITED KINGDOM		2,5	2	2,5	2	
National	BULGARIA		1,0		2,0		
National	ROMANIA		1,2	1	3	2	
National	LITHUANIA		0,6	0,5			
National	LITHUANIA	С			1,2	1	
National	CROATIA		2,5	2	2,5	2	
EU			0,37	0,3			Binding

## **Predicted No Effect Concentration (PNEC) values**

	PNEC Limit	<b>Exposure Route</b>	<b>Exposure Frequency Remark</b>
formaldehyde CAS: 50-00-0	0,47 mg/l	Fresh Water	
	0,47 mg/l	Marine water	
	4,7 mg/l	Intermittent release	
	0,19 mg/l	Microorganisms in sewage treatments	
	2,44 mg/kg	Freshwater sediments	
	2,44 mg/kg	Marine water sediments	

0,21 mg/kg Soil

# Derived No Effect Level. (DNEL)

	Worker Worker Industr Profess y ional		Exposure Route	Exposure Frequency Remark
formaldehyde CAS: 50-00-0	1 mg/m3		Human Inhalation	Short Term, local effects
	240 mg/kg	102 mg/kg	Human Dermal	Long Term, systemic effects
	9 mg/m3	3,2 mg/m3	Human Inhalation	Long Term, systemic effects
	0,037 mg/cm2	0,012 mg/cm2	Human Dermal	Long Term, local effects
Drint data	00/06/2022	aduation N	lama MADECROL	IT CV/ T grov

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 5 of 11

0,5 0,1 Human Inhalation Long Term, local mg/m3 mg/m3 effects

4,1 Human Oral Long Term, systemic

mg/kg effects

#### 8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Nitrile gloves are suggested (1,3 mm; 480 min). Not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

A dust mask (P2) should be worn if above exposure limits (EN 149)

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: Solid Appearance: powder

Color: Grey

Odour: cement like

Odour threshold: Not available

Melting point / freezing point: Not available

Initial boiling point and boiling range: Not available

Flammability: N.A.

Upper/lower flammability or explosive limits: Not available

Flash point: Not available

Auto-ignition temperature: Not available Decomposition temperature: Not available

pH: Not available

pH (water dispersion, 10%): 12.00

Viscosity: Not available

Kinematic viscosity: Not available Solubility in water: partly soluble

Solubility in oil: insoluble

Partition coefficient (n-octanol/water): Not available

Vapour pressure: Not available Relative density: Not available Vapour density: Not available **Particle characteristics:** Particle size: Not available

## 9.2. Other information

Miscibility: Not available Conductivity: Not available Explosive properties: == No other relevant information

#### SECTION 10: Stability and reactivity

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 6 of 11

#### 10.1. Reactivity

Stable under normal conditions

#### 10.2. Chemical stability

Stable under normal conditions

#### 10.3. Possibility of hazardous reactions

None

#### 10.4. Conditions to avoid

Stable under normal conditions.

#### 10.5. Incompatible materials

None in particular.

#### 10.6. Hazardous decomposition products

None.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Contains cement. Cement gives a strong alkaline reaction with water and body fluids (e.g. sweat and eye fluids), therefore the contact with skin and eyes should be carefully avoided.

#### Toxicological information of the mixture:

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

b) skin corrosion/irritation The product is classified: Skin Irrit. 2(H315) c) serious eye damage/irritation The product is classified: Eye Dam. 1(H318) d) respiratory or skin sensitisation The product is classified: Skin Sens. 1B(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

#### Toxicological information on main components of the mixture:

formaldehyde a) acute toxicity LD50 Oral Rat = 700 mg/kg

LC50 Inhalation Rat = 0,578 mg/l LD50 Skin Rabbit = 270 mg/kg LD50 Skin Rabbit = 270 mg/kg LC50 Inhalation Rat = 0,578 mg/l 4h

LD50 Oral Rat = 100 mg/kg

## 11.2 Information on other hazards

## **Endocrine disrupting properties:**

No endocrine disruptor substances present in concentration >= 0.1%

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

## List of Eco-Toxicological properties of the product

Not classified for environmental hazards

Based on available data, the classification criteria are not met

List of components with eco-toxicological properties

Component Ident. Numb. Ecotox Infos

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 7 of 11

CAS: 50-00-0 -EINECS: 200-001-8 - INDEX: 605-001-00-5

CAS: 50-00-0 - a) Aquatic acute toxicity: LC50 Fish = 41 mg/L 96

a) Aquatic acute toxicity: EC50 Daphnia = 42 mg/L 24

a) Aquatic acute toxicity: LC50 Fish Pimephales promelas 22,6 mg/L 96h EPA

a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 1510  $\mu$ g/L 96h

EPA

a) Aquatic acute toxicity: LC50 Fish Brachydanio rerio = 41 mg/L 96h IUCLID

a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 0,032 mL/L 96h

EPA

a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 100 mg/L 96h EPA

a) Aquatic acute toxicity: LC50 Fish Pimephales promelas 23,2 mg/L 96h EPA

a) Aquatic acute toxicity : LC50 Daphnia Daphnia magna = 2 mg/L 48h

**IUCLID** 

a) Aquatic acute toxicity: EC50 Daphnia Daphnia magna 11,3 mg/L 48h EPA

#### 12.2. Persistence and degradability

NΑ

#### 12.3. Bioaccumulative potential

N.A.

#### 12.4. Mobility in soil

N.A.

## 12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq$  0.1%.

#### 12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

## 12.7 Other adverse effects

Not available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

## Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes

## Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

## Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## **SECTION 14: Transport information**

Not classified as dangerous in the meaning of transport regulations.

#### 14.1. UN number or ID number

Not Applicable

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 8 of 11

#### 14.2. UN proper shipping name

Not Applicable

#### 14.3. Transport hazard class(es)

Not Applicable

#### 14.4. Packing group

Not Applicable

#### 14.5. Environmental hazards

Not Applicable

#### 14.6. Special precautions for user

Not Applicable

Road and Rail ( ADR-RID ):

Not Applicable

Air ( IATA ):

Not Applicable

Sea ( IMDG ):

Not Applicable

#### 14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC): N.A. g/l

The product contains Cr (VI) under the limits established by annex. XVII pt.47. Respect the duration according to the information described on the packaging.

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

None

# Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: None.

Restrictions related to the substances contained: 28, 72, 75

#### **SVHC Substances:**

SVHC substances not present in a concentration  $\geq$  0.1% (w/w)

## German Water Hazard Class (WGK)

Class 1: slightly hazardous for water.

# 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

## **SECTION 16: Other information**

#### Code Description

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 9 of 11

	,,	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H331	Toxic if inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
Code	Hazard class and hazard category	Description
Couc	mazaru ciass and mazaru category	Description
3.1/3/Dermal	Acute Tox. 3	Acute toxicity (dermal), Category 3
	• ,	•
3.1/3/Dermal	Acute Tox. 3	Acute toxicity (dermal), Category 3
3.1/3/Dermal 3.1/3/Inhal	Acute Tox. 3 Acute Tox. 3	Acute toxicity (dermal), Category 3 Acute toxicity (inhalation), Category 3
3.1/3/Dermal 3.1/3/Inhal 3.1/3/Oral	Acute Tox. 3 Acute Tox. 3 Acute Tox. 3	Acute toxicity (dermal), Category 3 Acute toxicity (inhalation), Category 3 Acute toxicity (oral), Category 3
3.1/3/Dermal 3.1/3/Inhal 3.1/3/Oral 3.2/1B	Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Skin Corr. 1B	Acute toxicity (dermal), Category 3 Acute toxicity (inhalation), Category 3 Acute toxicity (oral), Category 3 Skin corrosion, Category 1B
3.1/3/Dermal 3.1/3/Inhal 3.1/3/Oral 3.2/1B 3.2/2	Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Skin Corr. 1B Skin Irrit. 2	Acute toxicity (dermal), Category 3 Acute toxicity (inhalation), Category 3 Acute toxicity (oral), Category 3 Skin corrosion, Category 1B Skin irritation, Category 2
3.1/3/Dermal 3.1/3/Inhal 3.1/3/Oral 3.2/1B 3.2/2 3.3/1	Acute Tox. 3 Acute Tox. 3 Acute Tox. 3 Skin Corr. 1B Skin Irrit. 2 Eye Dam. 1	Acute toxicity (dermal), Category 3 Acute toxicity (inhalation), Category 3 Acute toxicity (oral), Category 3 Skin corrosion, Category 1B Skin irritation, Category 2 Serious eye damage, Category 1

# Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
3.2/2	Calculation method
3.3/1	Calculation method
3.4.2/1B	Calculation method

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

Germ cell mutagenicity, Category 2

Specific target organ toxicity — single exposure, Category 3

Carcinogenicity, Category 1B

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

Muta. 2

Carc. 1B

STOT SE 3

H301

H311

H314

3.5/2

3.8/3

3.6/1B

Toxic if swallowed.

Toxic in contact with skin.

Causes severe skin burns and eye damage.

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 10of 11

CSA: Chemical Safety Assessment CSR: Chemical Safety Report DMEL: Derived Minimal Effect Level DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

\* Sheet model entirely changed in compliance to regulatory update.

Print date 09/06/2022 Production Name MAPEGROUT SV-T grey Page n. 11 of 11