

Safety Data Sheet

ULTRACARE HD CLEANER

Safety Data Sheet dated: 29/07/2022 - version 3



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: ULTRACARE HD CLEANER

Trade code: 9011508

UFI: 32C1-X0R1-R008-SCJU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Cleaner

Uses advised against: Not available

1.3. Details of the supplier of the safety data sheet

Company: MAPEI U.K. Ltd - Mapei House Steel Park Road

Halesowen - West Midlands B62 8HD

phone: +44(0)121 508 6970 - fax: +44(0)121 5086 960 - www.mapei.co.uk (office hour 8:30-17:30)

Responsible: sicurezza@mapei.it

1.4. Emergency telephone number

call NHS 111 or a doctor/OHES Environmental Ltd +44(0)333 333 9962

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Skin Irrit. 2 Causes skin irritation.

Eye Dam. 1 Causes serious eye damage.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) n. 1272/2008 (CLP)

Pictograms and Signal Words



Danger

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements:

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves/clothing and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

Special Provisions:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H - isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Contains:

2-aminoethanol; ethanolamine

sodium hydroxide; caustic soda

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%.

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Relevant

3.2. Mixtures

Mixture identification: ULTRACARE HD CLEANER

Hazardous components within the meaning of the CLP regulation and related classification:

Concentra tion (%) w/w)	Name	Ident. Numb.	Classification	Registration Number
≥10 - <20 %	benzyl alcohol	CAS:100-51-6 EC:202-859-9 Index:603-057-00-5	Acute Tox. 4, H332; Acute Tox. 4, H302; Eye Irrit. 2, H319	01-2119492630-38-XXXX
≥1 - <2.5 %	2-aminoethanol; ethanolamine	CAS:141-43-5 EC:205-483-3 Index:603-030-00-8	Skin Corr. 1B, H314 STOT SE 3, H335 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Specific Concentration Limits: 5% ≤ C < 100%: STOT SE 3 H335	01-2119486455-28-XXXX
≥1 - <2.5 %	sodium hydroxide; caustic soda	CAS:1310-73-2 EC:215-185-5 Index:011-002-00-6	Skin Corr. 1A, H314 Met. Corr. 1, H290 Specific Concentration Limits: 5% ≤ C < 100%: Skin Corr. 1A H314 2% ≤ C < 5%: Skin Corr. 1B H314 0.5% ≤ C < 2%: Skin Irrit. 2 H315 0.5% ≤ C < 2%: Eye Irrit. 2 H319	01-2119457892-27-XXXX
≥0.49 - <1 %	1-methoxy-2-propanol	CAS:107-98-2 EC:203-539-1 Index:603-064-00-3	Flam. Liq. 3, H226; STOT SE 3, H336	01-2119457435-35-XXXX
≥0.016 - <0.025 %	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS:2634-33-5 EC:220-120-9 Index:613-088-00-6	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Acute Tox. 4, H302 Skin Sens. 1, H317 Aquatic Chronic 2, H411 Specific Concentration Limits: C ≥ 0.05%: Skin Sens. 1 H317	
<0.0015 %	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS:55965-84-9 EC:611-341-5 Index:613-167-00-5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Acute Tox. 3, H301 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Acute Tox. 2, H310 Acute Tox. 2, H330 Eye Dam. 1, H318, M-Chronic:100, M-Acute:100 Specific Concentration Limits: C ≥ 0.6%: Skin Corr. 1C H314 0.06% ≤ C < 0.6%: Skin Irrit. 2 H315 C ≥ 0.6%: Eye Dam. 1 H318 0.06% ≤ C < 0.6%: Eye Irrit. 2 H319 C ≥ 0.0015%: Skin Sens. 1A H317	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

List of components with OEL value

	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour	Note
benzyl alcohol CAS: 100-51-6	National	FINLAND		45	10				
	National	POLAND		240					
	DFG	GERMANY	C			44	10		
	National	GERMANY		22	5				
	NDS	POLAND		240					
	National	CZECH REPUBLIC		40					
	National	LATVIA		5					
	National	CZECH REPUBLIC	C			80			
	National	BULGARIA		5.0					
	National	LITHUANIA		5					
2-aminoethanol; ethanolamine CAS: 141-43-5	National	SLOVENIA		22	5	44	10		
	National	NORWAY		2.500	1.000				H E
	NDS			2.5					
	NDSch			7.500					
	National	SWEDEN		8.000	3.000	15.000	6.000		SWEDEN, Short-term value, 15 minutes average value
	National	FINLAND		2.500	1.000	7.600	3.000		FINLAND, hud
	EU			2.5	1	7.600	3.000		Skin
	ACGIH				3.000		6.000		Eye and skin irr
	DFG	GERMANY	C			0.510	0.200		
	ACGIH				3.000		6.000		eye and skin irritation
	EU			2.500	1.000	7.600	3.000	Indicative	Possibility of significant uptake through the skin
	National	DENMARK		2.5	1				
	National	GERMANY		0.500	0.200				
	National	PORTUGAL		2.5	1	7.6	3		
	NDS	POLAND		2.5					
	NDSch	POLAND				7.500			
	NDS	NETHERLANDS		2.500		7.600			
	National	CZECH REPUBLIC		2.500					

sodium hydroxide; caustic soda CAS: 1310-73-2	National HUNGARY		2.500		7.600	
	National CZECH REPUBLIC	C			7.500	
	National SLOVAKIA	C			7.600	
	National ROMANIA		2.5	1	7.6	3
	National LITHUANIA		2.5	1	7.6	3
	National SWEDEN		2.5	1		
	National FRANCE		2.5	1	7.6	3
	National SPAIN		2.5	1	7.5	3
	National GREECE		2.5	1	7.6	3
	National FINLAND		2.5	1	7.6	3
	National NORWAY		2.5	1	5	2
	National BELGIUM		2.5	1	7.6	3
	CHE SWITZERLAND				10	4
	Malaysi MALAYSIA a OEL		7.5	3		
	National ESTONIA		2.5	1	7.6	3
	National LATVIA		0.5	0.2	7.6	3
	National SLOVAKIA		2.5	1		
	National SLOVENIA		2.5	1	7.6	3
	National UNITED KINGDOM		2.5	1	7.6	3
	National BULGARIA		2.5	1	7.6	3
	TUR TURKEY		2.5	1	7.6	3
	National CROATIA		2.5	1	7.6	3
	NDS		0.5			
	NDSCh		1			
	National SWEDEN	C	1		2	SWEDEN, Ceiling limit value
	National FINLAND				2	FINLAND, takvärde
	National NORWAY		2			NORWAY, T
	ACGIH	C			2	URT, eye, and skin irr
	National NORWAY		2		2	
	ACGIH	C			2	
	ACGIH					eye, skin and upper respiratory tract irritation
	National SWEDEN		1			
	National FRANCE		2			
	National SPAIN				2	
	National GREECE		2		2	
	National DENMARK	C			2	
	National FINLAND	C			2	
	National NORWAY	C			2	
	NDS POLAND		0.5			
	NDSCh POLAND				1	
	CHE SWITZERLAND				2	
	National CZECH REPUBLIC		1			
	National HUNGARY		2		2	
	Malaysi MALAYSIA a OEL	C			2	
	National PORTUGAL	C			2	
	National ESTONIA		1		2	

1-methoxy-2-propanol CAS: 107-98-2	National LATVIA		0.5				
	National CZECH REPUBLIC	C			2		
	National SLOVAKIA		2				
	National SLOVENIA		2		2		
	National UNITED KINGDOM				2		
	National BULGARIA		2.0				
	National LITHUANIA	C			2		
	National CROATIA				2		
	SUVA		375	100	568	150	
	National SWEDEN		190	50	300	75	SWEDEN, Short-term value, 15 minutes average value
	National FINLAND		370	100	560	150	FINLAND, hud
	National NORWAY		180	50			NORWAY, H
	NDS		180				
	NDSch		360				
	National NORWAY		185	50	370	100	
	EU		375	100	563	150	Skin
	ACGIH			50		100	A4 - Eye and URT irr
	DFG GERMANY	C			740	200	
	ACGIH			50		100	A4 - Not Classifiable as a Human Carcinogen;eye and upper respiratory tract irritation
	National SWEDEN		190	50			
	National FRANCE		188	50	375	100	
	National SPAIN		375	100	568	150	
	National GREECE		360	100	1080	300	
	National DENMARK		185	50			
	National FINLAND		370	100	560	150	
	National GERMANY		370	100			
	National PORTUGAL		375	100	568	150	
	National BELGIUM		375	100	568	150	
	NDS POLAND		180				
	NDSch POLAND				360		
	CHE SWITZERLAND				720	200	
	NDS NETHERLANDS		375		563		
	National CZECH REPUBLIC		270				
	National HUNGARY		375		568		
	Malaysi a OEL MALAYSIA		369	100			
	National ESTONIA		375	100	568	150	
	National LATVIA		375	100	568	150	
	National CZECH REPUBLIC	C			550		
	National SLOVAKIA	C			568		
	National SLOVAKIA		375	100			
	National SLOVENIA		375	100	562.5	150	
	National UNITED KINGDOM		375	100	560	150	
	National BULGARIA		375.0	100	568.0	150	

National ROMANIA	375	100	568	150
TUR TURKEY	375	100	568	150
National LITHUANIA	190	50	300	75
National CROATIA	375	100	568	150
EU	375	100	568	150

Indicative Possibility of significant uptake through the skin

Predicted No Effect Concentration (PNEC) values

	PNEC Limit	Exposure Route	Exposure Frequency	Remark
benzyl alcohol CAS: 100-51-6	1 mg/l	Fresh Water		
	0.1 mg/l	Marine water		
	5.27 mg/kg	Freshwater sediments		
	0.527 mg/kg	Marine water sediments		
	39 mg/l	Microorganisms in sewage treatments		
	0.45 mg/kg	Soil		
2-aminoethanol; ethanolamine CAS: 141-43-5	2.3 mg/l	Intermittent release		
	0.085 mg/l	Fresh Water		
	0.0085 mg/l	Marine water		
	0.025 mg/l	Intermittent release		
	0.425 mg/kg	Freshwater sediments		
	0.0425 mg/kg	Marine water sediments		
	0.035 mg/kg	Soil		
	100 mg/l	Microorganisms in sewage treatments		
1-methoxy-2-propanol CAS: 107-98-2	10 mg/l	Fresh Water		
	100 mg/l	Intermittent release		
	1 mg/l	Marine water		
	100 mg/l	Microorganisms in sewage treatments		
	52.3 mg/kg	Freshwater sediments		
	5.2 mg/kg	Marine water sediments		
	4.59 mg/kg	Soil		

Derived No Effect Level. (DNEL)

	Worker Industrial	Worker Professional	Consumer	Exposure Route	Exposure Frequency	Remark
benzyl alcohol CAS: 100-51-6		20 mg/kg		Human Oral		Short Term, systemic effects
		4 mg/kg		Human Oral		Long Term, systemic effects
	110 mg/m3	27 mg/m3		Human Inhalation		Short Term, systemic effects

1-methoxy-2-propanol CAS: 107-98-2	22 mg/m3	5.4 mg/m3	Human Inhalation	Long Term, systemic effects
	40 mg/kg	20 mg/kg	Human Dermal	Short Term, systemic effects
	8 mg/kg	4 mg/kg	Human Dermal	Long Term, systemic effects
	369 mg/m3		Human Inhalation	Long Term, systemic effects
	553.5 mg/m3		Human Inhalation	Short Term, systemic effects
	553.5 mg/m3		Human Inhalation	Short Term, local effects
	183 mg/kg		Human Dermal	Long Term, systemic effects
		43.9 mg/m3	Human Inhalation	Long Term, systemic effects
		78 mg/kg	Human Dermal	Long Term, systemic effects
		33 mg/m3	Human Oral	Long Term, systemic effects

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Nitrile rubber - NBR: thickness $\geq 0,35\text{mm}$; breakthrough time $\geq 480\text{min}$.

Butyl rubber - IIR: thickness $\geq 0,5\text{mm}$; breakthrough time $\geq 480\text{min}$.

Fluorinated rubber - FKM: thickness $\geq 0,4\text{mm}$; breakthrough time $\geq 480\text{min}$.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Appearance: liquid

Color: transparent

Odour: Characteristic

Melting point / freezing point: Not available

Initial boiling point and boiling range: Not available

Flammability: N.A.

Upper/lower flammability or explosive limits: Not available

Flash point: 100 °C (212 °F)

Auto-ignition temperature: Not available

Decomposition temperature: Not available

pH: 11.00

Viscosity: 15.00 mPA-s

Kinematic viscosity: Not available

Solubility in water: yes
Solubility in oil: soluble
Partition coefficient (n-octanol/water): Not available
Vapour pressure: Not available
Relative density: 1.00 g/cm³
Vapour density: Not available

Particle characteristics:

Particle size: Not available

9.2. Other information

Miscibility: Not available
Conductivity: Not available
No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the mixture:

a) acute toxicity	Not classified Based on available data, the classification criteria are not met
b) skin corrosion/irritation	The product is classified: Skin Irrit. 2(H315)
c) serious eye damage/irritation	The product is classified: Eye Dam. 1(H318)
d) respiratory or skin sensitisation	Not classified Based on available data, the classification criteria are not met
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	Not classified Based on available data, the classification criteria are not met
g) reproductive toxicity	Not classified Based on available data, the classification criteria are not met
h) STOT-single exposure	Not classified Based on available data, the classification criteria are not met
i) STOT-repeated exposure	Not classified Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

benzyl alcohol	a) acute toxicity	LC50 Inhalation Rat = 11 mg/l 4h LD50 Oral Rat = 1230 mg/kg
	g) reproductive toxicity	NOAEL Rat = 1072 mg/m ³
2-aminoethanol; ethanolamine	a) acute toxicity	LD50 Oral Rat 2100 mg/kg LD50 Skin Rabbit 1000 mg/kg

sodium hydroxide; caustic soda	a) acute toxicity	LD50 Oral Rat 2000 mg/kg
		LD50 Skin Rabbit 1350 mg/kg
		LD50 Oral Rabbit 500 mg/kg
		LD50 Skin Rabbit = 1350 mg/kg
		LD50 Oral Rat = 325 mg/kg
1-methoxy-2-propanol	a) acute toxicity	LD50 Skin Rabbit = 1350 mg/kg
		LD50 Oral Rat = 5300 mg/kg
		LD50 Skin Rabbit = 13000 mg/kg
		LC50 Inhalation Rat = 28.8 mg/l 4h
		LD50 Skin Rabbit = 13 g/kg
	h) STOT-single exposure	LC50 Inhalation Rat > 7559 ppm 6h
		LD50 Oral Rat = 5000 mg/kg
		NOAEL Oral Rat = 919 mg/kg
		NOAEL Inhalation Rat = 3.7 mg/kg
		NOAEL Skin Rabbit > 1000 mg/kg
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	a) acute toxicity	LD50 Oral Rat = 670 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)	a) acute toxicity	LC50 Inhalation Rat = 2.36 mg/l 4h
		LD50 Skin Rabbit = 660 mg/kg
		LD50 Oral Rat = 53 mg/kg

11.2 Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards

Based on available data, the classification criteria are not met

List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
benzyl alcohol	CAS: 100-51-6 - EINECS: 202- 859-9 - INDEX: 603-057-00-5	a) Aquatic acute toxicity : EC50 Daphnia = 230 mg/L 48
		a) Aquatic acute toxicity : LC50 Fish = 770 mg/L 1
		a) Aquatic acute toxicity : EC50 Algae = 770 mg/L 72
		a) Aquatic acute toxicity : LC50 Fish = 460 mg/L 96
2-aminoethanol; ethanolamine	CAS: 141-43-5 - EINECS: 205- 483-3 - INDEX: 603-030-00-8	a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 460 mg/L 96h EPA

		a) Aquatic acute toxicity : EC50 Algae = 22 mg/L 72 a) Aquatic acute toxicity : LC50 Fish = 349 mg/L 96 a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 227 mg/L 96h IUCLID a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio = 3684 mg/L 96h IUCLID a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 300 mg/L 96h EPA a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 114 mg/L 96h EPA a) Aquatic acute toxicity : EC50 Algae Desmodesmus subspicatus = 15 mg/L 72h IUCLID
sodium hydroxide; caustic soda	CAS: 1310-73-2 - EINECS: 215-185-5 - INDEX: 011-002-00-6	a) Aquatic acute toxicity : EC50 Daphnia = 76 mg/L 24 a) Aquatic acute toxicity : EC50 Daphnia = 40.38 mg/L 48 a) Aquatic acute toxicity : LC50 Fish = 99 mg/L 48 a) Aquatic acute toxicity : LC50 Fish = 45.5 mg/L 96 b) Aquatic chronic toxicity : NOEC Fish = 56 mg/L 96 a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss = 45.4 mg/L 96h IUCLID
1-methoxy-2-propanol	CAS: 107-98-2 - EINECS: 203-539-1 - INDEX: 603-064-00-3	a) Aquatic acute toxicity : LC50 Fish = 5000 mg/L 96 a) Aquatic acute toxicity : EC50 Daphnia = 23300 mg/L 48 a) Aquatic acute toxicity : EC50 Algae > 1000 mg/L 96 a) Aquatic acute toxicity : LC50 Bacteria > 1000 mg/L 3 a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 20.8 g/l 96h IUCLID a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 23300 mg/L 48h IUCLID
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS: 2634-33-5 - EINECS: 220-120-9 - INDEX: 613-088-00-6	a) Aquatic acute toxicity : LC50 Fish = 2.15 mg/L b) Aquatic chronic toxicity : NOEC Algae = 0.0403 mg/L 72h b) Aquatic chronic toxicity : EC50 Algae = 0.11 mg/L 72h b) Aquatic chronic toxicity : EC10 Algae = 0.04 mg/L 72h b) Aquatic chronic toxicity : EC50 Daphnia = 3.27 mg/L 48h NOEC Daphnia = 1.2 mg/L 21d
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	CAS: 55965-84-9 - EINECS: 611-341-5 - INDEX: 613-167-00-5	a) Aquatic acute toxicity : EC50 Daphnia = 0.12 mg/L 48 a) Aquatic acute toxicity : LC50 Fish = 0.22 mg/L 96 a) Aquatic acute toxicity : EC50 Algae = 0.048 mg/L 72 b) Aquatic chronic toxicity : NOEC Algae = 0.0012 mg/L 72 b) Aquatic chronic toxicity : NOEC Fish = 0.098 mg/L - 28 d b) Aquatic chronic toxicity : NOEC Daphnia = 0.004 mg/L - 21 d

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$.

12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7 Other adverse effects

Not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

Not Applicable

14.2. UN proper shipping name

Not Applicable

14.3. Transport hazard class(es)

Not Applicable

14.4. Packing group

Not Applicable

14.5. Environmental hazards

Not Applicable

14.6. Special precautions for user

Not Applicable

Road and Rail (ADR-RID) :

Not Applicable

Air (IATA) :

Not Applicable

Sea (IMDG) :

Not Applicable

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

None

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: 30, 40, 75

SVHC Substances:

SVHC substances not present in a concentration $\geq 0.1\%$ (w/w)

German Water Hazard Class (WGK)

1

Regulation (EC) nr 648/2004 (Detergents)

Product contents:

Category:	Qty:
anionic surfactants	< 5%

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Code	Hazard class and hazard category	Description
2.16/1	Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
2.6/3	Flam. Liq. 3	Flammable liquid, Category 3
3.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4
3.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A
3.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
3.2/2	Skin Irrit. 2	Skin irritation, Category 2

3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008

[CLP]:

Classification according to Regulation (EC) Nr. 1272/2008

3.2/2	Calculation method
3.3/1	Calculation method

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low
N.A.: Not Applicable
N/A: Not Applicable
N/D: Not defined/ Not available
NA: Not available
NIOSH: National Institute for Occupational Safety and Health
NOAEL: No Observed Adverse Effect Level
OSHA: Occupational Safety and Health Administration.
PBT: Persistent, Bioaccumulative and Toxic
PGK: Packaging Instruction
PNEC: Predicted No Effect Concentration.
PSG: Passengers
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
vPvB: Very Persistent, Very Bioaccumulative.
WGK: German Water Hazard Class.

*** Sheet model entirely changed in compliance to regulatory update.**