Version 6.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier
-------------	------------

Trade name : Sikafloor[®]-304 W (A)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : For professional users only., Flooring system

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited
		Watchmead Welwyn Garden City
		Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person	:	EHS@uk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

+44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Additional Labelling

EUH210	Safety data sheet available on request.
EUH208	Contains 1,2-benzisothiazol-3(2H)-one (BIT), mixture of: 5-chloro-2-methyl-4-
	isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no.
	220-239-6] (3:1) (C(M)IT/MIT (3:1)). May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Contains a biocide in order to protect the product. Active ingredient: mixture of: 5-chloro-2-methyl-4isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)), 55965-84-9. Please use treated articles responsibly.

Print Date 25.01.2019

Version 6.0

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
1,2-benzisothiazol-3(2H)-one (BIT)	2634-33-5 220-120-9 01-2120761540-60- XXXX	Acute Tox. 4; H302 Acute Tox. 2; H330 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 0,0025 - < 0,025
mixture of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247- 500-7] and 2-methyl-2H- isothiazol-3-one [EC no. 220-239- 6] (3:1) (C(M)IT/MIT (3:1))	55965-84-9 Not Assigned 01-2120764691-48- XXXX	Acute Tox. 3; H331 Acute Tox. 2; H310 Acute Tox. 3; H301 Skin Corr. 1B; H314 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0002 - < 0,0015

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	No hazards which require special first aid measures.	
If inhaled	:	Move to fresh air.	
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.	
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing.	
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.	
4.2 Most important symptoms and effects, both acute and delayed			

Symptoms	:	See Section 11 for more detailed information on health effects
		and symptoms.

Sikafloor®-304 W (A)



Revision Date 28.11.2018	Version 6.0	Print Date 25.01.2
Risks	: No known significant effects or h	nazards.
4.3 Indication of any immediate	edical attention and special treat	ment needed
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting mea	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water s ide/sand/foam/alcohol resistant t extinction.	
5.2 Special hazards arising from	he substance or mixture	
Hazardous combustion prod- ucts	: No hazardous combustion produ	ucts are known
5.3 Advice for firefighters		
Special protective equipment for firefighters	: In the event of fire, wear self-cor	ntained breathing apparatus.
Further information	: Standard procedure for chemica	l fires.
SECTION 6: Accidental release	e measures	
6.1 Personal precautions, protect	ive equipment and emergency pro	ocedures
Personal precautions	: For personal protection see sect	tion 8.
6.2 Environmental precautions		
Environmental precautions	: No special environmental precat	utions required.
6.3 Methods and material for co	ainment and cleaning up	
Methods for cleaning up	: Wipe up with absorbent material Keep in suitable, closed contained	
6.4 Reference to other sections		
For personal protection see s	ction 8.	
SECTION 7: Handling and sto	age	
	-	
7.1 Precautions for safe handlin	· For personal protection see sect	tion 9

Advice on safe handling:For personal protection see section 8.
No special handling advice required.
Follow standard hygiene measures when handling chemical
products

Sikafloor®-304 W (A)



Revision Date 28.11.2018		Version 6.0	Print Date 25.01.201
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.	
Hygiene measures	:	When using do not eat or drink. When using do n	iot smoke.
7.2 Conditions for safe storage, ir	nc	luding any incompatibilities	
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ve place. Store in accordance with local regulations	
Advice on common storage	:	No special restrictions on storage with other proc	lucts.
Further information on stor- age stability	:	No decomposition if stored and applied as directed	əd.
7.3 Specific end use(s)			
Specific use(s)	:	Consult most current local Product Data Sheet pr use.	rior to any

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment	t	
Eye protection :	Safety glasses	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manufacturer specifications.	
	Butyl rubber/nitrile rubber gloves (0,4 mm) Recommended: Butyl rubber/nitrile rubber gloves.	
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.	
Respiratory protection	: No special measures required.	
Environmental exposure controls		

Version 6.0



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	an :	liquid
Colour	:	off-white
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	23 hPa
Relative vapour density	:	No data available
Density	:	ca. 1,05 g/cm3 (20 °C)
Solubility(ies) Water solubility	:	partly soluble
Solubility in other solvents	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	> 7 mm2/s (40 °C)

Sikafloor®-304 W (A)



Revision Date 28.11.2018		Version 6.0	Print Date 25.01.201
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	
9.2 Other information			
No data available			
SECTION 10: Stability and	reactivi	ty	
10.1 Reactivity			
No dangerous reaction kn	own unde	er conditions of normal use.	
10.2 Chemical stability			
The product is chemically	stable.		
10.3 Possibility of hazardous	reaction	IS	
Hazardous reactions	:	No hazards to be specially mentioned.	
10.4 Conditions to avoid			
Conditions to avoid	:	No data available	
10.5 Incompatible materials			
Materials to avoid	:	No data available	
10.6 Hazardous decomposition	on produ	cts	
	l and ann	lied as directed.	

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

Acute oral toxicity	:	LD50 Oral (Rat): 597 mg/kg
	•	

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Version 6.0



Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one (BIT): Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 3 mg/l aquatic invertebrates Exposure time: 48 h

mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) (C(M)IT/MIT (3:1)):

M-Factor (Acute aquatic tox- : 100 icity)

M-Factor (Chronic aquatic : 10 toxicity)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

Version 6.0



12.5 Results of PBT and vPvB assessment

<u>Product:</u> Assessment	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher
12.6 Other adverse effects	
Product:	

Additional ecological infor- mation	:	There is no data available for this product.
--	---	--

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
European Waste Catalogue	: 08 04 12 adhesive and sealant sludges other than those mentioned in 08 04 11

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

Sikafloor[®]-304 W (A)

Revision Date 28.11.2018

Version 6.0



14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1	Safety, health and environment International Chemical Weapons Schedules of Toxic Chemicals an	Convention (CWC)	tion :	specific for the substance or mixture Not applicable	
	REACH - Candidate List of Subst Concern for Authorisation (Article		:	None of the components are listed (=> 0.1 %).	
	REACH - List of substances subject to authorisation (Annex XIV)			Not applicable	
	Regulation (EC) No 1005/2009 on substances that de- plete the ozone layer			Not applicable	
	Regulation (EC) No 850/2004 on lutants	persistent organic pol-		Not applicable	
	Regulation (EC) No 649/2012 of t ment and the Council concerning of dangerous chemicals		:	Not applicable	
	REACH - Restrictions on the manufacture, place the market and use of certain dangerous substa preparations and articles (Annex XVII)			Not applicable	
	REACH Information:	All substances contain - registered by our ups - registered by us, and - excluded from the re - exempted from the re	strea I/or gula	am suppliers, and/or ation, and/or	
Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of jor-accident hazards involving dangerous substances. Not applicable					
	Volatile organic compounds :	Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01 % no VOC duties			
			poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content:	

Sikafloor®-304 W (A)



Revision Date 28.11.2018

Version 6.0

VOC content excluding water

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

: Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations Control of Substances Hazardous to Health Regulations (COSHH)
May be subject to the Control of Major Accident Hazards Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H331	:	Toxic if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitisation
ADR	:	European Agreement concerning the International Carriage of
CAS		Dangerous Goods by Road
CAS	÷	Chemical Abstracts Service
DNEL	÷	Derived no-effect level
EC50	÷	Half maximal effective concentration
GHS	÷	Globally Harmonized System
IATA IMDG	÷	International Air Transport Association
	÷	International Maritime Code for Dangerous Goods
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of
1.050		test animals)
LC50	:	Median lethal concentration (concentrations of the chemical in

Full text of H-Statements

Sikafloor®-304 W (A)



Revision Date 28.11.2018		Version 6.0	Print Date 25.01.20
		air that kills 50% of the test animals during the operiod)	observation
MARPOL	:	International Convention for the Prevention of P Ships, 1973 as modified by the Protocol of 1978	
OEL	:	Occupational Exposure Limit	
PBT	:	Persistent, bioaccumulative and toxic	
PNEC	:	Predicted no effect concentration	
REACH	:	Regulation (EC) No 1907/2006 of the European and of the Council of 18 December 2006 conce istration, Evaluation, Authorisation and Restricti cals (REACH), establishing a European Chemic	rning the Reg- on of Chemi-
SVHC vPvB	:	Substances of Very High Concern Very persistent and very bioaccumulative	ais Agency

Further information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN