

Remmers (UK) Limited

West Sussex RH10 9NN

fon +44 (0) 1293 594 010

fax +44 (0) 1293 594 037

Unit B1 The Fleming Centre

Page 1/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.03.2020 Version number 5 Revision: 19.03.2020

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

## Trade name Arte Mundit Typ II, III, Comp. B

Article number: 222023, 222025

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** Surface cleaning **Uses advised against** No further relevant information available.

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Remmers GmbH Postfach 1255 D-49624 Löningen / Germany Tel.: +49(0)5432/83-0

Fax: +49(0)5432/3985
Information department:

Product Safety department: Tel.: Steve Dunn Tel.: +44 (0) 1293 594 010

E-Mail: sales@remmers.co.uk

## 1.4 Emergency telephone number:

during working hours:

U.K.: Tel.: +44 (0) 1293 594 010

sales@remmers.co.uk

Head Office Germany: Tel.: +49 (0)5432 83 187

info@remmers.de

after working hours: Tel.: +49 (0)171 21 34 091

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300

outside USA and Canada: 1-800-424-9300

## SECTION 2: Hazards identification

## 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

## Hazard pictograms







GHS05 GHS07 GHS08

#### Signal word Danger

## Hazard-determining components of labelling:

tetrasodium ethylenediaminetetraacetate methanol

Printing date 19.03.2020 Version number 5 Revision: 19.03.2020

## Trade name Arte Mundit Typ II, III, Comp. B

(Contd. of page 1)

#### **Hazard statements**

H332 Harmful if inhaled.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

P260 Do not breathe mist/vapours/spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### Additional information:

EUH208 Contains reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

## Labelling of packages where the contents do not exceed 125 ml Hazard pictograms







GHS05 GHS07 GHS08

## Signal word Danger

## Hazard-determining components of labelling:

tetrasodium ethylenediaminetetraacetate

methanol

### **Hazard statements**

H318 Causes serious eye damage.

## **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3 Other hazards

## Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

## 3.2 Chemical characterisation: Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components:		
CAS: 64-02-8 EINECS: 200-573-9 Index number: 607-428-00-2	tetrasodium ethylenediaminetetraacetate STOT RE 2, H373; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H332	20-40%
Reg.nr.: 01-2119486762-27-XXXX		
CAS: 67-56-1 EINECS: 200-659-6 Index number: 603-001-00-X Reg.nr.: 01-2119433307-44-XXXX	methanol Flam. Liq. 2, H225; Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT SE 1, H370	≤0.5%

Regulation (EC) No 648/2004 on detergents / Labelling for contents		
EDTA and salts thereof		
Mixture of Chlormethylisothiazolinone and Methylisothiazolinone (3:1)		

Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Printing date 19.03.2020 Version number 5 Revision: 19.03.2020

## Trade name Arte Mundit Typ II, III, Comp. B

(Contd. of page 2)

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation Seek medical treatment in case of complaints.

#### After skin contact

If skin irritation continues, consult a doctor.

Remove contaminated clothing.

## After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

## After swallowing

Rinse out mouth and then drink plenty of water.

Call a doctor immediately.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

#### Suitable extinguishing agents

CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture No further relevant information available.

### 5.3 Advice for firefighters

## **Protective equipment:**

Wear self-contained breathing apparatus.

Put on breathing apparatus.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Put on breathing apparatus.

Wear protective equipment. Keep unprotected persons away.

## 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Do not allow product to reach sewage system or water bodies.

Dilute with plenty of water.

## 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Keep containers tightly sealed.

Ensure good ventilation/exhaust in workplaces.

Avoid the formation of aerosols.

Information about protection against explosions and fires: Keep breathing equipment ready.

## 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

Requirements to be met by storerooms and containers: Store only in the original container.

Information on storage in a common storage facility: none

(Contd. on page 4)

Printing date 19.03.2020 Version number 5 Revision: 19.03.2020

## Trade name Arte Mundit Typ II, III, Comp. B

(Contd. of page 3)

## Further information about storage conditions:

Store container in a well ventilated position.

Protect from frost.

Keep container tightly closed.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical systems: No further data; see item 7.

## 8.1 Control parameters

Components with limit values that require monitoring at the workplace:			
CAS: 67-56-1 methanol			
	WEL Short-term value: 333 mg/m³, 250 ppm		
Long-term value: 266 mg/m³, 200 ppm			
	Sk		

Additional information: The lists that were valid during compilation were used as a basis.

#### 8.2 Exposure controls

#### Personal protective equipment

## General protective and hygienic measures

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Keep away from food, beverages and animal feed.

Immediately remove soiled, saturated clothing.

Wash hands before pauses and after work.

Store protective clothing separately.

Do not inhale gases / vapours / aerosols.

Avoid contact with eyes and skin.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

## **Respiratory equipment:**

In case of brief exposure or low pollution load, use respiratory protection equipment with filter. In case of intensive or longer exposure, use self-contained respiratory protection equipment.

## Protection of hands:

Protective gloves or protective skin cream.

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

## Eye protection:

if there is a risk of splashes

Tightly sealed safety glasses.

Body protection: Light weight protective clothing

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.03.2020 Version number 5 Revision: 19.03.2020

## Trade name Arte Mundit Typ II, III, Comp. B

(Contd. of page 4)

<b>SECTION 9:</b>	<b>Physical</b>	and che	mical	properties
-------------------	-----------------	---------	-------	------------

9.1 Information on basic physical and chemical properties		
General Information		
Appearance:	Б	
Form:	Pasty	
Colour: Odour:	Yellowish	
Odour: Odour threshold:	Odourless Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/freezing point:	Not determined	
Initial boiling point and boiling range:	100 °C	
Flash point:	Not applicable	
Inflammability (solid, gaseous)	Not applicable.	
Ignition temperature:	not applicable	
Decomposition temperature:	Not determined.	
Self-inflammability:	Product is not self-igniting.	
Explosive properties:	Product is not explosive.	
Explosive Limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density at 20 °C:	0.99 g/cm <sup>3</sup>	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible	
Distribution coefficient (n-octanol/water): Not determined.		
Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
Solvent separation test	< 3 %	
Organic solvents:	0.3 %	
9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability

## Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:

May be released in fire:

Nitrous vitriol gases

(Contd. on page 6)

Printing date 19.03.2020 Version number 5 Revision: 19.03.2020

## Trade name Arte Mundit Typ II, III, Comp. B

(Contd. of page 5)

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

**Acute toxicity:** 

Harmful if inhaled.

LD/LC50 values that are relevant for classification:		
CAS: 64-02-8 tetrasodium ethylenediaminetetraacetate		
Oral	LD50	1,000-2,000 mg/kg (rat)
Inhalative	LC50/4 h	>1 mg/l (rat)

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye damage.

Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard: Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

#### **General notes:**

Do not allow undiluted or non-neutralised product to reach the sewage system or receiving waters.

Do not allow product to reach ground water, bodies of water or sewage system.

Hazardous to drinking water even if small quantities leak into soil.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

## Recommendation

Not hardened material must be disposed of as hazardous waste according to official regulations. Hardened product remains may be disposed of as building rubble or put into household garbage. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

## European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

#### Uncleaned packaging:

## Recommendation:

Disposal must be made according to official regulations.

Packaging can be reused or recycled after cleaning.

Recommended cleaning agent: Water, if necessary with cleaning agent.

#### **SECTION 14: Transport information**

14.1 UN-Number	
ADR, ADN, IMDG, IATA	Void

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.03.2020

### Version number 5

## Trade name Arte Mundit Typ II, III, Comp. B

(Contd. of page 6)

Revision: 19.03.2020

	(Coma o page o)
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex Marpol and the IBC Code	x II of Not applicable.
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

National regulations

Other regulations, limitations and prohibition ordinances

Observe the usual protective measures when working and for storage.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Delivery specifications are found in the respective Technical Information Sheets.

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship.

## Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H318 Causes serious eve damage.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

Classification according to Regulation (EC) No 1272/2008 Calculation method

## Department issuing data specification sheet: Product Safety department / EHS Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Page 8/8

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 19.03.2020 Version number 5 Revision: 19.03.2020

## Trade name Arte Mundit Typ II, III, Comp. B

(Contd. of page 7)

Acute Tox. 3: Acute toxicity - oral – Category 3
Acute Tox. 4: Acute toxicity - oral – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2