

Page 1/6

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.10.2021

Version number 5 (replaces version 4)

Revision: 28.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Primer Hydro S F

Article number: 1072

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture** Stone strengthener

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: Product Safety department: Phone: +44 (0) 1293 594 010 Email: sales@remmers.co.ukk

Remmers (UK) Limited Unit 4 , Lloyds Court Manor Royal, Crawley – West Sussex RH10 9QU fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:		
CAS: 1312-76-1	Silicic acid, potassium salt	≥5-<10%
Reg.nr.: 01-2119456888-17-	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
XXXX	Specific concentration limits:	
	Skin Irrit. 2; H315: C ≥ 40 %	
	Eye Irrit. 2; H319: C ≥ 40 %	

(Contd. on page 2)

Page 2/6

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.10.2021

Version number 5 (replaces version 4)

Revision: 28.08.2020

Trade name Primer Hydro S F

(Contd. of page 1) Additional information For the wording of the listed hazard phrases refer to section 16.

4.1 Description		
 4.1 Description of first aid measures After inhalation Seek medical treatment in case of complaints. After skin contact If skin irritation continues, consult a doctor. After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor. After swallowing Rinse out mouth and then drink plenty of water. Seek medical treatment. 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed symptomatic treatment 		
SECTION 5: Fi	refighting measures	
 5.1 Extinguishing media Suitable extinguishing agents CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. 5.2 Special hazards arising from the substance or mixture No further relevant information available 5.3 Advice for firefighters Protective equipment: Do not inhale explosion gases or combustion gases. 		
SECTION 6: A	ccidental release measures	
Particular danger 6.2 Environmen Do not allow to er Dilute with plenty 6.3 Methods and Rinse off spilles of Absorb with liquid 6.4 Reference to See Section 7 for See Section 8 for	nter the ground/soil. of water. d material for containment and cleaning up: or splashes material immediately with plenty of warm water. d-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Particular danger 6.2 Environmen Do not allow to en Dilute with plenty 6.3 Methods and Rinse off spilles of Absorb with liquid 6.4 Reference to See Section 7 for See Section 8 for See Section 13 for	r of slipping on leaked/spilled product. tal precautions: nter the ground/soil. of water. d material for containment and cleaning up: or splashes material immediately with plenty of warm water. d-binding material (sand, diatomite, acid binders, universal binders, sawdust). o other sections r information on safe handling r information on personal protection equipment.	

Information about protection against explosions and fires: No special requirements.

7.2 Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and containers: Store in alkali resistant containers.
Information on storage in a common storage facility: none
Further information about storage conditions:
Protect from frost.
Do not store below -5 °C.
Keep container tightly closed.
7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with limit values that have to be monitored at the workplace.

Page 3/6

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.10.2021

Version number 5 (replaces version 4)

Revision: 28.08.2020

(Contd. of page 2)

Trade name Primer Hydro S F

Additional information: The lists that were valid during compilation were used as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Keep away from food, beverages and animal feed.

Immediately remove soiled, saturated clothing.

Wash hands before pauses and after work.

Avoid contact with eyes and skin.

Respiratory equipment:

Only during spraying without adequate removal by suction.

Particle-Filter P2

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Tightly sealed safety glasses. **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
General Information	_	
Colour:	clear	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and boiling		
range	100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Decomposition temperature:	Not determined.	
pH at 20 °C	11.4	
Viscosity:		
Kinematic viscosity at 20 °C	12 s (DIN 53211/4)	
dynamic:	Not determined.	
Solubility		
Water:	Fully miscible	
Partition coefficient n-octanol/water (log value) Not determined.	
Vapour pressure at 20 °C:	23 hPa	
Density and/or relative density		
Density at 20 °C:	1.17 g/cm³	

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.10.2021

Version number 5 (replaces version 4)

Revision: 28.08.2020

(Contd. of page 3)

Trade name Primer Hydro S F

	(Contd. of page 3)
Relative density	Not determined.
Vapour density	Not determined.
. ,	
9.2 Other information	
Appearance:	
Form:	Liquid
Important information on protection of health	
and environment, and on safety.	
Ignition temperature:	not applicable
Explosive properties:	Product is not explosive.
Solvent separation test	< 3 %
Solvent content:	0.00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void
•	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.
10.2 Chemical stability
Thermal decomposition / conditions to be avoided:
No decomposition if used according to specifications.
10.3 Possibility of hazardous reactions Exothermic reaction with acids
10.4 Conditions to avoid No further relevant information available.
10.5 Incompatible materials:
Acids
Ammonium salts
10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available. **Skin corrosion/irritation:** Light irritating effect possible.

Serious eye damage/irritation: Based on available data, the classification criteria are not met. **Sensitisation:** Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.10.2021

Version number 5 (replaces version 4)

Revision: 28.08.2020

Trade name Primer Hydro S F

(Contd. of page 4)

STOT-repeated exposure: Based on available data, the classification criteria are not met. **Aspiration hazard:** Based on available data, the classification criteria are not met. **11.2 Information on other hazards**

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark:

When leading acidic or alkaline products into sewage facilities, make sure that the discharged water does not exceed or fall below a pH range of 6 - 10 since shifts in pH value can cause disturbances in sewers and biological purification facilities. The local guidelines for discharge apply.

Additional ecological information:

General notes:

Do not allow product to reach ground water, bodies of water or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow undiluted or larger quantities of the product to reach ground water, bodies fo water or sewage system.

SECTION 13: Disposal considerations

Recommendation

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue

20 01 15* Alkalines

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information	'n	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.10.2021

Version number 5 (replaces version 4)

Revision: 28.08.2020

(Contd. of page 5)

Trade name Primer Hydro S F

	(Collid: of page 3)
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to	
IMO instruments	Not applicable.
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. National regulations Other regulations, limitations and prohibition ordinances Because of the products' alkaline proerties, always observe the necessary protective measures and follow the instructions for use. Observe the usual protective measures when working and for storage.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Relevant phrases

H315 Causes skin irritation. H319 Causes serious eye irritation.

Department issuing data specification sheet: Product Safety department / EHS **Version number of previous version:** 4

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2