

(continued on page 2)

4205202

Reviewed on: 28/04/2022 Printing date: 28/04/2022

### SECTION 01: Identification of the substance/mixture and of the company undertaking • 1.1 Product identifier Trade name: HYDROPUR 2K COLOR 7515 Qualität 01 Article number / Safety Data Sheet: 751501 1.2 Relevant identified uses of the substance or mixture and uses advised against Application of the substance / the preparation Coating material · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Teknos AG Industriestrasse 7 LI-9487 Gamprin-Bendern T +423 375 94 00 F +423 375 94 99 Further information obtainable from: Product safety department. e-mail address: li-sdb@teknos.com 1.4 Emergency telephone number: Swiss Toxicological Information Centre, CH-8032 Zürich Emergency telephone: +41 (0)44 251 51 51 (International) SECTION 02: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Sens. 1A - H317 May cause an allergic skin reaction. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms GHS07 Signal word Warning · Hazard-determining components of labelling: 1,2-benzisothiazol-3(2H)-one / 2-methyl-2H-isothiazol-3-one / reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: 1) Hazard statements H317 May cause an allergic skin reaction. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of water. P321 Specific treatment (see on this label). P501 Dispose of contents/container in accordance with local/regional/ national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

vPvB:



Reviewed on: 28/04/2022 Printing date: 28/04/2022

Not applicable.		(continued of page
	Composition/information on ingredients therease in the second sec	
<ul> <li>Description:</li> </ul>	tances listed below with nonhazardous additions.	
<ul> <li>Dangerous con</li> </ul>		
CAS Number	iponents.	%
2634-33-5	1,2-benzisothiazol-3(2H)-one	0,0015- 0,50
	EC number: 220-120-9	
	🗇 Eye Dam. 1 - H318; 🚸 Acute Tox. 4	
	- H302, Skin Irrit. 2 - H315, Skin Sens. 1 -	
	H317; 🕸 Aquatic Acute 1 - H400;	
	Skin Sens. 1; H317: C >= 0,05 %	
55965-84-9	reaction mass of: 5-chloro-2-methyl-4-	0,00-0,0015
	isothiazolin-3-one [EC no. 247-500-7] and 2-	
	methyl-2H-isothiazol-3-one [EC no. 220-239-	
	6] (3: 1) ♦ Skin Corr. 1C - H314, Eye Dam. 1 -	
	H318; Acute Tox. 3 - H301, Acute Tox.	
	2 - H310, Acute Tox. 2 - H330; 🌵 Skin	
	Sens. 1A - H317; Aquatic Acute 1 -	
	H400 (M=100), Aquatic Chronic 1 - H410 (M=100);	
	(M=100), Skin Corr. 1C; H314: C >= 0,6 %, Skin Irrit.	
	2; H315: 0,06 <= C < 0,6 %, Eye Dam. 1;	
	H318: C >= 0,6 %, Eye Irrit. 2; H319: 0,06	
	<= C < 0,6 %, Skin Sens. 1A; H317: C >= 0,	
	0015 %	
112-34-5	2-(2-butoxyethoxy)ethanol	1,00- 5,00
	EC number: 203-961-6 Record number 01-2119475104-44	
	Record number 01-2119475104-44	
111-76-2	2-butoxyethanol	1,00- 5,00
	EC number: 203-905-0	
	Record number 01-2119475108-36	
	🚸 Acute Tox. 3 - H311; 🔅 Acute Tox.	
	4 - H302, Acute Tox. 4 - H332, Skin Irrit. 2	
0000.00.4	- H315, Eye Irrit. 2 - H319	0.0015 0.50
2682-20-4	2-methyl-2H-isothiazol-3-one EC number: 220-239-6	0,0015- 0,50
	Skin Corr. 1B - H314, Eye Dam. 1 -	
	H318; Acute Tox. 3 - H301, Acute Tox.	
	3 - H311, Acute Tox. 2 - H330; 🌵 Skin	
	Sens. 1A - H317; 🔶 Aquatic Acute 1 -	
	•	
	H400 (M=10), Aquatic Chronic 1 - H410; Skin Sens. 1A; H317: C >= 0,0015 %	
34590-94-8	Dipropylene glycol monomethyl ether	0,0015- 0,50
		(continued on page



Reviewed on: 28/04/2022 Printing date: 28/04/2022

			(continued of page 2)
		EC number: 252-104-2	
ł		Record number 01-2119450011-60	
*		substance with a Community workplace	
*		exposure limit.	
*	13463-67-7	titanium dioxide	10,00- 25,00
*		EC number: 236-675-5	
*		Record number 01-2119489379-17	
*		🚸 Carc. 2 - H351	
	Additional info     Ear the wordin	<i>rmation:</i> g of the listed risk phrases refer to section 16.	
		g of the listed lisk philases relef to section to.	

#### SECTION 04: First aid measures

• 4.1 Description of first aid measures

- After inhalation:
- Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing:
- Do not induce vomiting; call for medical help immediately.
- Information for doctor:
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# SECTION 05: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
   5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- 5.3 Advice for firefighters
  Protective equipment: Mouth respiratory protective device. Do not inhale explosion gases or combustion gases.
- Additional information
   Cool endangered receptacles with water spray.
   Collect contaminated fire fighting water separately. It must not enter the sewage system.

# SECTION 06: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
   Wear protective equipment. Keep unprotected persons away.
   Ensure adequate ventilation
   6.2 Environmental precautions:
   Do not allow product to reach sewage system or any water course.
   Inform respective authorities in case of seepage into water course or sewage system.
   In case of seepage into the ground inform responsible authorities.
   Dilute with plenty of water.
   In case of gas release or seepage into the ground inform responsible authorities.
   Do not allow to enter sewers/ surface or ground water.
   6.3 Methods and material for containment and cleaning up:
   Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
   Dispose contaminated material as waste according to item 13.
  - 6.4 Reference to other sections



(continued of page 3)

4205202

Reviewed on: 28/04/2022 Printing date: 28/04/2022

# PRODUCT : HYDROPUR 2K COLOR 7515 Qualität 01

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# SECTION 07: Handling and storage

- Handling:
- 7.1 Precautions for safe handling Open and handle receptacle with care. Prevent formation of aerosols.
- Information about fire and explosion protection: Prevent impact and friction.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from frost.
   Store in cool, dry conditions in well sealed receptacles.
   Protect from heat and direct sunlight.
   7.3 Specific end use(s)
- No further relevant information available.

# SECTION 08: Exposure controls/personal protection

- Ingredients with limit values that require monitoring at the workplace:
- 112-34-5 2-(2-butoxyethoxy)ethanol
- WEL

WEL			
	Short-term value	101.2	mg/m3
		15	ppm
	Long-term value	67.5	mg/m3
	-	10	ppm
111-76-2	2 2-butoxyetha	nol	
WEL			
	Short-term value	246	mg/m3
		50	ppm
	Long-term value	123	mg/m3
		25	ppm
	Sk, BMGV		
34590-9	4-8 Dipropylene g	glycol monomethyl ether	
WEL			
	Long-term value	308	mg/m3
		50	ppm
	Sk		
<ul> <li>Ingredi</li> </ul>	ents with biological limit val	ues:	
111-76-2	2 2-butoxyetha	nol	
BMGV			
	240 mmol/mol creatinine	)	
	Medium: urine		
	Sampling time: post shi	ft	
			(continued on page 5)

<sup>• 8.1</sup> Control parameters



4205202

Reviewed on: 28/04/2022 Printing date: 28/04/2022

RODUCT :	HYDROPUR 2K COLOR 7515 Qualität 01
	(continued of page 4)
	meter: butoxyacetic acid
<ul> <li>Additional initial</li> </ul>	
The lists vali	d during the making were used as basis.
• 8.2 Exposure	e controls
<ul> <li>Personal pressonal pres</li></ul>	otective equipment:
<ul> <li>General prot</li> </ul>	ective and hygienic measures:
The usual pr	ecautionary measures are to be adhered to when handling chemicals.
Do not inhale	gases / fumes / aerosols.
Do not inhale	e dust / smoke / mist.
Do not eat or	drink while working.
	ean skin thoroughly after work and before breaks.
or longer exp	protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive posure use self-contained respiratory protective device. Suitable respiratory protective device and. Use suitable respiratory protective device in case of insufficient ventilation.
<ul> <li>Protection of preparation.</li> <li>preparation/</li> </ul>	hands: The glove material has to be impermeable and resistant to the product/ the substance/ the Due to missing tests no recommendation to the glove material can be given for the product/ the the chemical mixture. Selection of the glove material on consideration of the penetration times, rates nd the degradation Protective gloves Impervious gloves
<ul> <li>Material of gl</li> </ul>	
The selection varies from n the glove ma	n of the suitable gloves does not only depend on the material, but also on further marks of quality and nanufacturer to manufacturer. As the product is a preparation of several substances, the resistance o terial can not be calculated in advance and has therefore to be checked prior to the application. ime of glove material
The exact brook observed.	eak through time has to be found out by the manufacturer of the protective gloves and has to be
	ed penetration times according to EN 374 part III are not performed under practical conditions.
Therefore a r	naximum wearing time, which corresponds to 50% of the penetration time, is recommended.
<ul> <li>Eye protection</li> </ul>	on: Safety glasses
<ul> <li>Body protect</li> </ul>	ion: Protective work clothing

0.1 Information on basic physical and che	emical properties
Appearance	
Appearance:	
Form:	Liquid
Colour:	According to product specifica
Odour:	Characteristic Characteristic
Odour threshold:	Not determined.
pH-value:	at 20 °C 8,5
Change in condition	
Melting point/freezing point:	0 °C
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable.
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	at 20 °C 23,0000 mbar
Density:	1,2100 g/cm3
Solubility in / Miscibility with	



Reviewed on: 28/04/2022 Printing date: 28/04/2022

water:	(continued of Not determined.	page 0
Viscosity:		
	Not determined.	
	at 23 °C 55 s DIN 4 mm	
9.2 Other information	No further relevant information available.	

#### SECTION 10: Stability and reactivity

- 10.1 Reactivity
- No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions
- No dangerous reactions known.
- 10.4 Conditions to avoid
- No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:
- No dangerous decomposition products known.

#### SECTION 11: Toxicological information

#### • 11.1 Information on toxicological effects Acute toxicity LD/LC50 values relevant for classification: 112-34-5 2-(2-butoxyethoxy)ethanol Oral, LD50: 5660 mg/kg (rat) Dermal, LD50: 4000 mg/kg (Rabbit) 7631-86-9 silicon dioxide, chemically prepared Oral, LD50: 10000 mg/kg (rat) 111-76-2 2-butoxyethanol Oral, LD50: 1746 mg/kg (rat) Oral, LD50: 1414 mg/kg (guinea Pig) Dermal, LD50: 2000 mg/kg (rat) Dermal, LD50: 1000 mg/kg (Rabbit) Dermal, LD50: 2000 mg/kg (guinea Pig) 34590-94-8 Dipropylene glycol monomethyl ether Oral, LD50: 5135 mg/kg (rat) Dermal, LD50: >19000 mg/kg (Rabbit) 13463-67-7 titanium dioxide Oral, LD50: >20000 mg/kg (rat) Dermal, LD50: >10000 mg/kg (Rabbit) Inhalative, LC50/4h: >6,82 mg/l (rat) Primary irritant effect: Skin corrosion/irritation No irritant effect. Serious eye damage/irritation No irritating effect. Respiratory or skin sensitisation No sensitising effects known. 11.2 Information on other hazards Endocrine disrupting properties None of the ingredients is listed.



Reviewed on: 28/04/2022 Printing date: 28/04/2022

	ROPUR 2K COLOR 7515 Qualität 01
	(continued of page
ECTION 12: Ec	ological information
• 12.1 Toxicity	
Aquatic toxicity:	
	t information available.
12.2 Persistence	
	t information available. <i>ironmental systems:</i>
<ul> <li>12.3 Bioaccumula</li> </ul>	
	t information available.
· 12.4 Mobility in so	
	t information available.
Additional ecolog	gical information:
General notes:     Water bazard class	e 1 (German Regulation) (Self-accessment): slightly bazardous for water
	s 1 (German Regulation) (Self-assessment): slightly hazardous for water uted product or large quantities of it to reach ground water, water course or sewage system.
	BT and vPvB assessment
• PBT:	
Not applicable.	
• vPvB:	
Not applicable. • 12.6 Other advert	so attacts
	t information available.
<ul> <li>13.1 Waste treatr</li> <li>European and switcher</li> </ul>	
08	
	THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF INTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS
AND PRINTING	
	INIO
08 01	MECH and serveral of maint and serverish
	MFSU and removal of paint and varnish
	MFSU and removal of paint and varnish
wastes from 08 01 19 aqueous susp	ensions containing paint or varnish containing organic
wastes from 08 01 19 aqueous susp	
wastes from 08 01 19 aqueous susp solvents or	ensions containing paint or varnish containing organic other hazardous substances
<pre>wastes from 08 01 19 aqueous susp solvents or • Uncleaned packa</pre>	ensions containing paint or varnish containing organic other hazardous substances <b>ging:</b>
<pre>wastes from 08 01 19 aqueous susp solvents or • Uncleaned packa • Recommendation</pre>	ensions containing paint or varnish containing organic other hazardous substances <b>ging:</b>
<ul> <li>wastes from 08 01 19 aqueous susp solvents or</li> <li>Uncleaned packa</li> <li>Recommendation Disposal must be</li> </ul>	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations.
<ul> <li>wastes from 08 01 19</li> <li>aqueous susp solvents or</li> <li>Uncleaned packa</li> <li>Recommendation Disposal must be</li> <li>Recommended close</li> </ul>	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations.
<ul> <li>wastes from 08 01 19 aqueous susp solvents or</li> <li>Uncleaned packa</li> <li>Recommendation Disposal must be</li> <li>Recommended close</li> </ul>	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations. eansing agents:
<ul> <li>wastes from 08 01 19 aqueous susp solvents or</li> <li>Uncleaned packa</li> <li>Recommendation Disposal must be</li> <li>Recommended classical</li> </ul>	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations. eansing agents:
<ul> <li>wastes from 08 01 19 aqueous susp solvents or</li> <li>Uncleaned packation Disposal must be</li> <li>Recommended cla Water, if necessar</li> </ul>	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations. eansing agents: y together with cleansing agents.
wastes from 08 01 19 aqueous susp solvents or • Uncleaned packa • Recommendation Disposal must be • Recommended cl Water, if necessar	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations. eansing agents:
wastes from 08 01 19 aqueous susp solvents or • Uncleaned packa • Recommendation Disposal must be • Recommended cla Water, if necessar • CTION 14: Tra • 14.1 UN-Number	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations. eansing agents: y together with cleansing agents.
wastes from 08 01 19 aqueous susp solvents or • Uncleaned packa • Recommendation Disposal must be • Recommended clu Water, if necessar • CTION 14: Tra • 14.1 UN-Number ADR	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations. eansing agents: y together with cleansing agents.
wastes from 08 01 19 aqueous susp solvents or • Uncleaned packa • Recommendation Disposal must be • Recommended cla Water, if necessar • CTION 14: Tra • 14.1 UN-Number	ensions containing paint or varnish containing organic other hazardous substances ging: made according to official regulations. eansing agents: y together with cleansing agents.

IMDG IATA	Void Void
14.2 UN proper shipping name ADR	
IMDG	Void
ΙΑΤΑ	Void
• 14.3 Transport hazard class(e ADR	es)
	e <b>s)</b> Void
ADR	,
ADR Class	,

(continued on page 8)



Reviewed on: 28/04/2022 Printing date: 28/04/2022

	(continued of page 2
Class	. Void
<ul> <li>14.4 Pack</li> <li>ADR</li> </ul>	<i>Ing group</i> Void
IMDG	Void
IATA	Void
Not applic • 14.7 Tran Not applic	sport in bulk according to Annex II of MARPOL73/78 and the IBC Code able.
<ul> <li>Transpor Not applic</li> </ul>	/Additional information: able.
ECTION 1	5: Regulatory information
	y, health and environmental regulations/legislation specific for the substance or mixture
equipmen None of REGULAT Annex I - Article 5(3 None of Annex II - None of <i>REGULA</i>	E 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic - Annex II the ingredients is listed. ION (EU) 2019/1148 RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under
equipmen None of REGULAT Annex I - Article 5(3) None of Annex II - None of <i>REGULA</i> Condition	E 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic - Annex II the ingredients is listed. TON (EU) 2019/1148 RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under )) the ingredients is listed. REPORTABLE EXPLOSIVES PRECURSORS the ingredients is listed. TON (EC) No 1907/2006 ANNEX XVII
equipmen None of REGULAT Annex I - Article 5(3 None of Annex II - None of <i>REGULA</i> Condition	E 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic - Annex II the ingredients is listed. ION (EU) 2019/1148 RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under )) the ingredients is listed. REPORTABLE EXPLOSIVES PRECURSORS the ingredients is listed. <i>TON (EC) No 1907/2006 ANNEX XVII</i> ons of restriction: 3 <b>egulations:</b> instructions (air):

- H301 H302 Toxic if swallowed. Harmful if swallowed. H310 Fatal in contact with skin. H311 H314 Toxic in contact with skin. Causes severe skin burns and eye damage. H315 H317 Causes skin irritation. May cause an allergic skin reaction. H318 H319 H330 H332 Causes serious eye damage. Causes serious eye irritation. Fatal if inhaled. Harmful if inhaled. H351 Suspected of causing cancer. H400 H410 Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
- **Department issuing MSDS:** Environment protection department.
- Abbreviations and acronyms:

\*

\* \* \*

\* \*

\*

# Page : 9 / 9 MATERIAL SAFETY DATA SHEET according to 1907/2006/EC, Article 31



4205202

Reviewed on: 28/04/2022 Printing date: 28/04/2022

PRODUCT :	HYDROPUR 2K COLOR 7515 Qualität 01
	(continued of page 8)
ADR: Acco	rd européen sur le transport des marchandises dangereuses par Route (European Agreement
concerning	the International Carriage of Dangerous Goods by Road)
RID: Règle	ment international concernant le transport des marchandises dangereuses par chemin de fer
(Regulation	s Concerning the International Transport of Dangerous Goods by Rail)
IMDG: Inter	national Maritime Code for Dangerous Goods
IATA: Interi	national Air Transport Association
ICAO: Inter	national Civil Aviation Organisation
GHS: Globa	ally Harmonised System of Classification and Labelling of Chemicals
EINECS: E	uropean Inventory of Existing Commercial Chemical Substances
ELINCS: E	uropean List of Notified Chemical Substances
CAS: Chem	nical Abstracts Service (division of the American Chemical Society)
LC50: Leth	al concentration, 50 percent
LD50: Leth	al dose, 50 percent
PBT: Persis	stent, Bioaccumulative and Toxic
vPvB: very	Persistent and very Bioaccumulative
* Data com	pared to the previous version altered.