

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Ronafix Pre-Packed Screed 6-50mm	
Product number	PC139	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen) [PROC5] Mixing or blending in batch processes for formulation of preparations and articles (multistage and/or significant contact) [AC4] Stone, plaster, cement, glass and ceramic articles [ERC5] Industrial use resulting in inclusion into or onto a matrix	
1.3. Details of the supplier of the safety data sheet		
Supplier	Dependente Limited	

Supplier	Ronacrete Limited
	Ronac House
	Flex Meadow
	Harlow
	Essex
	CM19 5TD
	www.ronacrete.co.uk
	Tel: 01279 638 700
	Fax: 01279 638 701
	email: sds@ronacrete.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0) 1279 638700

National emergency telephone UK Consumers NHS 111. Medical professionals - www.toxbase.org number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification	
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	

Signal word

Hazard statements	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H335 May cause respiratory irritation.
Precautionary statements	P261 Avoid breathing vapour/spray.
	P264 Wash contaminated skin thoroughly after handling.
	P271 Use only outdoors or in a well-ventilated area.
	P272 Contaminated work clothing should not be allowed out of the workplace.
	P280 Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352 IF ON SKIN: Wash with plenty of water.
	P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a POISON CENTER/doctor.
	P312 Call a POISON CENTER/doctor if you feel unwell.
	P321 Specific treatment (see medical advice on this label).
	P332+P313 If skin irritation occurs: Get medical advice/attention.
	P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
	P362+P364 Take off contaminated clothing and wash it before reuse.
	P403+P233 Store in a well-ventilated place. Keep container tightly closed.
	P405 Store locked up.
	P501 Dispose of contents/container in accordance with national regulations.
Supplemental label information	EUH203 Contains chromium (VI). May produce an allergic reaction.
Contains	Cement

2.3. Other hazards

None known.

Not Classified

SECTION 3: Composition/information on ingredients

3.2. Mixtures	
Cement	10-30%
CAS number: 65997-15-1	
Classification	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
STOT SE 3 - H335	
STOT SE 3 - H335	
Sand	1-5%
	1070
CAS number: —	
Classification	

quartz (respirable silica)		<1%
CAS number: 14808-60-7		
Classification		
STOT RE 1 - H372		
Tin sulphate		<1%
CAS number: 7488-55-3		
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 4 - H332		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1B - H317		
Muta. 2 - H341		
Repr. 2 - H361		
STOT SE 3 - H335		
STOT RE 2 - H373		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures			
4.1. Description of first aid measures			
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms are severe or persist.		
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if a large quantity has been ingested.		
Skin contact	After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.		
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.		
4.2. Most important symp	4.2. Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	Dust may irritate the respiratory system.		
Ingestion	May cause discomfort if swallowed.		
Skin contact	This product is strongly irritating. Prolonged contact with moist or wet product may cause burns. May cause skin sensitisation or allergic reactions in sensitive individuals.		
Eye contact	Symptoms following overexposure to dust may include the following: Severe irritation, burning, tearing and blurred vision. May cause chemical eye burns.		

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	The product is not flammable. The product is non-combustible.
5.3. Advice for firefighters	
Protective actions during firefighting	No specific firefighting precautions known.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	S
Environmental precautions	Avoid generation and spreading of dust. Do not release into the environment.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Dry product - Use clean up methods that do not cause airborne dispersion, e.g. an industrial vacuum cleaner, or spray with a fine mist of water prior to shovelling up the resultant slurry. Wet product - Shovel up and place into plastic containers. Allow to harden before disposal.
6.4. Reference to other section	ns
Reference to other sections	For waste disposal, see Section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Avoid handling which leads to dust formation. For personal protection, see Section 8.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	Store in tightly-closed, original container in a dry and cool place. If stored correctly, as detailed above and used within the declared shelf life shown on the bag, the activity of the reducing agent* will be maintained and this product will contain, when mixed with water, no more than 0.0002% (2ppm) soluble chromium (VI) of the total dry weight of cement. Use of this product beyond the declared shelf life may increase the risk of an allergic reaction. *Added to control the level of soluble chromium (VI).
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Controls/personal protection	
8.1. Control parameters Occupational exposure limits Cement Long-term exposure limit (8-ho Sand	bur TWA): WEL 3 mg/m³ dust

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ total inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust Long-term exposure limit (8-hour TWA): WEL 0.1 mg/m³ respirable silica

quartz (respirable silica)

Long-term exposure limit (8-hour TWA): WEL 0.1 mg/m³


Tin sulphate

Long-term exposure limit (8-hour TWA): WEL 2 mg/m³ as Sn Short-term exposure limit (15-minute): WEL 4 mg/m³ as Sn

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment



SECTION 9: Physical and Chemical Properties

•	•	
9.1. Information on basic physical and chemical properties		
Appearance	Powder.	
Colour	Grey.	
Odour	No characteristic odour.	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous reactions		

Possibility of hazardous reactions	None known.	
10.4. Conditions to avoid		
Conditions to avoid	Protect from moisture.	
10.5. Incompatible materials		
Materials to avoid	None known.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	None known.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Inhalation	May cause respiratory system irritation. Frequent inhalation of dust over a long period of time	

	increases the risk of developing lung diseases.
Ingestion	Only large quantities are likely to have adverse effects on human health.
Skin contact	This product is strongly irritating. May cause serious chemical burns to the skin. May cause sensitisation by skin contact. In the event of any sensitisation symptoms developing, ensure further exposure is avoided.
Eye contact	May cause serious eye damage. Corneal damage.
Medical considerations	The following pre-existing or historic medical conditions of the worker may lead to an increased risk of adverse health effects following exposure to this product: Skin disorders and allergies.

SECTION 12: Ecological Information

12.1. Toxicity		
Toxicity	No negative effects on the aquatic environment are known.	
12.2. Persistence and degrada	bility	
Persistence and degradability	The product contains mainly inorganic substances which are not biodegradable.	
12.3. Bioaccumulative potentia	<u>l</u>	
Bioaccumulative potential	No data available on bioaccumulation.	
12.4. Mobility in soil		
Mobility	The product hardens to a solid, immobile substance.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal conside	erations	
13.1. Waste treatment methods	3	

Disposal methods	Mix product with water, allow to harden, then dispose of according to local or national guidelines. Dispose of waste product or used containers in accordance with local regulations	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name		
Not applicable.		
14.3. Transport hazard class(es)		
No transport warning sign required.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant		
No.		
14.6. Special precautions for user		
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code		
SECTION 15: Regulatory information		
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture	
EU legislation	Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).	
Guidance	www.echa.europa.eu www.hse.gov.uk Workplace Exposure Limits EH40.	

Supplier product information and safety data sheets.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by

sds@ronacrete.co.uk

Revision date	04/07/2015
Revision	1
SDS number	4770
Hazard statements in full	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H361 Suspected of damaging fertility or the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.