



# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 1/12/2012 Revision date: 7/15/2022 Supersedes version of: 10/8/2015 Version: 3.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Trade name : AQUAZINGA Powder  
UFI : DC00-509K-H008-GK9T  
EC Index-No. : 030-001-01-9  
EC-No. : 231-175-3  
CAS-No. : 7440-66-6  
REACH registration No : 01-2119467174-37  
Product code : SAQU-POWDER  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Intended for general public  
Main use category : Industrial use, Professional use, Consumer use  
Industrial/Professional use spec : Paint  
Coating  
Use of the substance/mixture : Only to be used as a component of Aquazinga.

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

ZINGAMETALL B.V.  
Rozenstraat, 4  
B- 9810 Eke  
Belgium  
T +32 9 385 68 81  
[info@zinga.be](mailto:info@zinga.be) - [www.zinga.eu](http://www.zinga.eu)

#### 1.4. Emergency telephone number

| Country        | Organisation/Company  | Address                                  | Emergency number  | Comment  |
|----------------|---|--|---|--|
| Australia      | NSW Poisons Information Centre<br>The Children's Hospital at Westmead                         | Locked Bag 4001<br>NSW 2145 Westmead     | 13 11 26  |  |
| Belgium        | Centre Anti-Poisons/Antigifcentrum<br>c/o Hôpital Militaire Reine Astrid                      | Rue Bruyn 1<br>1120 Bruxelles/Brussels   | +32 70 245 245  | Please dial: 070 245 245 for any urgent questions about intoxication (free of charge 24/7), if not accessible, dial: 02 264 96 30 (standard fee) |
| Ireland        | National Poisons Information Centre<br>Beaumont Hospital                                      | PO Box 1297<br>Beaumont Road<br>9 Dublin | +353 1 809 2566<br>(Healthcare professionals-24/7)<br>+353 1 809 2166 (public, 8am - 10pm, 7/7) |  |
| United Kingdom | Guy's & St Thomas' Poisons Unit<br>Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road<br>SE14 5ER London          | +44 20 7188 7188  |  |

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Acute Hazard, Category 1 H400

Hazardous to the aquatic environment – Chronic Hazard, Category 1 H410

Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS09

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P273 - Avoid release to the environment.

P391 - Collect spillage.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Substance type : Mono-constituent

| Name                                | Product identifier  | %     | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-------------------------------------|---|-------|---|
| zinc powder— zinc dust (stabilised) | CAS-No.: 7440-66-6<br>EC-No.: 231-175-3<br>EC Index-No.: 030-001-01-9<br>REACH-no: 01-2119467174-37 | ≤ 100 | Aquatic Acute 1, H400<br>Aquatic Chronic 1, H410                |

Full text of H- and EUH-statements: see section 16

#### 3.2. Mixtures

Not applicable

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general

: First aider: Pay attention to self-protection!.

First-aid measures after inhalation

: Remove person to fresh air and keep comfortable for breathing.

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                       |  |
|---------------------------------------|--|
| First-aid measures after skin contact | : Wash skin with plenty of water.                      |
| First-aid measures after eye contact  | : Rinse eyes with water as a precaution.               |
| First-aid measures after ingestion    | : Call a poison center or a doctor if you feel unwell. |

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

|                                |   |
|--------------------------------|---|
| Suitable extinguishing media   | : Dry powder. Foam.   |
| Unsuitable extinguishing media | : Do not use carbon dioxide. Do not use a solid water stream as it may scatter and spread fire. |

### 5.2. Special hazards arising from the substance or mixture

|  |   |
|--|---|
| Fire hazard                                      | : In contact with water releases flammable gases.   |
| Explosion hazard                                 | : May form explosive dust-air mixture if dispersed. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released.                      |

### 5.3. Advice for firefighters

|                                |  |
|--------------------------------|--|
| Precautionary measures fire    | : Minimize generation of dust which may be combustible.  |
| Firefighting instructions      | : Prevent fire fighting water from entering the environment. Minimize effects of a dust explosion.                                       |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

|                      |                            |
|----------------------|----------------------------|
| Emergency procedures | : Ventilate spillage area. |
|----------------------|----------------------------|

#### 6.1.2. For emergency responders

|                      |   |
|----------------------|---|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|---|

### 6.2. Environmental precautions

Avoid release to the environment. Do not allow to enter drains or water courses.

### 6.3. Methods and material for containment and cleaning up

|                         |   |
|-------------------------|---|
| For containment         | : Collect spillage.   |
| Methods for cleaning up | : Mechanically recover the product.                             |
| Other information       | : Dispose of materials or solid residues at an authorized site. |

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

|                               |  |
|-------------------------------|--|
| Precautions for safe handling | : Ensure good ventilation of the work station. Wear personal protective equipment. |
|-------------------------------|--|

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry place. Store in a closed container. Store in a well-ventilated place. Keep cool. Protect from sunlight.  
Incompatible products : Oxidizing agent. Strong acids. Strong bases. water.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

| AQUAZINGA Powder (7440-66-6)             |                           |
|--|---------------------------|
| <b>DNEL/DMEL (Workers)</b>               |                           |
| Long-term - systemic effects, dermal     | 83 mg/kg bodyweight/day   |
| Long-term - systemic effects, inhalation | 5 mg/m <sup>3</sup>       |
| <b>DNEL/DMEL (General population)</b>    |                           |
| Long-term - systemic effects, oral       | 0.83 mg/kg bodyweight/day |
| Long-term - systemic effects, inhalation | 2.5 mg/m <sup>3</sup>     |
| Long-term - systemic effects, dermal     | 83 mg/kg bodyweight/day   |
| <b>PNEC (Water)</b>                      |                           |
| PNEC aqua (freshwater)                   | 20.6 µg/l                 |
| PNEC aqua (marine water)                 | 6.1 µg/l                  |
| <b>PNEC (Sediment)</b>                   |                           |
| PNEC sediment (freshwater)               | 117.8 mg/kg dwt           |
| PNEC sediment (marine water)             | 56.5 mg/kg dwt            |
| <b>PNEC (Soil)</b>                       |                           |
| PNEC soil                                | 35.6 mg/kg dwt            |
| <b>PNEC (STP)</b>                        |                           |
| PNEC sewage treatment plant              | 100 µg/l                  |

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Appropriate engineering controls:**

Ensure good ventilation of the work station.

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety glasses (EN 166)

| Eye protection |                      |                   |          |
|----------------|----------------------|-------------------|----------|
| Type           | Field of application | Characteristics   | Standard |
| Safety glasses |                      | With side shields | EN 166   |

#### 8.2.2.2. Skin protection

**Skin and body protection:**

Wear suitable protective clothing

**Hand protection:**

Protective gloves

| Hand protection   |              |            |                |             |            |
|-------------------|--------------|------------|----------------|-------------|------------|
| Type              | Material     | Permeation | Thickness (mm) | Penetration | Standard   |
| Protective gloves | Butyl rubber |            |                |             | EN ISO 374 |

#### 8.2.2.3. Respiratory protection

**Respiratory protection:**

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

**Environmental exposure controls:**

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                           |  |
|---------------------------|--|
| Physical state            | : Solid  |
| Colour                    | : Grey.  |
| Appearance                | : Powder.  |
| Odour                     | : odourless.   |
| Odour threshold           | : Not applicable   |
| Melting point             | : 420 °C   |
| Freezing point            | : Not applicable   |
| Boiling point             | : 908 °C   |
| Flammability              | : Combustible, In contact with water releases flammable gases. |
| Explosive limits          | : Not applicable   |
| Lower explosion limit     | : Not applicable   |
| Upper explosion limit     | : Not applicable   |
| Flash point               | : Not applicable   |
| Auto-ignition temperature | : Not applicable   |
| Decomposition temperature | : Not available  |
| pH                        | : Not applicable   |

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|   |                          |
|---|--------------------------|
| pH solution                                     | : Not available          |
| Viscosity, kinematic                            | : Not applicable         |
| Viscosity, dynamic                              | : Not applicable         |
| Solubility                                      | : insoluble in water.    |
| Partition coefficient n-octanol/water (Log Kow) | : Not applicable         |
| Partition coefficient n-octanol/water (Log Pow) | : Not applicable         |
| Vapour pressure                                 | : Not applicable         |
| Vapour pressure at 50 °C                        | : Not available          |
| Density   | : 7.14 g/cm <sup>3</sup> |
| Relative density                                | : Not available          |
| Relative vapour density at 20 °C                | : Not applicable         |
| Particle size                                   | : Not available          |
| Particle size distribution                      | : Not available          |
| Particle shape                                  | : Not available          |
| Particle aspect ratio                           | : Not available          |
| Particle aggregation state                      | : Not available          |
| Particle agglomeration state                    | : Not available          |
| Particle specific surface area                  | : Not available          |
| Particle dustiness                              | : Not available          |

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not applicable.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Dust may form explosive mixture in air. Do not allow contact with water. Contact with water liberates flammable gases. Self-heating: may catch fire.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

In contact with water releases flammable gases which may ignite spontaneously. Reacts with water (moisture): release of highly flammable gases/vapours hydrogen.

### 10.4. Conditions to avoid

Moisture. Water, humidity. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid dust formation.

### 10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### AQUAZINGA Powder (7440-66-6)

|               |   |
|---------------|---|
| LD50 oral rat | > 2000 mg/kg bodyweight (OECD 401 method) |
|---------------|---|

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

|                                   |  |
|-----------------------------------|--|
| Skin corrosion/irritation         | : Not classified<br>pH: Not applicable |
| Serious eye damage/irritation     | : Not classified<br>pH: Not applicable |
| Respiratory or skin sensitisation | : Not classified                       |
| Germ cell mutagenicity            | : Not classified                       |
| Carcinogenicity                   | : Not classified                       |
| Reproductive toxicity             | : Not classified                       |
| STOT-single exposure              | : Not classified                       |
| STOT-repeated exposure            | : Not classified                       |
| Aspiration hazard                 | : Not classified                       |

### AQUAZINGA Powder (7440-66-6)

|                      |                |
|----------------------|----------------|
| Viscosity, kinematic | Not applicable |
|----------------------|----------------|

### 11.2. Information on other hazards

No additional information available

## SECTION 12: Ecological information

### 12.1. Toxicity

|   |   |
|---|---|
| Ecology - general   | : Very toxic to aquatic life with long lasting effects. |
| Ecology - water   | : Toxic to aquatic life.                                |
| Hazardous to the aquatic environment, short-term (acute)  | : Very toxic to aquatic life.                           |
| Hazardous to the aquatic environment, long-term (chronic) | : Very toxic to aquatic life with long lasting effects. |
| Not rapidly degradable                                    |   |

### AQUAZINGA Powder (7440-66-6)

|                      |  |
|----------------------|--|
| LC50 - Fish [1]      | 0.169 mg/l (Other, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Read-across, Zinc ion)                                     |
| EC50 - Crustacea [1] | 416 µg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Experimental value) |
| ErC50 algae          | 0.15 mg/l  |

### 12.2. Persistence and degradability

### AQUAZINGA Powder (7440-66-6)

|                               |                                   |
|-------------------------------|-----------------------------------|
| Persistence and degradability | Biodegradability: Not applicable. |
| Chemical oxygen demand (COD)  | Not applicable                    |
| ThOD                          | Not applicable                    |
| BOD (% of ThOD)               | Not applicable                    |

### 12.3. Bioaccumulative potential

### AQUAZINGA Powder (7440-66-6)

|   |   |
|---|---|
| BCF - Fish [1]                                  | 0.002 (40 day(s), Danio rerio, Semi -static system, Fresh water, Read-across) |
| Partition coefficient n-octanol/water (Log Pow) | Not applicable  |
| Partition coefficient n-octanol/water (Log Kow) | Not applicable  |
| Bioaccumulative potential                       | Not applicable.   |

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 12.4. Mobility in soil

|                                     |                        |
|-------------------------------------|------------------------|
| <b>AQUAZINGA Powder (7440-66-6)</b> |                        |
| Ecology - soil                      | Adsorbs into the soil. |

### 12.5. Results of PBT and vPvB assessment

|  |  |
|--|--|
| <b>AQUAZINGA Powder (7440-66-6)</b>  |  |
| This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII  |  |
| This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |  |

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR  | IMDG  | IATA  | ADN   | RID   |
|--|---|---|---|---|
| <b>14.1. UN number or ID number</b>  |   |   |   |   |
| UN 3077  | UN 3077   | UN 3077   | UN 3077   | UN 3077   |
| <b>14.2. UN proper shipping name</b>   |   |   |   |   |
| ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc)                      | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc)                                   | Environmentally hazardous substance, solid, n.o.s. (zinc)                 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc)                 | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc)                 |
| <b>Transport document description</b>  |   |   |   |   |
| UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc), 9, III, (-) | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc), 9, III, MARINE POLLUTANT | UN 3077 Environmentally hazardous substance, solid, n.o.s. (zinc), 9, III | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc), 9, III | UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (zinc), 9, III |
| <b>14.3. Transport hazard class(es)</b>  |   |   |   |   |
| 9  | 9   | 9   | 9   | 9   |
|  |   |   |   |   |
| <b>14.4. Packing group</b>   |   |   |   |   |
| III  | III   | III   | III   | III   |



# AQUAZINGA Powder


## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| ADR                                    | IMDG  | IATA                               | ADN                                | RID                                |
|--|---|------------------------------------|------------------------------------|------------------------------------|
| <b>14.5. Environmental hazards</b>     |   |                                    |                                    |                                    |
| Dangerous for the environment: Yes     | Dangerous for the environment: Yes<br>Marine pollutant: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes | Dangerous for the environment: Yes |
| No supplementary information available |   |                                    |                                    |                                    |

### 14.6. Special precautions for user

#### Overland transport

|   |   |
|---|---|
| Classification code (ADR)   | : M7  |
| Special provisions (ADR)  | : 274, 335, 375, 601  |
| Limited quantities (ADR)  | : 5kg   |
| Excepted quantities (ADR)   | : E1  |
| Packing instructions (ADR)  | : P002, IBC08, LP02, R001   |
| Special packing provisions (ADR)  | : PP12, B3  |
| Mixed packing provisions (ADR)  | : MP10  |
| Portable tank and bulk container instructions (ADR)                     | : T1, BK1, BK2, BK3   |
| Portable tank and bulk container special provisions (ADR)               | : TP33  |
| Tank code (ADR)   | : SGAV, LGBV  |
| Vehicle for tank carriage   | : AT  |
| Transport category (ADR)  | : 3   |
| Special provisions for carriage - Packages (ADR)                        | : V13   |
| Special provisions for carriage - Bulk (ADR)                            | : VC1, VC2  |
| Special provisions for carriage - Loading, unloading and handling (ADR) | : CV13  |
| Hazard identification number (Kemler No.)                               | : 90  |
| Orange plates   | :  |
| Tunnel restriction code (ADR)   | : -   |
| EAC code  | : 2Z  |

#### Transport by sea

|                                   |                           |
|-----------------------------------|---------------------------|
| Special provisions (IMDG)         | : 274, 335, 966, 967, 969 |
| Limited quantities (IMDG)         | : 5 kg                    |
| Excepted quantities (IMDG)        | : E1                      |
| Packing instructions (IMDG)       | : LP02, P002              |
| Special packing provisions (IMDG) | : PP12                    |
| IBC packing instructions (IMDG)   | : IBC08                   |
| IBC special provisions (IMDG)     | : B3                      |
| Tank instructions (IMDG)          | : BK1, BK2, BK3, T1       |
| Tank special provisions (IMDG)    | : TP33                    |
| EmS-No. (Fire)                    | : F-A                     |
| EmS-No. (Spillage)                | : S-F                     |
| Stowage category (IMDG)           | : A                       |
| Stowage and handling (IMDG)       | : SW23                    |

#### Air transport

|  |                               |
|--|-------------------------------|
| PCA Excepted quantities (IATA)               | : E1                          |
| PCA Limited quantities (IATA)                | : Y956                        |
| PCA limited quantity max net quantity (IATA) | : 30kgG                       |
| PCA packing instructions (IATA)              | : 956                         |
| PCA max net quantity (IATA)                  | : 400kg                       |
| CAO packing instructions (IATA)              | : 956                         |
| CAO max net quantity (IATA)                  | : 400kg                       |
| Special provisions (IATA)                    | : A97, A158, A179, A197, A215 |
| ERG code (IATA)                              | : 9L                          |

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Inland waterway transport

|                                       |  |
|---------------------------------------|--|
| Classification code (ADN)             | : M7   |
| Special provisions (ADN)              | : 274, 335, 375, 601   |
| Limited quantities (ADN)              | : 5 kg   |
| Excepted quantities (ADN)             | : E1   |
| Carriage permitted (ADN)              | : T* B**   |
| Equipment required (ADN)              | : PP, A***   |
| Number of blue cones/lights (ADN)     | : 0  |
| Additional requirements/Remarks (ADN) | : * Only in the molten state. ** For carriage in bulk see also 7.1.4.1. *** Only in the case of transport in bulk. |

### Rail transport

|   |                           |
|---|---------------------------|
| Classification code (RID)   | : M7                      |
| Special provisions (RID)  | : 274, 335, 375, 601      |
| Limited quantities (RID)  | : 5kg                     |
| Excepted quantities (RID)   | : E1                      |
| Packing instructions (RID)  | : P002, IBC08, LP02, R001 |
| Special packing provisions (RID)  | : PP12, B3                |
| Mixed packing provisions (RID)  | : MP10                    |
| Portable tank and bulk container instructions (RID)                     | : T1, BK1, BK2, BK3       |
| Portable tank and bulk container special provisions (RID)               | : TP33                    |
| Tank codes for RID tanks (RID)  | : SGAV, LGBV              |
| Transport category (RID)  | : 3                       |
| Special provisions for carriage – Packages (RID)                        | : W13                     |
| Special provisions for carriage – Bulk (RID)                            | : VC1, VC2                |
| Special provisions for carriage - Loading, unloading and handling (RID) | : CW13, CW31              |
| Colis express (express parcels) (RID)                                   | : CE11                    |
| Hazard identification number (RID)                                      | : 90                      |

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

AQUAZINGA Powder is not on the REACH Candidate List

AQUAZINGA Powder is not on the REACH Annex XIV List

AQUAZINGA Powder is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

AQUAZINGA Powder is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

zinc powder— zinc dust (stabilised) is not subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

A chemical safety assessment has been carried out

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 16: Other information

#### Abbreviations and acronyms:

|         |   |
|---------|---|
| ADN     | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR     | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE     | Acute Toxicity Estimate   |
| BCF     | Bioconcentration factor   |
| BLV     | Biological limit value  |
| BOD     | Biochemical oxygen demand (BOD)   |
| COD     | Chemical oxygen demand (COD)  |
| DMEL    | Derived Minimal Effect level  |
| DNEL    | Derived-No Effect Level   |
| EC-No.  | European Community number   |
| EC50    | Median effective concentration  |
| EN      | European Standard   |
| IARC    | International Agency for Research on Cancer   |
| IATA    | International Air Transport Association   |
| IMDG    | International Maritime Dangerous Goods  |
| LC50    | Median lethal concentration   |
| LD50    | Median lethal dose  |
| LOAEL   | Lowest Observed Adverse Effect Level  |
| NOAEC   | No-Observed Adverse Effect Concentration  |
| NOAEL   | No-Observed Adverse Effect Level  |
| NOEC    | No-Observed Effect Concentration  |
| OECD    | Organisation for Economic Co-operation and Development  |
| OEL     | Occupational Exposure Limit   |
| PBT     | Persistent Bioaccumulative Toxic  |
| PNEC    | Predicted No-Effect Concentration   |
| RID     | Regulations concerning the International Carriage of Dangerous Goods by Rail                    |
| SDS     | Safety Data Sheet   |
| STP     | Sewage treatment plant  |
| ThOD    | Theoretical oxygen demand (ThOD)  |
| TLM     | Median Tolerance Limit  |
| VOC     | Volatile Organic Compounds  |
| CAS-No. | Chemical Abstract Service number  |
| N.O.S.  | Not Otherwise Specified   |
| vPvB    | Very Persistent and Very Bioaccumulative  |
| ED      | Endocrine disrupting properties   |

#### Full text of H- and EUH-statements:

|                 |   |
|-----------------|---|
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
|-----------------|---|

# AQUAZINGA Powder

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Full text of H- and EUH-statements:

|                   |   |
|-------------------|---|
| Aquatic Chronic 1 | Hazardous to the aquatic environment – Chronic Hazard, Category 1 |
| H400              | Very toxic to aquatic life.                                       |
| H410              | Very toxic to aquatic life with long lasting effects.             |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.