according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Sika® Concrete Primer Part B

Registration number : 01-2119899874-11-XXXX

Substance name : 1,3-Cyclohexanedimethanamine, N1,N3-bis(2-

methylpropylidene)

Substance No. : 173904-11-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

At present there is no complete information available on identified uses. When the data becomes available, it will be integrated into the safety data sheet.

1.3 Details of the supplier of the safety data sheet

Company : Sika Limited

Watchmead

Welwyn Garden City Hertfordshire AL7 1BQ

United Kingdom

Telephone : +44 (0)1707 394444

1.4 Emergency telephone number

Emergency telephone num-

ber

: +44 (0)1707 363899 (available during office hours)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Type of product : Substance

Classification (REGULATION (EC) No 1272/2008)

Skin corrosion, Category 1C H314: Causes severe skin burns and eye damage.

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting ef-

fects.

Classification (67/548/EEC, 1999/45/EC)

Corrosive R34: Causes burns.

Sensitising R43: May cause sensitisation by skin contact.

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B





Dangerous for the environment R52/53: Harmful to aquatic organisms, may cause

long-term adverse effects in the aquatic environ-

ment.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting ef-

fects.

Precautionary statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ va-

pours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/

eye protection/ face protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immedi-

ately all contaminated clothing. Rinse skin

with water/shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with wa-

ter for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 Immediately call a POISON CENTER or

doctor/ physician.

2.3 Other hazards

This substance is not considered to be very persistent nor very bioaccumulating (vPvB). This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

SECTION 3: Composition/information on ingredients

3.1 Substances

Chemical nature : Amines

Chemical Name	CAS-No. EINECS-No. / ELINCS No.	Concentration [%]
1,3-	173904-11-5	>= 50 - <= 100
Cyclohexanedimethanamine, N1,N3-bis(2-	01-2119899874-11-XXXX	

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B



 Revision Date 22.01.2015
 Version 6.0
 Print Date 22.01.2015

methylpropylidene)

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

Consult a physician after significant exposure.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficul-

ty.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tis-

sue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses.

Keep eye wide open while rinsing.

If swallowed : Do not induce vomiting without medical advice.

Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Allergic reactions

Dermatitis

See Section 11 for more detailed information on health effects

and symptoms.

Risks : Health injuries may be delayed.

corrosive effects sensitising effects

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B

Revision Date 22.01.2015 Version 6.0 Print Date 22



5.2 Special hazards arising from the substance or mixture

ucts

Hazardous combustion prod
: No hazardous combustion products are known

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Deny access to unprotected persons.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and materials for containment and cleaning up

: Soak up with inert absorbent material (e.g. sand, silica gel, Methods for cleaning up

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours or spray mist. Avoid exceeding of the

given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene

measures when handling chemical products

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B

Revision Date 22.01.2015 Version 6.0 Print Date 22.01.2015

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accord-

ance with local regulations.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL

,3- : End Use: Workers

Cyclohexanedimethanamine, Exposure routes: Inhalation

N1,N3-bis(2- Potential health effects: Long-term systemic effects

methylpropylidene) Value: 17,9 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 3,81 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term systemic effects

End Use: Consumers
Exposure routes: Ingestion

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B



Potential health effects: Long-term systemic effects

PNEC

1,3- : Fresh water
Cyclohexanedimethanamine, Value: 0,015 mg/l

N1,N3-bis(2-

methylpropylidene)

Marine water

Value: 0,0015 mg/l

Fresh water sediment Value: 6,6 mg/kg

Marine sediment Value: 0,66 mg/kg

Soil

Value: 1,23 mg/kg

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses with side-shields

Eye wash bottle with pure water Wear eye/face protection.

Hand protection : Chemical-resistant, impervious gloves complying with an ap-

proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu-

facturer specifications.

Suitable for short time use or protection against splashes:

Butyl rubber/nitrile rubber gloves (0,4 mm), Contaminated gloves should be removed.

Suitable for permanent exposure:

Viton gloves (0.4 mm), breakthrough time >30 min.

Skin and body protection : Protective clothing (e.g. Safety shoes acc. to EN ISO 20345,

long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionally recommended for mixing

and stirring work.

Respiratory protection : No special measures required.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B





If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : light yellow

Odour : amine-like

Odour Threshold : No data available

Flash point : 81 °C

Ignition temperature : not applicable

Lower explosion limit (Vol%) : No data available

Upper explosion limit (Vol%) : No data available

Flammability (solid, gas) : No data available

Oxidizing properties : No data available

Auto-ignition temperature : No data available

pH : Note: not applicable

Melting point/range / Freez-

a poin

No data available

Boiling point/boiling range : ca. 232 °C

Vapour pressure : No data available

Density : ca.0,9 g/cm3

at 20 °C

Water solubility : Note: insoluble

Partition coefficient: n-

octanol/water

No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : > 7 mm2/s

at 40 °C

Relative vapour density : ca.1

Evaporation rate : No data available

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B

Revision Date 22.01.2015 Version 6.0 Print Date 22.01.2015

Self-Ignition Temperature : 239 °C

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Components:

1,3-Cyclohexanedimethanamine, N1,N3-bis(2-methylpropylidene):

Acute oral toxicity : LD50 Oral rat: > 2.000 mg/kg

Acute dermal toxicity : LD50 Dermal rabbit: > 2.000 mg/kg

Skin corrosion/irritation

Product

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Product

No data available

Respiratory or skin sensitisation

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B

Revision Date 22.01.2015 Version 6.0



Product

May cause an allergic skin reaction.

Germ cell mutagenicity

Product

Mutagenicity : No data available

Carcinogenicity

Product

Carcinogenicity : No data available

Reproductive Toxicity/Fertility

Reproductive toxicity : No data available

No data available

Reproductive Toxicity/Development/Teratogenicity

Teratogenicity : No data available

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12: Ecological information

12.1 Toxicity

1,3-Cyclohexanedimethanamine, N1,N3-bis(2-methylpropylidene):

Toxicity to fish : LC50: 68,79 mg/l, 96 h, Fish

aquatic invertebrates

Toxicity to daphnia and other : EC50: 68,79 mg/l, 48 h, Daphnia

: 14,8 mg/l, 72 h, Desmodesmus subspicatus (green algae) Toxicity to algae

12.2 Persistence and degradability

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B

Revision Date 22.01.2015 Version 6.0 Print Date 22.01.

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : The generation of waste should be avoided or minimized

wherever possible.

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe

way.

Dispose of surplus and non-recyclable products via a licensed

waste disposal contractor.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional

local authority requirements.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

European Waste Catalogue : 08 01 11* waste paint and varnish containing organic sol-

vents or other dangerous substances

Contaminated packaging : 15 01 10* packaging containing residues of or contaminated

by dangerous substances

SECTION 14: Transport information

ADR

14.1 UN number : 3066

14.2 Description of the goods : PAINT RELATED MATERIAL

14.3 Class : 8

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B

Revision Date 22.01.2015 Version 6.0 Print Date 22

14.4 Packing group : 111 Classification Code : C9 Labels : 8 Tunnel restriction code : (E) 14.5 Environmentally hazard-

ous **ADR**

Transport according to chapter 3.4 (LQ) possible

IATA

14.1 UN number : 3066

14.2 Description of the goods : Paint related material

14.3 Class : 8 14.4 Packing group : 111 Labels : 8 14.5 Environmentally hazard-: no

ous

IMDG

14.1 UN number : 3066

14.2 Description of the goods : PAINT RELATED MATERIAL

14.3 Class : 8 14.4 Packing group : 111 Labels : 8 EmS Number 1 : F-A EmS Number 2 : S-B 14.5 Marine pollutant : no

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to EC Directives (1999/45/EC)

Hazard pictograms



Corrosive

R-phrase(s) : R34 Causes burns.

R43 May cause sensitisation by skin contact. R52/53 Harmful to aquatic organisms, may cause

long-term adverse effects in the aquatic

environment.

Revision Date 22.01.2015

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B



S-phrase(s) : S26 In case of contact with eyes, rinse immedi-

ately with plenty of water and seek medical

advice.

Wear suitable protective clothing, gloves S36/37/39

and eye/face protection.

S45 In case of accident or if you feel unwell,

seek medical advice immediately (show

the label where possible).

Hazardous components which must be listed on the label:

1,3-Cyclohexanedimethanamine, N1,N3-bis(2-methylpropylidene)

Prohibition/Restriction

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances.

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

: None of the components are listed

(=> 0.1 %).

: not applicable

: not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

REACH Information: All substances contained in our Products are

- preregistered or registered by our upstream suppliers, and/or

- preregistered or registered by us, and/or - excluded from the regulation, and/or - exempted from the registration.

VOC-CH (VOCV) : no VOC duties

VOC-EU (solvent) : not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environmental regulation/legislation specific for the substance or mixture:

: The Chemicals (Hazard Information and Packaging for Sup-

ply) Regulations 2002

Control of Substances Hazardous to Health Regulations 2002 The Management of Health and Safety at Work Regulations

Health and Safety at Work Act 1974

Environmental Protection Act 1990 & Subsidiary Regulations

15.2 Chemical Safety Assessment

This product contains substances for which Chemical Safety Assessments are still required.

according to Regulation (EC) No. 1907/2006

Sika® Concrete Primer Part B





Revision Date 22.01.2015

SECTION 16: Other information

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any any use and processing.

Changes as compared to previous version!