

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

Product name : OWATROL OWAYELL Product code : oway01.

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Dejaunissant dérouillant coques et ponts

## 1.3. Details of the supplier of the safety data sheet

Registered company name : DURIEU S.A.: Siège Social. Address : 2 bis, rue Charles de Gaulle.91070.BONDOUFLE.FRANCE. Telephone : + 33 (0)1.60.86.48.70. Fax : + 33 (0)1.60.86.84.84. reglementaire@durieu.com www.durieu.com

1.4. Emergency telephone number : + 33 (0)1.45.42.59.59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

## Other emergency numbers

UNITED KINGDOM :UK National poisons emergency number: +44 (0) 870 600 6266 IRELAND, EIRE:Ireland National Poisons Information Centre: +353 (0) 1 8379964

## **SECTION 2 : HAZARDS IDENTIFICATION**

### 2.1. Classification of the substance or mixture

### In compliance with EC regulation No. 1272/2008 and its amendments.

Substance that is corrosive to metals, Category 1 (Met. Corr. 1, H290).

Skin corrosion, Category 1 (Skin Corr. 1, H314).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H335).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

## In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word : DANGER	
Product identifiers :	
EC 231-633-2	PHOSPHORIC ACID
Hazard statements :	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
Precautionary statements - G	Seneral :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements - P	revention :

## SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) OWATROL OWAYELL - OWAY01

P260	Do not breathe spray.
P262	Do not get in eyes, on skin, or on clothing.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves / protective clothing / eye protection / face protection.
Precautionary statements - R	esponse :
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	[or shower].
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
Precautionary statements - S	torage :
P405	Store locked up.
Precautionary statements - D	isposal :
P501	Dispose of contents / container in accordance with local regulations.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006. The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

2

#### Composition :

Identification	Classification (EC) 1272/2008	Note	%
INDEX: 015_011_00_6	GHS05, GHS07	В	25 <= x % < 50
CAS: 7664-38-2	Dgr	[1]	
EC: 231-633-2	Skin Corr. 1B, H314		
REACH: 01-2119485924-24-XXXX	STOT SE 3, H335		
PHOSPHORIC ACID			
INDEX: 017-002-01-X	GHS05, GHS07	В	10 <= x % < 25
EC: 231-595-7	Dgr		
REACH: 01-2119484862-27	Skin Corr. 1B, H314 STOT SE 3, H335		
HYDROCHLORIC ACID			
INDEX: 008		[1]	2.5 <= x % < 10
CAS: 34590-94-8			
EC: 252-104-2			
REACH: 01-2119450011-60-XXXX			
(2-METHOXYMETHYLETHOXY)PROPANOL			
INDEX: 109	GHS07, GHS05		1 <= x % < 2.5
CAS: 68154-97-2	Dgr		
	Acute Tox. 4, H302		
ALCOHOL, C10-C12, ETHOXYLATED, PROPOXYLATED	Eye Dam. 1, H318		
pecific concentration limits:			
Identification	Specific concentration limits	ATE	
INDEX: 015_011_00_6	Skin Corr. 1B: H314 C>= 25%	dermal: ATE	= 2740 mg/kg BW
CAS: 7664-38-2	Skin Irrit. 2: H315 10% <= C < 25%	oral: ATE = 2	2600 mg/kg BW
EC: 231-633-2	Eye Dam. 1: H318 C>= 25%		
REACH: 01-2119485924-24-XXXX	Eye Irrit. 2: H319 10% <= C < 25%		
PHOSPHORIC ACID			
INDEX: 017-002-01-X	Skin Corr. 1B: H314 C>= 25%		
EC: 231-595-7	Skin Irrit. 2: H315 10% <= C < 25%		
REACH: 01-2119484862-27	Eye Dam. 1: H318 C>= 25%		
	Eye Irrit. 2: H319 10% <= C < 25%		
HYDROCHLORIC ACID	STOT SE 3: H335 C>= 10%		

## Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

#### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

## 4.1. description of first aid measures

## In the event of exposure by inhalation :

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

#### In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

#### In the event of splashes or contact with skin :

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

## In the event of swallowing :

Do not give the patient anything orally.

Seek medical attention immediately, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### 💫 SECTION 5 : FIREFIGHTING MEASURES

Ce produit n'est pas classé comme inflammable.

## 5.1. Extinguishing media

- Suitable methods of extinction
  - In the event of a fire, use :
  - dry chemical agents
  - water jet
  - sprayed water or water mist
  - water with AFFF (Aqueous Film Forming Foam) additive
  - halon
  - foam
  - multipurpose ABC powder
  - carbon dioxide (CO2)

## Unsuitable methods of extinction

- In the event of a fire, do not use :
- jets d'eau directs

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCI)
- phosgene (CCl2O)
- chlorine (Cl2)

## 5.3. Advice for firefighters

No data available.

## **SECTION 6 : ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For non first aid worker

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Neutralise with an alkaline decontaminant, such as an aqueous solution of sodium carbonate or similar.

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

### **SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

#### Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

## Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

## 🏏 🛛 Packaging

Always keep in packaging made of an identical material to the original.

Recommended types of packaging :

- Vats
- Suitable packaging materials :
- Plastic
- Unsuitable packaging materials :
- Metal
- Steel
- Iron

## 7.3. Specific end use(s)

No data available.

## **SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

#### Occupational exposure limits :

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

## SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) OWATROL OWAYELL - OWAY01

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :		
7664-38-2	1	-	2	-	-		
34590-94-8	308	50	-	-	Peau		
- France (IN	NRS - Outils 65 / 2021	-1849, 2021-1763, de	cree of 09/12/2021)	:			
CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :	
7664-38-2	0.2	1	0.5	2	-	-	
34590-94-8	50	308	-	-	*	84	
- UK / WEL	(Workplace exposure	limits, EH40/2005, F	ourth Edition 2020) :		1		
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :		
7664-38-2	1 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>					
34590-94-8	50 ppm			Sk			
	308 mg/m <sup>3</sup>						

## 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

#### Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

PVC (polyvinyl chloride)

- Butyl Rubber (Isobutylene-isoprene copolymer)

## - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact. Wear suitable protective clothing, in particular overalls and boots. These items must be kept in good condition and cleaned after use. Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## Respiratory protection

### Avoid inhaling vapors.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Type of FFP mask :

Wear a disposable half-mask aerosol filter in accordance with standard EN149/A1.

Category :

- FFP2

Type of mask with combined filters :

Wear a half mask in accordance with standard EN140.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

- B1 (Grey)

- E1 (Yellow)

- K1 (Green)

Particle filter according to standard EN143 :

- P2 (White)

#### **SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES** 9.1. Information on basic physical and chemical properties Physical state Physical state : Viscous liquid. Colour Unspecified Odour Odour threshold : Not stated. Melting point Melting point/melting range : Not relevant. Freezing point Freezing point / Freezing range : Not stated. Boiling point or initial boiling point and boiling range Boiling point/boiling range : Not relevant. Flammability Flammability (solid, gas) : Not stated. Lower and upper explosion limit Explosive properties, lower explosivity limit (%) : Not stated. Explosive properties, upper explosivity limit (%) : Not stated. Flash point Flash point interval : Not relevant. Auto-ignition temperature Self-ignition temperature : Not relevant. **Decomposition temperature** Decomposition point/decomposition range : Not relevant. pН pH (aqueous solution) : 0.5 0.50 pH: Strongly acidic. **Kinematic viscosity** Not stated. Viscosity : Solubility Water solubility : Soluble Not stated. Fat solubility : Partition coefficient n-octanol/water (log value) Partition coefficient: n-octanol/water : Not stated. Vapour pressure Vapour pressure (50°C) : Not relevant. Density and/or relative density Density : = 1 **Relative vapour density**

9.2.1. Information with regard to physical hazard classes

No data available.

Vapour density :

#### 9.2.2. Other safety characteristics

No data available.

**9.2. Other information** No data available.

## **SECTION 10 : STABILITY AND REACTIVITY**

#### 10.1. Reactivity

Mixture which by chemical action can corrode and even destroy metals.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Not stated.

### 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

No data available.

#### 10.5. Incompatible materials

No data available.

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- hydrogen chloride (HCI)
- phosgene (CCl2O)
- chlorine (Cl2)

### **SECTION 11 : TOXICOLOGICAL INFORMATION**

#### 2

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure for up to three minutes.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

Respiratory tract irritation may occur, together with symptoms such as coughing, choking and breathing difficulties.

## 11.1.1. Substances

#### Acute toxicity :

PHOSPHORIC ACID ...% (CAS: 7664-38-2) Oral route :

LD50 = 2600 mg/kg bodyweight/day Species : Rat

Dermal route :

LD50 = 2740 mg/kg bodyweight/day Species : Rabbit

## 11.1.2. Mixture

## Skin corrosion/skin irritation :

Corrosive classification is based on an extreme pH value.

#### Serious damage to eyes/eye irritation :

Corrosive classification is based on an extreme pH value.

#### 11.2. Information on other hazards

## **SECTION 12 : ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

## 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

#### 12.2. Persistence and degradability

No data available.

## 12.3. Bioaccumulative potential

- No data available.
- 12.4. Mobility in soil
- No data available.
- 12.5. Results of PBT and vPvB assessment

No data available.

## 12.6. Endocrine disrupting properties

No data available.

### 12.7. Other adverse effects

No data available.

## **SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

## 💫 🛛 Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

15 01 10 \* packaging containing residues of or contaminated by dangerous substances

06 01 04 \* phosphoric and phosphorous acid

## SECTION 14 : TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2023 - IMDG 2020 [40-20] - ICAO/IATA 2023 [64]).

## 14.1. UN number or ID number

3264

## 14.2. UN proper shipping name

UN3264=CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (phosphoric acid ...%, hydrochloric acid ...%)

## 14.3. Transport hazard class(es)

- Classification :



8

14.4. Packing group

П

## 14.5. Environmental hazards

## 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Γ
	8	C1	II	8	80	1 L	274	E2	2	T
1DG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregati	
								Handling	on	
	8	-	II	1 L	F-A. S-B	274	E2	Category	SGG1 SG36	;
								B SW2	SG49	
ATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	8	-	II	851	1 L	855	30 L	A3 A803	E2	
	8	-	II	Y840	0.5 L	-	-	A3 A803	E2	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Classification and labelling information included in section 2:

## The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

## Container information:

Packaging to be fitted with child-resistant fastenings (see EC Regulation No. 1272/2008, Annex II, Part 3).

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

## Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

#### Explosives precursors :

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

Particular provisions :

No data available.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## Wording of the phrases mentioned in section 3 :

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

## Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

- BW : Body Weight
- STEL : Short-term exposure limit
- TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.