Safety Data Sheet MAPEFLOOR I 900 /B

Safety Data Sheet dated: 14/06/2022 - version 3



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: MAPEFLOOR I 900 /B

Trade code: 902580 UFI: 1783-P09J-S007-JK29

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Hardener for epoxy products

Uses advised against: Data not available.

1.3. Details of the supplier of the safety data sheet

Company: MAPEI S.p.A. - Via Cafiero, 22 - 20158 Milano

Tel. +(39)02376731 (office hours) - Fax: +39-02-37673.214 - www.mapei.it

Responsable: sicurezza@mapei.it

1.4. Emergency telephone number

Centro antiveleni, Azienda ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, via Antonio Cardarelli 9, Napoli - Tel. 081 5453333

Centro antiveleni, Azienda ospedaliera universitaria Careggi, U.O. Tossicologia medica, via Largo Brambilla 3, Firenze - Tel. 055 7947819 Centro antiveleni, Centro nazionale d'informazione tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica del lavoro e della riabilitazione, via Salvatore Maugeri 10, Pavia - Tel. 0382 24444

Centro antiveleni, Azienda ospedaliera Niguarda Ca' Granda, piazza Ospedale Maggiore 3, Milano - Tel. 02 66101029

Centro antiveleni, Azienda ospedaliera "Papa Giovanni XXIII", Tossicologia clinica, Dipartimento di farmacia clinica e farmacologia, piazza OMS 1, Bergamo - Tel. 800 883300

Centro antiveleni Policlinico "Umberto I", PRGM tossicologia d'urgenza, viale del Policlinico 155, Roma - Tel. 06 49978000

Centro antiveleni del Policlinico "Agostino Gemelli", Servizio di tossicologia clinica, largo Agostino Gemelli 8, Roma - Tel. 06 3054343

Centro antiveleni, Azienda ospedaliera universitaria Riuniti, viale Luigi Pinto 1, Foggia - Tel. 800 183459

Centro antiveleni, Ospedale pediatrico Bambino Gesù, Dipartimento emergenza e accettazione DEA, piazza Sant'Onofrio 4, Roma - Tel. 06 68593726

Centro antiveleni dell'Azienda ospedaliera universitaria integrata (AOUI) di Verona sede di Borgo Trento, piazzale Aristide Stefani, 1 - 37126 Verona - Tel. 800 011858

SECTION 2: Hazards identification







2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Acute Tox. 4 Harmful if swallowed.

Skin Corr. 1B Causes severe skin burns and eye damage.

Eye Dam. 1 Causes serious eye damage.

Skin Sens. 1A May cause an allergic skin reaction.

STOT RE 2 May cause damage to organs through prolonged or repeated exposure.

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Pictograms and Signal Words



Danger

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 1 of 11

H317	May cause an allergic skin reaction.
H373	$\label{eq:maycause} \mbox{May cause damage to organs through prolonged or repeated exposure.}$

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing mist/vapours/spray.
P264 Wash hands thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 Immediately call a POISON CENTER.

Special Provisions:

EUH208 Contains N-(2-AMINOETHYL)-1,3-PROPANEDIAMINE. May produce an allergic reaction.

Contains

formaldehyde, polymer with benzenamine, hydrogenated

N,N'-BIS(3-

AMINOPROPYL)ETHYLENEDIAMINE

benzyl alcohol

2,4,6-tris(dimethylaminomethyl)phenol

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Relevant

3.2. Mixtures

Mixture identification: MAPEFLOOR I 900 /B

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
≥25 - <50 %	benzyl alcohol	CAS:100-51-6 EC:202-859-9 Index:603-057- 00-5	Acute Tox. 4, H332; Acute Tox. 4, H302; Eye Irrit. 2, H319	01-2119492630-38-XXXX
≥25 - <50 %	formaldehyde, polymer with benzenamine, hydrogenated	2	Acute Tox. 3, H301; Eye Dam. 1, H318; STOT RE 2, H373; Aquatic Chronic 3, H412; Skin Corr. 1C, H314; Skin Sens. 1, H317	01-2119983522-33
	N,N'-BIS(3- AMINOPROPYL)ETHYLENEDIAMINE		Acute Tox. 4, H302; Acute Tox. 3, H311; Skin Corr. 1B, H314; Skin Sens. 1A, H317	01-2119976331-37
≥5 - <10 %	2,4,6- tris(dimethylaminomethyl)phenol	CAS:90-72-2 EC:202-013-9 Index:603-069- 00-0	Skin Corr. 1C, H314; Eye Dam. 1, H318; Acute Tox. 4, H302	01-2119560597-27-XXXX
≥0.49 - <1 %	N-(2-AMINOETHYL)-1,3- PROPANEDIAMINE		Acute Tox. 4, H302; Skin Corr. 1A, H314; Skin Sens. 1A, H317; Acute Tox. 2, H310	01-2120097861-45

SECTION 4: First aid measures

4.1. Description of first aid measures

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 2 of 11

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 3 of 11

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes
benzyl alcohol CAS: 100-51-6	National	FINLAND		45	10			
	National	POLAND		240				
	DFG	GERMANY	С			44	10	
	National	GERMANY		22	5			
	NDS	POLAND		240				
	National	CZECH REPUBLIC		40				
	National	LATVIA		5				
	National	CZECH REPUBLIC	С			80		
	National	BULGARIA		5,0				
	National	LITHUANIA		5				
		SLOVENIA		22	5	44	10	

Predicted No Effect Concentration (DNEC) values

Predicted No Effect Concentration (PNEC) values					
	PNEC Limit	Exposure Route	Exposure Frequency Remark		
benzyl alcohol CAS: 100-51-6	1 mg/l	Fresh Water			
	0,1 mg/l	Marine water			
	5,27 mg/kg	Freshwater sediments			
	0,527 mg/kg	Marine water sediments			
	39 mg/l	Microorganisms in sewage treatments			
	0,45 mg/kg	Soil			
	2,3 mg/l	Intermittent release			
formaldehyde, polymer with benzenamine, hydrogenated CAS: 135108-88-2	1,5 mg/kg	Marine water sediments			
	1,8 mg/kg	Soil			
	1,9 mg/l	Microorganisms in			

sewage treatments

Freshwater

sediments

0,015 mg/l Fresh Water 0,002 mg/l Marine water

15 mg/kg

Derived No Effect Level (DNEL) values

Worker Worker Consu Exposure Route Exposure Frequency Remark Industr Profess mer y ional

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 4 of 11

benzyl alcohol CAS: 100-51-6		20 mg/kg	Human Oral	Short Term, systemic effects
		4 mg/kg	Human Oral	Long Term, systemic effects
	110 mg/m3	27 mg/m3	Human Inhalation	Short Term, systemic effects
	22 mg/m3	5,4 mg/m3	Human Inhalation	Long Term, systemic effects
	40 mg/kg	20 mg/kg	Human Dermal	Short Term, systemic effects
	8 mg/kg	4 mg/kg	Human Dermal	Long Term, systemic effects
formaldehyde, polymer with benzenamine, hydrogenated CAS: 135108-88-2	2 mg/kg		Human Dermal	Long Term, systemic effects
	2 mg/m3		Human Inhalation	Short Term, systemic effects
	0,2 mg/m3		Human Inhalation	Long Term, systemic effects
	6 mg/kg		Human Dermal	Short Term, systemic effects
2,4,6- tris (dimethylaminomethyl) phenol	0,31 mg/m3		Human Inhalation	Long Term, systemic effects

phenol CAS: 90-72-2

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Appearance: liquid Color: Amber Odour: ammonia

Odour threshold: Not available

 $\label{eq:Melting point / freezing point: Not available} \\$

Initial boiling point and boiling range: 200 °C (392 °F)

Flammability: N.A.

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 5 of 11

Upper/lower flammability or explosive limits: Not available

Flash point: 100 °C (212 °F)

Auto-ignition temperature: Not available Decomposition temperature: Not available

pH: Not available Viscosity: 220.00 cPs

Kinematic viscosity: Not available Solubility in water: Not available Solubility in oil: Not available

Partition coefficient (n-octanol/water): Not available

Vapour pressure: Not available Relative density: Not available Vapour density: Not available **Particle characteristics:** Particle size: Not available

9.2. Other information

Miscibility: Not available Conductivity: Not available No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological Information of the Preparation

a) acute toxicity The product is classified: Acute Tox. 4(H302)

ATEmix - Oral : 545.848 mg/kg bw

LC50 Oral > 500 mg/kg

b) skin corrosion/irritation The product is classified: Skin Corr. 1B(H314) c) serious eye damage/irritation The product is classified: Eye Dam. 1(H318) d) respiratory or skin sensitisation The product is classified: Skin Sens. 1A(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure The product is classified: STOT RE 2(H373)

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

benzyl alcohol a) acute toxicity LC50 Inhalation Rat = 11, mg/l 4h

LD50 Oral Rat = 1230, mg/kg

g) reproductive toxicity NOAEL Rat = 1072, mg/m3

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 6 of 11

formaldehyde, polymer a) acute toxicity LD50 Oral Rat = 300, mg/kg with benzenamine, hydrogenated LD50 Skin Rabbit > 2000, mg/kg No Observed Adverse Effect Level Oral Rat = 15, i) STOT-repeated exposure mg/kg N,N'-BIS(3a) acute toxicity LD50 Oral Rat = 1200, mg/kg AMINOPROPYL) **ETHYLENEDIAMINE** LD50 Skin Rabbit = 300, mg/kg LD50 Oral Rat = 1200 mg/kg 2,4,6a) acute toxicity LD50 Oral Rat = 2169 mg/kg tris (dimethylaminomethyl) phenol LD50 Skin Rat > 1, ml/kg

11.2. Information on other hazards

PROPANEDIAMINE

Endocrine disrupting properties:

N-(2-AMINOETHYL)-1,3- a) acute toxicity

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

List of Eco-Toxicological properties of the product

The product is classified: Aquatic Chronic 3(H412)

List of Eco-Toxicological proper	ties of the comp	ponents
Component	Ident. Numb.	Ecotox Data
benzyl alcohol	CAS: 100-51-6 - EINECS: 202- 859-9 - INDEX: 603-057-00-5	a) Aquatic acute toxicity: EC50 Daphnia = 230 mg/L 48
		a) Aquatic acute toxicity: LC50 Fish = 770 mg/L 1
		a) Aquatic acute toxicity: EC50 Algae = 770 mg/L 72
		a) Aquatic acute toxicity: LC50 Fish = 460 mg/L 96
		a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = $460 \text{ mg/L} 96\text{h}$ EPA
formaldehyde, polymer with benzenamine, hydrogenated	CAS: 135108- 88-2 - EINECS: 603-894-6	a) Aquatic acute toxicity: LC50 Fish Poecilia reticulata = 63 mg/L 96h ECHA
		a) Aquatic acute toxicity: EC50 Daphnia = 15,4 mg/L 48h
		a) Aquatic acute toxicity: EC50 Algae = 43,94 mg/L 72h
2,4,6- tris(dimethylaminomethyl)phenol	CAS: 90-72-2 - EINECS: 202- 013-9 - INDEX: 603-069-00-0	a) Aquatic acute toxicity: LC50 Fish = 175 mg/L 96h
		a) Aquatic acute toxicity: EC50 Algae = 46,7 mg/L 72h

a) Aquatic acute toxicity: NOEC Algae = 25,1 mg/L 72h

LD50 Skin Rabbit = 184, mg/kg

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 7 of 11

N-(2-AMINOETHYL)-1,3-PROPANEDIAMINE CAS: 13531-52- a) Aquatic acute toxicity: EC50 Daphnia = 25,93 mg/L 48h

7 - EINECS: 236-882-0

12.2. Persistence and degradability

Component

Persitence/Degradability:

formaldehyde, polymer with benzenamine, hydrogenated Non-readily biodegradable

12.3. Bioaccumulative potential

NΑ

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration >=0.1%

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >= 0.1%

12.7. Other adverse effects

Not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

SECTION 14: Transport information

14.1. UN number or ID number

2735

14.2. UN proper shipping name

ADR-Shipping Name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (cycloaliphatic amines) IATA-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (cycloaliphatic amines) IMDG-Technical name: AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S. (cycloaliphatic amines)

14.3. Transport hazard class(es)

ADR-Class: 8
IATA-Class: 8
IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: II IATA-Packing group: II IMDG-Packing group: II

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 8 of 11

14.5. Environmental hazards

Marine pollutant: No

Environmental Pollutant: No IMDG-EMS: F-A, S-B

14.6. Special precautions for user

Road and Rail (ADR-RID):

ADR-Label: 8

ADR-Hazard identification number: 80

ADR-Special Provisions: 274

ADR-Transport category (Tunnel restriction code): 2 (E)

Air (IATA):

IATA-Passenger Aircraft: 851 IATA-Cargo Aircraft: 855

IATA-Label: 8

IATA-Subsidiary hazards: -

IATA-Erg: 8L

IATA-Special Provisions: A3 A803

Sea (IMDG):

IMDG-Stowage Code: Category A IMDG-Stowage Note: SG35 IMDG-Subsidiary hazards: - IMDG-Special Provisions: 274

IMDG-EMS: F-A, S-B

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC): 60 (A+B) g/I

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP)

Description (EU) - 2010/1400 (ATD 12 CLD)

Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

None

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Restrictions related to the substances contained: 75

SVHC Substances:

SVHC substances not present in a concentration $\geq 0.1\%$ (w/w)

German Water Hazard Class.

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 9 of 11

Skin Corr. 1C

Eye Dam. 1

Eye Irrit. 2

STOT RE 2

Skin Sens. 1

Skin Sens. 1A

Aquatic Chronic 3

3.2/1C

3.3/1

3.3/2

3.9/2

4.1/C3

3.4.2/1

3.4.2/1A

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description				
H301	Toxic if swallowed.				
H302	Harmful if swallowed.				
H310	Fatal in contact with skin.				
H311	Toxic in contact with skin.				
H314	Causes severe skin burns and eye damage.				
H317	May cause an allergic skin reaction.				
H318	Causes serious eye damage.				
H319	Causes serious eye irritation.				
H332	Harmful if inhaled.				
H373	May cause damage to organs through prolonged or repeated exposure.				
H373	May cause damage to organs (kidneys) through prolonged or repeated exposure if swallowed.				
H412	Harmful to aquatic life with long lasting effects.				
Code	Hazard class and hazard category	Description			
3.1/2/Dermal	Acute Tox. 2	Acute toxicity (dermal), Category 2			
3.1/3/Dermal	Acute Tox. 3	Acute toxicity (dermal), Category 3			
3.1/3/Oral	Acute Tox. 3	Acute toxicity (oral), Category 3			
3.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4			
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4			
3.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Calculation method

Skin corrosion, Category 1C

Eye irritation, Category 2

Serious eye damage, Category 1

Skin Sensitisation, Category 1

Skin Sensitisation, Category 1A

Specific target organ toxicity — repeated exposure, Category 2

Chronic (long term) aquatic hazard, category 3

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
3.1/4/Oral	Calculation method
3.2/1B	Calculation method
3.3/1	Calculation method
3.4.2/1A	Calculation method
3.9/2	Calculation method

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

4.1/C3

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

 Print date
 09/02/2023
 Production Name
 MAPEFLOOR I 900 /B
 Page n.
 10of
 11

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

 $IMDG: \ International \ Maritime \ Code \ for \ Dangerous \ Goods.$

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable

N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

* Sheet model entirely changed in compliance to regulatory update.

Print date 09/02/2023 Production Name MAPEFLOOR I 900 /B Page n. 11 of 11