

DECLARATION OF PERFORMANCE N. CPR-IT1/0991

- 1) Unique identification code of the product-type: **MAPEFER 1K ZERO**
- 2) Intended uses: **Corrosion protection product for repair and protection of concrete in buildings and civil engineering works**
- 3) Manufacturer: **MAPEI S.p.A. – Via Cafiero, 22 – 20158 Milan – Italy - www.mapei.it**
- 4) Systems of AVCP: **System 2+**
- 5) Harmonized standards: **EN 1504-7:2006**

Notified bodies: **ICMQ SPA, N. 1305**

- 6) Performances declared:

Essential characteristics	Performances
Pull out strength of coated steel in concrete (bond adhesion of coating to steel and alkali resistance):	Pass
Diffusion resistance:	Pass
Corrosion protection and workability:	Pass
Durability:	Pass
Release of dangerous substances:	NPD

The performance of the product identified above is in conformity with the set of declared performances.

This declaration of performance is issued, in accordance with Regulation (EU) no. 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Lorenzo Martino – Corporate Quality Management**

Milan 13/02/2023

..... 



REACH information: the information referred to Article 31 or, as appropriate, to Article 33 of the REACH Regulation (EC) No 1907/2006 and following amendments are indicated in the Safety Data Sheet that MAPEI makes available on the website along with this current Declaration of Performance.

DoP in Pdf format are available in the Mapei website.

Revision 0 notes:	First issue
--------------------------	--------------------

MAPEFER 1K ZERO
CE MARKING
Annex to DoP N. CPR-IT1/0991



 1305	 Via Cafiero, 22 – 20158 Milano (Italy) www.mapei.it										
23 CPR-IT1/0991 EN 1504-7 MAPEFER 1K ZERO <i>Corrosion protection product for repair and protection of concrete in buildings and civil engineering works</i>											
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%;">Pull out strength of coated steel in concrete (bond adhesion of coating to steel and alkali resistance):</td> <td style="text-align: right;">Pass</td> </tr> <tr> <td>Diffusion resistance:</td> <td style="text-align: right;">Pass</td> </tr> <tr> <td>Corrosion protection and workability:</td> <td style="text-align: right;">Pass</td> </tr> <tr> <td>Durability:</td> <td style="text-align: right;">Pass</td> </tr> <tr> <td>Release of dangerous substances:</td> <td style="text-align: right;">NPD</td> </tr> </table>		Pull out strength of coated steel in concrete (bond adhesion of coating to steel and alkali resistance):	Pass	Diffusion resistance:	Pass	Corrosion protection and workability:	Pass	Durability:	Pass	Release of dangerous substances:	NPD
Pull out strength of coated steel in concrete (bond adhesion of coating to steel and alkali resistance):	Pass										
Diffusion resistance:	Pass										
Corrosion protection and workability:	Pass										
Durability:	Pass										
Release of dangerous substances:	NPD										

Note:

MAPEI supplies the current annex along with the DoP to make the consultancy of the CE marking easier for the international clients. The enclosed CE marking can be slightly different compared to the one printed on the relevant packaging or documentation because of:

- *NPD (No Performance Determined) values can be omitted by the CE marking,*
- *graphic adaptations due to lack of space on the packaging or printing methods used,*
- *different language (the same packaging can be shared by several countries),*
- *the product is already in stock when the updating of the CE marking is implemented,*
- *printing mistakes.*