

Safety Data Sheet

PRIMER FT /A

Safety Data Sheet dated: 14/06/2022 - version 4



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: PRIMER FT /A

Trade code: 9073523

UFI: F6Y4-Y05G-R00K-P6M3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Primer

Uses advised against: Not available

1.3. Details of the supplier of the safety data sheet

Company: MAPEI S.p.A. - Via Cafiero, 22 - 20158 Milano

Tel. +(39)02376731 (office hours) - Fax: +39-02-37673.214 - www.mapei.it

Responsible: sicurezza@mapei.it

1.4. Emergency telephone number

Centro antiveleni, Azienda ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, via Antonio Cardarelli 9, Napoli - Tel. 081 5453333

Centro antiveleni, Azienda ospedaliera universitaria Careggi, U.O. Tossicologia medica, via Largo Brambilla 3, Firenze - Tel. 055 7947819

Centro antiveleni, Centro nazionale d'informazione tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica del lavoro e della riabilitazione, via Salvatore Maugeri 10, Pavia - Tel. 0382 24444

Centro antiveleni, Azienda ospedaliera Niguarda Ca' Granda, piazza Ospedale Maggiore 3, Milano - Tel. 02 66101029

Centro antiveleni, Azienda ospedaliera "Papa Giovanni XXIII", Tossicologia clinica, Dipartimento di farmacia clinica e farmacologia, piazza OMS 1, Bergamo - Tel. 800 883300

Centro antiveleni Policlinico "Umberto I", PRGM tossicologia d'urgenza, viale del Policlinico 155, Roma - Tel. 06 49978000

Centro antiveleni del Policlinico "Agostino Gemelli", Servizio di tossicologia clinica, largo Agostino Gemelli 8, Roma - Tel. 06 3054343

Centro antiveleni, Azienda ospedaliera universitaria Riuniti, viale Luigi Pinto 1, Foggia - Tel. 800 183459

Centro antiveleni, Ospedale pediatrico Bambino Gesù, Dipartimento emergenza e accettazione DEA, piazza Sant'Onofrio 4, Roma - Tel. 06 68593726

Centro antiveleni dell'Azienda ospedaliera universitaria integrata (AOUI) di Verona sede di Borgo Trento, piazzale Aristide Stefani, 1 - 37126 Verona - Tel. 800 011858

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Flam. Liq. 3	Flammable liquid and vapour.
Acute Tox. 4	Harmful if inhaled.
Skin Irrit. 2	Causes skin irritation.
Eye Irrit. 2	Causes serious eye irritation.
Resp. Sens. 1	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1B	May cause an allergic skin reaction.
Carc. 2	Suspected of causing cancer.
STOT SE 3	May cause respiratory irritation.
STOT RE 2	May cause damage to organs through prolonged or repeated exposure.
Aquatic Chronic 3	Harmful to aquatic life with long lasting effects.

2 The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) n. 1272/2008 (CLP)

Pictograms and Signal Words



Danger

Hazard statements:

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

Precautionary statements:

P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing mist/vapours/spray.
P280	Wear protective gloves/clothing and eye/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor/...
P370+P378	In case of fire, use a dry powder fire extinguisher to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.

Special Provisions:

EUH208	Contains 4,4'-Methylenediphenyl diisocyanate, oligomers. May produce an allergic reaction.
EUH208	Contains 4-isocyanatesulphonyltoluene; tosyl isocyanate. May produce an allergic reaction.
EUH204	Contains isocyanates. May produce an allergic reaction.

Contains:

diphenylmethane-4,4'-diisocyanate

Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, polymer with 1,1-methylenebis(isocyanatobenzene)

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate

o-xylene

Special provisions according to Annex XVII of REACH and subsequent amendments:

As from 24 August 2023 adequate training is required before industrial or professional use.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$.

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Relevant

3.2. Mixtures

Mixture identification: PRIMER FT /A

Hazardous components within the meaning of the CLP regulation and related classification:

Concentration (%) w/w)	Name	Ident. Numb.	Classification	Registration Number
------------------------	------	--------------	----------------	---------------------

≥25 - <50 %	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, polymer with 1,1-methylenebis(isocyanatobenzene)	CAS:39420-98-9 EC:643-036-8	Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334; Skin Sens. 1, H317; STOT RE 2, H373; Carc. 2, H351	
≥25 - <50 %	o-xylene	CAS:1330-20-7 EC:215-535-7 Index:601-022-00-9	Flam. Liq. 3, H226; Asp. Tox. 1, H304; STOT RE 2, H373; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412	01-2119488216-32-XXXX
≥10 - <20 %	Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate	CAS:26447-40-5 EC:247-714-0 Index:615-005-00-9	Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1B, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373 Specific Concentration Limits: 0,1% ≤ C < 100%: Resp. Sens. 1 H334 5% ≤ C < 100%: Skin Irrit. 2 H315 5% ≤ C < 100%: Eye Irrit. 2 H319 5% ≤ C < 100%: STOT SE 3 H335	01-2119457015-45-XXXX
≥10 - <20 %	diphenylmethane-4,4'-diisocyanate	CAS:101-68-8 EC:202-966-0 Index:615-005-00-9	Acute Tox. 4, H332 Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Resp. Sens. 1, H334 Skin Sens. 1, H317 STOT RE 2, H373 Carc. 2, H351 Specific Concentration Limits: 0,1% ≤ C < 100%: Resp. Sens. 1 H334 5% ≤ C < 100%: Skin Irrit. 2 H315 5% ≤ C < 100%: Eye Irrit. 2 H319 5% ≤ C < 100%: STOT SE 3 H335	01-2119457014-47-XXXX
≥2.5 - <5 %	4,4'-Methylenediphenyl diisocyanate, oligomers	CAS:25686-28-6 EC:500-040-3	Acute Tox. 4, H332; Eye Irrit. 2, H319; STOT SE 3, H335; Skin Irrit. 2, H315; Resp. Sens. 1, H334; Skin Sens. 1, H317; STOT RE 2, H373; Carc. 2, H351	01-2119457013-49-XXXX
≥0.49 - <1 %	4-isocyanatesulphonyltoluene; tosyl isocyanate	CAS:4083-64-1 EC:223-810-8 Index:615-012-00-7	Eye Irrit. 2, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Resp. Sens. 1, H334, EUH014 Specific Concentration Limits: 5% ≤ C < 100%: Skin Irrit. 2 H315 5% ≤ C < 100%: Eye Irrit. 2 H319 5% ≤ C < 100%: STOT SE 3 H335	01-2119980050-47-XXXX
<0.0015 %	chlorobenzene	CAS:108-90-7 EC:203-628-5 Index:602-033-00-1	Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Irrit. 2, H315; Aquatic Chronic 2, H411	01-2119432722-45-XXXX

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use a dry powder fire extinguisher to extinguish.

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

Use suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove all sources of ignition.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s)

Recommendation(s)

None in particular

Industrial sector specific solutions:

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

List of components with OEL value

	OEL Type	Country	Ceiling	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Behaviour Note
o-xylene CAS: 1330-20-7	National	SWEDEN		221	50	442	100	SWEDEN, Short term value, 15 minutes average value
	National	FINLAND		220	50	440	100	FINLAND, hud
	National	NORWAY		108	25			NORWAY, H
	EU			221	50	442	100	Skin
	National	NORWAY		109	25	218	50	
	ACGIH				100		150	A4, BEI - URT and eye irr, CNS impair
	DFG	GERMANY	C			880	200	
	ACGIH				100		150	A4 - Not Classifiable as a Human Carcinogen; CNS impairment; eye and upper respiratory tract irritation
	National	SWEDEN			221	50		
	National	FRANCE			221	50	442	100
	National	SPAIN			221	50	442	100
	National	GREECE			435	100	650	150
	National	DENMARK			109	25		
	National	FINLAND			220	50	440	100
	National	GERMANY			440	100		
	National	PORTUGAL			221	50	442	100
	National	BELGIUM			221	50	442	100
	NDS	POLAND			100			
	NDSch	POLAND					200	
	CHE	SWITZERLAND					870	200
	NDS	NETHERLANDS			210		442	
	National	CZECH REPUBLIC			200			
	National	HUNGARY			221		442	
	Malaysi a OEL	MALAYSIA			434	100		
	National	ESTONIA			200	50	450	100
	National	LATVIA			221	50	442	100
	National	CZECH REPUBLIC	C				400	
	National	SLOVAKIA	C				442	
	National	SLOVAKIA			221	50		
	National	SLOVENIA			221	50	442	100
National	UNITED KINGDOM			220	50	441	100	
National	BULGARIA			221,0	50	442	100	

	National ROMANIA		221	50	442	100	
	TUR TURKEY		221	50	442	100	
	National LITHUANIA		221	50	442	100	
	National CROATIA		221	50	442	100	
	EU		221	50	442	100	Indicative Possibility of significant uptake through the skin (pure)
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate CAS: 26447-40-5	National GREECE		0,2	0,02	0,2	0,02	
	NDS POLAND		0,03				
	NDSCh POLAND				0,09		
	National BULGARIA		0,05		0,07		
	National LITHUANIA		0,05	0,005			
	National LITHUANIA	C			0,1	0,01	
diphenylmethane-4,4'-diisocyanate CAS: 101-68-8	National NORWAY		0,050	0,005		0,010	A 4
	SUVA		0,020		0,020		
	National SWEDEN	C	0,030	0,002	0,050	0,005	SWEDEN, Ceiling limit value
	NDS		0,030				
	NDSP		0,090				
	ACGIH			0,005			Resp sens
	National POLAND		0,030		0,090		
	National AUSTRIA		0,050	0,005	0,100	0,010	
	DFG GERMANY	C			0,050		
	ACGIH			0,005			respiratory sensitization (listed under Methylene bisphenyl isocyanate (MDI))
	National SWEDEN		0,030	0,002			
	National FRANCE		0,100	0,010	0,200	0,020	
	National SPAIN		0,052	0,005			
	National DENMARK		0,050	0,005			
	National GERMANY		0,050				
	National PORTUGAL			0,005			
	National BELGIUM		0,052	0,005			
	NDS POLAND		0,030				
	NDSCh POLAND				0,090		
	National CZECH REPUBLIC		0,050				
	National HUNGARY		0,05		0,050		
	Malaysi a OEL MALAYSIA		0,051	0,005			
	National ESTONIA		0,050	0,005	0,100	0,010	
	National CZECH REPUBLIC	C			0,100		
	National SLOVAKIA		0,002				
	National SLOVENIA		0,050		0,050		
	National ROMANIA				0,150		
	National LITHUANIA		0,050	0,005			
	National LITHUANIA	C			0,100	0,010	
	National NORWAY		0,05	0,005		0,01	

4-isocyanatesulphonyltoluene; tosyl isocyanate CAS: 4083-64-1	SUVA		0,020		0,020		
chlorobenzene CAS: 108-90-7	National SWEDEN		23	5	70	15	SWEDEN, Short-term value, 15 minutes average value
	National FINLAND		23	5	70	15	FINLAND, hud
	National NORWAY		23	5			
	National POLAND		23		70		
	DFG GERMANY	C			46	10	
	ACGIH			10			A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans;liver damage
	National SWEDEN		23	5			
	EU		23	5	70	15	Indicative
	National FRANCE		23	5	70	15	
	National SPAIN		23	5	70	15	
	National GREECE		23	5	70	15	
	National DENMARK		23	5			
	National FINLAND		23	5	70	15	
	National GERMANY		23	5			
	National PORTUGAL		23	5	70	15	
	National BELGIUM		23	5	70	15	
	NDS POLAND		23				
	NDSch POLAND				70		
	CHE SWITZERLAND				92	20	
	NDS NETHERLANDS		23		70		
	National CZECH REPUBLIC		25				
	National HUNGARY		23		70		
	Malaysi a OEL		46	10			
	National ESTONIA		23	5	70	15	
	National LATVIA		23	5	70	15	
	National CZECH REPUBLIC	C			70		
	National SLOVAKIA	C			70		
	National SLOVAKIA		23	5			
	National SLOVENIA		23	5	69	15	
	National UNITED KINGDOM		4,7	1	14	3	
	National BULGARIA		23,0	5	70,0	15	
	National ROMANIA		23	5	70	15	
	TUR TURKEY		23	5	70	15	
	National LITHUANIA		23	5	70	15	
	National CROATIA		23	5	70	15	

Biological Exposure Index

	Value	UoM	Medium	Biological Indicator	Sampling Period
o-xylene CAS: 1330-20-7	1,5	GGCREAT	Urine	Methyl uric Acid	End of turn
chlorobenzene CAS: 108-90-7	100	MGGCREAT	Urine	Clorocatecolo	End of turn; End of working week
	20	MGGCREAT	Urine	P-chlorophenol	End of turn; End of working week

Predicted No Effect Concentration (PNEC) values

	PNEC Limit	Exposure Route	Exposure Frequency	Remark
o-xylene CAS: 1330-20-7	0,327 mg/l	Fresh Water		
	0,327 mg/l	Marine water		
	12,46 mg/kg	Freshwater sediments		
	12,46 mg/kg	Marine water sediments		
	2,31 mg/kg	Soil		
	6,58 mg/l	Microorganisms in sewage treatments		
diphenylmethane-4,4'-diisocyanate CAS: 101-68-8	0,32 mg/l	Intermittent release		
	1 mg/l	Fresh Water		
	0,1 mg/l	Marine water		
	1 mg/kg	Soil		
4,4'-Methylenediphenyl diisocyanate, oligomers CAS: 25686-28-6	1 mg/l	Microorganisms in sewage treatments		
	10 mg/l	Intermittent release		
	1 mg/l	Fresh Water		
	0,1 mg/l	Marine water		
	1 mg/kg	Soil		
	1 mg/l	Microorganisms in sewage treatments		

Derived No Effect Level. (DNEL)

	Worker Industrial	Worker Professional	Consumption	Exposure Route	Exposure Frequency	Remark
o-xylene CAS: 1330-20-7	289 mg/m3		174 mg/m3	Human Inhalation		Short Term, local effects
	289 mg/m3		174 mg/m3	Human Inhalation		Short Term, systemic effects
	180 mg/kg		108 mg/kg	Human Dermal		Long Term, systemic effects
	77 mg/m3		14,8 mg/m3	Human Inhalation		Long Term, systemic effects
			1,6 mg/kg	Human Oral		Long Term, systemic effects
diphenylmethane-4,4'-diisocyanate CAS: 101-68-8	50 mg/kg			Human Dermal		Short Term, systemic effects
	0,1 mg/m3			Human Inhalation		Short Term, systemic effects
	0,1 mg/m3			Human Inhalation		Short Term, local effects
	0,05 mg/m3			Human Inhalation		Long Term, systemic effects
	0,05 mg/m3			Human Inhalation		Long Term, local effects
			25 mg/kg	Human Dermal		Short Term, systemic effects

		0,05 mg/m ³	Human Inhalation	Short Term, systemic effects
		20 mg/kg	Human Oral	Short Term, systemic effects
		0,05 mg/m ³	Human Inhalation	Short Term, local effects
		0,025 mg/m ³	Human Inhalation	Long Term, systemic effects
		0,025 mg/m ³	Human Inhalation	Long Term, local effects
	28,7 mg/cm ²	17,2 mg/cm ²	Human Dermal	Short Term, local effects
4,4'-Methylenediphenyl diisocyanate, oligomers CAS: 25686-28-6	50 mg/kg	25 mg/kg	Human Dermal	Short Term, systemic effects
	0,1 mg/m ³	0,05 mg/m ³	Human Inhalation	Short Term, systemic effects
	0,1 mg/m ³	0,05 mg/m ³	Human Inhalation	Short Term, local effects
	0,05 mg/m ³	0,025 mg/m ³	Human Inhalation	Long Term, systemic effects
	0,05 mg/m ³		Human Inhalation	Long Term, local effects
	28,7 mg/cm ²	17,2 mg/cm ²	Human Dermal	Short Term, local effects
		20 mg/kg	Human Oral	Short Term, systemic effects

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness $\geq 0,5$ mm; breakthrough time ≥ 480 min.

Nitrile rubber - NBR: thickness $\geq 0,35$ mm; breakthrough time ≥ 480 min.

Butyl rubber - IIR: thickness $\geq 0,5$ mm; breakthrough time ≥ 480 min.

Fluorinated rubber - FKM: thickness $\geq 0,4$ mm; breakthrough time ≥ 480 min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

In case of insufficient ventilation use mask with ABEKP filters (EN 14387).

Use adequate protective respiratory equipment.

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Appearance: liquid

Color: white, light yellow

Odour: solvent like

Melting point / freezing point: Not available
Initial boiling point and boiling range: Not available
Flammability: The product is classified Flam. Liq. 3 H226
Upper/lower flammability or explosive limits: Not available
Flash point: 23 °C (73 °F)
Auto-ignition temperature: Not available
Decomposition temperature: Not available
pH: Not available
Viscosity: 100.00 cPs
Kinematic viscosity: Not available
Solubility in water: partly soluble
Solubility in oil: Not available
Partition coefficient (n-octanol/water): Not available
Vapour pressure: Not available
Relative density: 1.05 g/cm³
Vapour density: Not available

Particle characteristics:

Particle size: Not available

9.2. Other information

Miscibility: Not available
Conductivity: Not available
No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

Avoid contact with combustible materials. The product could catch fire.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the mixture:

a) acute toxicity	The product is classified: Acute Tox. 4(H332) ATEmix - Inhalation (Vapours) : 13.0162 mg/l
b) skin corrosion/irritation	The product is classified: Skin Irrit. 2(H315)
c) serious eye damage/irritation	The product is classified: Eye Irrit. 2(H319)
d) respiratory or skin sensitisation	The product is classified: Resp. Sens. 1(H334), Skin Sens. 1B(H317)
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	The product is classified: Carc. 2(H351)
g) reproductive toxicity	Not classified Based on available data, the classification criteria are not met
h) STOT-single exposure	The product is classified: STOT SE 3(H335)
i) STOT-repeated exposure	The product is classified: STOT RE 2(H373)
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, polymer with 1,1-methylenebis

a) acute toxicity	LC50 Inhalation Mist Rat = 0,49 mg/l 4h
-------------------	---

(isocyanatobenzene)

LD50 Skin Rabbit > 9400 mg/kg

LD50 Oral Rat > 10000 mg/kg

e) germ cell mutagenicity NOAEL Rat = 12 mg/m³

o-xylene

a) acute toxicity

LD50 Oral Rat > 2000 mg/kg

LC50 Inhalation Vapour Rat = 11 mg/l 4h

LD50 Skin Rabbit = 3200 mg/kg

LD50 Skin Rabbit > 4350 mg/kg

LC50 Inhalation Rat = 29,08 mg/l 4h

LD50 Oral Rat = 3500 mg/kg

e) germ cell mutagenicity NOAEL Inhalation Rat > 2000 ppm

f) carcinogenicity NOAEL Oral Rat = 500 mg/kg

NOAEL Oral Rat = 1000 mg/kg

g) reproductive toxicity NOAEL Inhalation Rat = 500 ppm

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate

a) acute toxicity

LD50 Skin Rabbit > 10000 mg/kg

LC50 Inhalation Rat = 490 mg/m³ 4h

LD50 Oral Rat > 10000 mg/kg

diphenylmethane-4,4'-diisocyanate

a) acute toxicity

LD50 Oral Rat > 2000 mg/kg

LD50 Skin Rabbit > 9400 mg/kg

b) skin corrosion/irritation Skin Irritant Skin Rabbit Positive

d) respiratory or skin sensitisation Skin Sensitization Skin Mouse Positive

Respiratory Sensitization Inhalation Positive

f) carcinogenicity Carcinogenicity Inhalation Rat = 6, mg/m³

2 y

g) reproductive toxicity NOAEL Inhalation Rat = 12, mg/m³

20 d

4,4'-Methylenediphenyl diisocyanate, oligomers

a) acute toxicity

LC50 Inhalation Mist Rat 0,368 mg/l 4h

LD50 Skin Rabbit > 9400 mg/kg

LD50 Oral Rat > 5000 mg/kg

LC50 Inhalation Mist Rat > 2,24 mg/l 1h

b) skin corrosion/irritation Skin Irritant Rabbit Positive

e) germ cell mutagenicity NOAEL Inhalation Rat = 12 mg/m³

4-isocyanatesulphonyltoluene; tosyl isocyanate

a) acute toxicity

LC50 Inhalation Rat > 640 ppm 1h

LD50 Oral Rat = 2234 mg/kg

chlorobenzene

a) acute toxicity

LD50 Oral Rat > 2000 mg/kg

LD50 Skin Rabbit > 7940 mg/kg

11.2 Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

List of Eco-Toxicological properties of the product

The product is classified: Aquatic Chronic 3(H412)

List of components with eco-toxicological properties

Component	Ident. Numb.	Ecotox Infos
Poly(oxy(methyl-1,2-ethanediy)), alpha-hydro-omega-hydroxy-, polymer with 1,1- methylenebis(isocyanatobenzene)	CAS: 39420-98-9 - EINECS: 643-036-8	a) Aquatic acute toxicity : EC50 Daphnia > 1000 mg/L 24
		a) Aquatic acute toxicity : LC50 Fish > 1000 mg/L 96
		b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L 21
		c) Bacteria toxicity : EC50 Bacteria > 100 mg/L 3
o-xylene	CAS: 1330-20-7 - EINECS: 215-535-7 - INDEX: 601-022-00-9	a) Aquatic acute toxicity : EC50 Daphnia = 165 mg/L 48
		a) Aquatic acute toxicity : LC50 Fish > 2 mg/L 96
		a) Aquatic acute toxicity : EC50 Algae = 2,2 mg/L 72
		c) Bacteria toxicity : EC50 = 96 mg/L 24
		b) Aquatic chronic toxicity : NOEC Fish > 1,3 mg/L
		b) Aquatic chronic toxicity : NOEC Daphnia = 1,57 mg/L
		a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 13,4 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 2,661 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 13,5 mg/L 96h IUCLID
		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 13,1 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus = 19 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 7,711 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 23,53 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio = 780 mg/L 96h EPA
		a) Aquatic acute toxicity : LC50 Fish Cyprinus carpio > 780 mg/L 96h IUCLID
		a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata 30,26 mg/L 96h EPA
		a) Aquatic acute toxicity : EC50 Daphnia water flea = 3,82 mg/L 48h
		a) Aquatic acute toxicity : LC50 Daphnia Gammarus lacustris = 0,6 mg/L 48h
Reaction mass of 4,4'- methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl diisocyanate	CAS: 26447-40-5 - EINECS: 247-714-0 - INDEX: 615-005-00-9	d) Terrestrial toxicity : LC50 Worm Eisenia foetida > 1000 mg/kg 14d IUCLID
		d) Terrestrial toxicity : NOEC Worm Eisenia foetida >= 1000 mg/kg 14d IUCLID
diphenylmethane-4,4'-diisocyanate	CAS: 101-68-8 - EINECS: 202-966-0 - INDEX: 615-005-00-9	a) Aquatic acute toxicity : LC50 Fish > 1000 mg/L 96
		a) Aquatic acute toxicity : EC50 Daphnia > 1000 mg/L 24
		b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L - 21 d
		a) Aquatic acute toxicity : EC50 Algae > 1640 mg/L 72
		c) Bacteria toxicity : EC50 > 100 mg/L 3

4,4'-Methylenediphenyl diisocyanate, oligomers

CAS: 25686-28-6 - EINECS: 500-040-3

- d) Terrestrial toxicity : NOEC > 1000 mg/kg - 14 d
- e) Plant toxicity : NOEC > 1000 mg/kg - 14 d

- a) Aquatic acute toxicity : EC50 Algae > 1640 mg/L 72
- a) Aquatic acute toxicity : EC50 Daphnia > 1000 mg/L 24
- b) Aquatic chronic toxicity : NOEC Daphnia > 10 mg/L - 21 d
- c) Bacteria toxicity : EC50 Bacteria > 100 mg/L 3
- d) Terrestrial toxicity : NOEC > 1000 mg/kg - 14 d
- e) Plant toxicity : NOEC > 1000 mg/kg - 14 d

chlorobenzene

CAS: 108-90-7 - EINECS: 203-628-5 - INDEX: 602-033-00-1

- a) Aquatic acute toxicity : LC50 Fish Pimephales promelas 7 mg/L 96h EPA

- a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio = 91 mg/L 96h IUCLID
- d) Terrestrial toxicity : LC50 Worm Eisenia foetida = 29 mg/cm² 48h IUCLID

- a) Aquatic acute toxicity : LC50 Fish Pimephales promelas = 4,5 mg/L 96h IUCLID

- a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 6,9 mg/L 96h EPA
- a) Aquatic acute toxicity : LC50 Fish Lepomis macrochirus 4,1 mg/L 96h EPA
- a) Aquatic acute toxicity : LC50 Fish Oncorhynchus mykiss 4,1 mg/L 96h EPA
- a) Aquatic acute toxicity : LC50 Fish Poecilia reticulata 36,35 mg/L 96h EPA
- a) Aquatic acute toxicity : EC50 Daphnia Daphnia magna = 0,59 mg/L 48h IUCLID

- a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata 2,55 mg/L 96h EPA

- a) Aquatic acute toxicity : EC50 Algae Pseudokirchneriella subcapitata = 12,5 mg/L 96h EPA

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$.

12.6 Endocrine disrupting properties

No endocrine disruptor substances present in concentration $\geq 0.1\%$

12.7 Other adverse effects

Not available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

SECTION 14: Transport information

14.1. UN number or ID number

1263

14.2. UN proper shipping name

ADR-Shipping Name: PAINT RELATED MATERIAL

IATA-Technical name: PAINT RELATED MATERIAL

IMDG-Technical name: PAINT RELATED MATERIAL

14.3. Transport hazard class(es)

ADR-Class: 3

IATA-Class: 3

IMDG-Class: 3

14.4. Packing group

ADR-Packing Group: III

IATA-Packing group: III

IMDG-Packing group: III

14.5. Environmental hazards

Marine pollutant: No

Environmental Pollutant: No

IMDG-EMS: F-E, S-E

14.6. Special precautions for user

Road and Rail (ADR-RID) :

ADR-Label: 3

ADR-Hazard identification number: 30

ADR-Special Provisions: 163 367 650

ADR-Transport category (Tunnel restriction code): 3 (D/E)

Air (IATA) :

IATA-Passenger Aircraft: 355

IATA-Cargo Aircraft: 366

IATA-Label: 3

IATA-Subsidiary hazards: -

IATA-Erg: 3L

IATA-Special Provisioning: A3 A72 A192

Sea (IMDG) :

IMDG-Stowage Code: Category A

IMDG-Stowage Note: -

IMDG-Subsidiary hazards: -

IMDG-Special Provisioning: 163 223 367 955

IMDG-EMS: F-E, S-E

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Regulation (EU) n. 2017/776 (ATP 10 CLP)

Regulation (EU) n. 2018/669 (ATP 11 CLP)

Regulation (EU) n. 2019/521 (ATP 12 CLP)

Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Regulation (EU) n. 2020/217 (ATP 14 CLP)

Regulation (EU) n. 2020/1182 (ATP 15 CLP)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1	Lower-tier threshold (tonnes)	Upper-tier threshold (tonnes)
Products belongs to category P5c	5000	50000

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3, 40

Restrictions related to the substances contained: 56, 74, 75

SVHC Substances:

SVHC substances not present in a concentration $\geq 0.1\%$ (w/w)

German Water Hazard Class (WGK)

Class 2: hazardous for water.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description
EUH014	Reacts violently with water.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
2.6/3	Flam. Liq. 3	Flammable liquid, Category 3
3.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4
3.1/4/Inhal	Acute Tox. 4	Acute toxicity (inhalation), Category 4
3.10/1	Asp. Tox. 1	Aspiration hazard, Category 1
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.4.1/1	Resp. Sens. 1	Respiratory Sensitisation, Category 1

3.4.2/1	Skin Sens. 1	Skin Sensitisation, Category 1
3.4.2/1B	Skin Sens. 1B	Skin Sensitisation, Category 1B
3.6/2	Carc. 2	Carcinogenicity, Category 2
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3
3.9/2	STOT RE 2	Specific target organ toxicity — repeated exposure, Category 2
4.1/C2	Aquatic Chronic 2	Chronic (long term) aquatic hazard, category 2
4.1/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
2.6/3	On basis of test data
3.1/4/Inhal	Calculation method
3.2/2	Calculation method
3.3/2	Calculation method
3.4.1/1	Calculation method
3.4.2/1B	Calculation method
3.6/2	Calculation method
3.8/3	Calculation method
3.9/2	Calculation method
4.1/C3	Calculation method

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association.
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
IC50: half maximal inhibitory concentration
ICAO: International Civil Aviation Organization.
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG: International Maritime Code for Dangerous Goods.
INCI: International Nomenclature of Cosmetic Ingredients.
IRCCS: Scientific Institute for Research, Hospitalization and Health Care
KAFH: KAFH
KSt: Explosion coefficient.
LC50: Lethal concentration, for 50 percent of test population.
LD50: Lethal dose, for 50 percent of test population.
LDLo: Leathal Dose Low
N.A.: Not Applicable
N/A: Not Applicable
N/D: Not defined/ Not available
NA: Not available
NIOSH: National Institute for Occupational Safety and Health
NOAEL: No Observed Adverse Effect Level
OSHA: Occupational Safety and Health Administration.
PBT: Persistent, Bioaccumulative and Toxic
PGK: Packaging Instruction
PNEC: Predicted No Effect Concentration.
PSG: Passengers
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
TLV: Threshold Limiting Value.
TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
vPvB: Very Persistent, Very Bioaccumulative.
WGK: German Water Hazard Class.

*** Sheet model entirely changed in compliance to regulatory update.**