

**DECLARATION OF PERFORMANCE N. CPR-GB1/0068**

- 1) Unique identification code of the product-type: **LATEXPLAN TRADE FAST**
- 2) Intended uses: **Cementitious screed material for internal use in floor construction**
- 3) Manufacturer: **MAPEI U.K. Ltd – Mapei House – Steel Park Road, Halesowen, West Midlands B62 8HD- www.mapei.co.uk**
- 4) Systems of AVCP: **System 4**
- 5) Harmonized standards: **EN 13813 :2002**  
Notified bodies: **Not applicable**

- 6) Performances declared:

<b>Essential characteristics</b>	<b>Performances</b>
<b>Reaction to fire:</b>	<b>Class E</b>
<b>Release of corrosive substances:</b>	<b>CT</b>
<b>Water permeability:</b>	<b>NPD</b>
<b>Water vapour permeability:</b>	<b>NPD</b>
<b>Compressive strength:</b>	<b>C30</b>
<b>Flexural strength:</b>	<b>F7</b>
<b>Wear resistance:</b>	<b>NPD</b>
<b>Sound insulation:</b>	<b>NPD</b>
<b>Sound absorption:</b>	<b>NPD</b>
<b>Thermal resistance:</b>	<b>NPD</b>
<b>Chemical resistance:</b>	<b>NPD</b>

The performance of the product identified above is in conformity with the set of declared performances.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: **Peter Dube – Quality Manager**



**Halesowen, 14/07/2021**


REACH information: the information referred to Article 31 or, as appropriate, to Article 33 of the REACH Regulation (EC) no. 1907/2006 and following amendments are indicated in the safety data sheet that MAPEI makes available on the website along with this current Declaration of Performance.

*DoP in Pdf format are available in the Mapei website.*

<i>Revision 1 notes:</i>	<i>Product unchanged, the new DoP layout has been adopted</i>
--------------------------	---

**LATEXPLAN TRADE FAST**  
**LATEXPLAN TRADE FAST CE**  
**MARKING**  
*Annex to DoP N. CPR-GB1/0068*



<b>CE</b>	 <b>MAPEI U.K. Ltd – Mapei House – Steel Park Road, Halesowen,          West Midlands B62 8HD</b> <a href="http://www.mapei.co.uk">www.mapei.co.uk</a>
<b>18</b> <b>CPR-GB1/0068</b> EN 13813 <b>EN 13813</b> <b>LATEXPLAN TRADE FAST</b> <b>LATEXPLAN TRADE FAST</b> <i>Cementitious screed material for internal use in floor construction</i> <b>Cementitious screed material for internal use in floor construction</b>	
Reaction to fire: Release of corrosive substances: Water permeability: Water vapour permeability: Compressive strength: Flexural strength: Wear resistance: Sound insulation: Sound absorption: Thermal resistance: Chemical resistance:	Class E CT NPD NPD C30 F7 NPD NPD NPD NPD NPD

**Note:**

*MAPEI supplies the current annex along with the DoP to make the consultancy of the CE marking easier for the international clients. The enclosed CE marking can be slightly different compared to the one printed on the relevant packaging or documentation because of:*

- *NPD (No Performance Determined) values can be omitted by the CE marking*
- *graphic adaptations due to lack of space on the packaging or printing methods used,*
- *different language (the same packaging can be shared by several countries),*
- *the product is already in stock when the updating of the CE marking is implemented,*
- *printing mistakes.*

**LATEXPLAN TRADE FAST**  
**LATEXPLAN TRADE FAST CE**  
**MARKING**  
*Annex to DoP N. CPR-GB1/0068*

