



## Safety Data Sheet

Copyright, 2012, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	28-1482-0	<b>Version number:</b>	2.04
<b>Revision date:</b>	20/01/2012	<b>Supersedes date:</b>	21/12/2011
<b>Transportation version number:</b>	1.00 (04/10/2010)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M Scotchkote Epoxy Floor Coating HB 850 (Part B)

#### Product identification numbers

GR-2001-1043-9      GR-2001-1063-7      GR-2001-3919-8

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Coating.

#### 1.3. Details of the supplier of the substance or mixture

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**E Mail:** tox.uk@mmm.com

**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

**Indication of danger**

Harmful.

#### 2.2. Label elements

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

**Symbols**

Xn                      Harmful.

## 3M Scotchkote Epoxy Floor Coating HB 850 (Part B)

### Contains:

Benzyl Alcohol; Formaldehyde, polymer with benzenamine, hydrogenated; 4,4'-Methylenebis(cyclohexylamine)

### Risk phrases

R20/22 Harmful by inhalation and if swallowed.  
R41 Risk of serious damage to eyes.  
R52/53 Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

### Safety phrases

S23A Do not breathe vapour.  
S39A Wear eye protection.  
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

### Notes on labelling

Test data from the vendor of a raw material containing CAS 135108-88-2 and 1761-71-3 indicated that the mixture was a severe eye irritant and mild skin irritant. Therefore, the corrosive classification is not applicable to this material.

### 2.3. Other hazards

None known.

## SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Formaldehyde, polymer with benzenamine, hydrogenated	135108-88-2		40 - 50	C:R34; Xn:R22 (Vendor)  Acute Tox. 4, H302; Skin Corr. 1B, H314 (Vendor)
Benzyl Alcohol	100-51-6	EINECS 202-859-9	40 - 50	Xn:R20-22 (EU)  Acute Tox. 4, H332; Acute Tox. 4, H302 (CLP)
4,4'-Methylenebis(cyclohexylamine)	1761-71-3	EINECS 217-168-8	1 - 10	C:R35 (Vendor) Xn:R22; N:R51/53 (Self Classified)  Skin Corr. 1A, H314 (Vendor) Acute Tox. 4, H302; Aquatic Chronic 2, H411 (Self Classified)
Salicylic acid	69-72-7	EINECS 200-712-3	1 - 5	Repr.Cat.3:R63; Xn:R22; Xi:R36; R52 (Self Classified)  Acute Tox. 4, H302; Eye Irrit. 2, H319; Repr. 2, H361d (Self Classified)

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## SECTION 4: First aid measures

## 3M Scotchkote Epoxy Floor Coating HB 850 (Part B)

### 4.1. Description of first aid measures

#### Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids or gases such as dry chemical or carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Oxides of nitrogen.	During combustion.

### 5.3. Advice for fire-fighters

No unusual fire or explosion hazards are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Collect as much of the spilled material as possible.

## **3M Scotchkote Epoxy Floor Coating HB 850 (Part B)**

Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

### **6.4. Reference to other sections**

Refer to Section 8 and Section 13 for more information

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

For industrial or professional use only. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

### **7.2. Conditions for safe storage including any incompatibilities**

Store in a well-ventilated place. Keep container tightly closed. Store away from heat. Keep from freezing. Store away from areas where product may come into contact with food or pharmaceuticals. Store away from acids. Store away from strong bases. Store away from oxidising agents.

### **7.3. Specific end use(s)**

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

### **8.2. Exposure controls**

#### **8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### **8.2.2. Personal protective equipment (PPE)**

##### **Eye/face protection**

Wear eye/face protection.

The following eye protection(s) are recommended: Indirect vented goggles.

##### **Skin/hand protection**

Wear protective gloves and protective clothing.

Gloves made from the following material(s) are recommended: Butyl rubber.

Fluoroelastomer

Polymer laminate

The following protective clothing material(s) are recommended: Rubber boots.

##### **Respiratory protection**

## 3M Scotchkote Epoxy Floor Coating HB 850 (Part B)

In case of inadequate ventilation wear respiratory protection.

Select one of the following approved respirators based on airborne concentration of contaminants and in accordance with regulations:

Fullface air-purifying respirator with organic vapour cartridges.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Ammoniacal odour; Pale amber colour
pH	$\geq 8$ [Details:Alkaline]
Boiling point/boiling range	222 °C
Melting point	<i>Not applicable.</i>
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	103.9 °C [Test Method:Closed Cup]
Autoignition temperature	350 °C
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Vapour pressure	93.3 Pa [@ 21 °C ]
Relative density	1.060 [Ref Std:WATER=1]
Water solubility	Negligible
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Vapour density	<i>No data available.</i>
Viscosity	<i>No data available.</i>
Density	1.06 g/ml
<b>9.2. Other information</b>	
Volatile organic compounds (VOC)	1.5 g/l [Details:EU Definition (Part A and B mix)]
Percent volatile	0 %

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Avoid curing large quantities of material to prevent a premature reaction (exotherm) with production of intense heat and smoke.

Heat is generated during cure. Do not cure a mass larger than 50 grams in a confined space to prevent a premature reaction (exotherm) with production of intense heat and smoke.

### 10.5 Incompatible materials

Amines.

Strong acids.

Strong bases.

Strong oxidising agents.

Reaction with water, alcohols, and amines is not hazardous if container can vent to the atmosphere to prevent pressure buildup.

### 10.6 Hazardous decomposition products

Substance

Condition

None known.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### Skin contact

May be harmful in contact with skin.

#### Inhalation

May be harmful if inhaled. Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause target organ effects after inhalation.

#### Ingestion

Harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause target organ effects after ingestion.

#### Target Organ Effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

#### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### Toxicological Data

##### Acute Toxicity

Name	Route	Species	Value	UN GHS Classification
------	-------	---------	-------	-----------------------

**3M Scotchkote Epoxy Floor Coating HB 850 (Part B)**

Overall product	Dermal		No test data available; calculated ATE2,000 - 5,000 mg/kg	Category5 (45% unknown)
Overall product	Inhalation-Dust/Mist(4 hr)		No test data available; calculated ATE5 - 13 mg/l	Category5 (52.5% unknown)
Overall product	Ingestion		No test data available; calculated ATE300 - 2,000 mg/kg	Category4 (0% unknown)
Benzyl Alcohol	Dermal	Rabbit	LD50 2,000 mg/kg	Category4
Benzyl Alcohol	Inhalation-Dust/Mist (4 hours)	Rat	LC50 9 mg/l	Category5
Benzyl Alcohol	Ingestion	Rat	LD50 1,230 mg/kg	Category4
Formaldehyde, polymer with benzenamine, hydrogenated			No data available	
4,4'-Methylenebis(cyclohexylamine)	Dermal	Rabbit	LD50 2,110 mg/kg	Category5
4,4'-Methylenebis(cyclohexylamine)	Ingestion	Rat	LD50 625 mg/kg	Category4
Salicylic acid	Dermal	Rat	LD50 > 2,000 mg/kg	Not classified
Salicylic acid	Ingestion	Rat	LD50 891 mg/kg	Category4

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value	UN GHS Classification
Overall product		No test data available; calculated to cause no significant irritation	Not classified
Benzyl Alcohol		Mild irritant	Category 3
Formaldehyde, polymer with benzenamine, hydrogenated		No data available	
4,4'-Methylenebis(cyclohexylamine)		No data available	
Salicylic acid		Minimal irritation	Not classified

**Serious Eye Damage/Irritation**

Name	Species	Value	UN GHS Classification
Overall product		Severe irritant	Category 2A
Benzyl Alcohol		Moderate irritant	Category 2B
Formaldehyde, polymer with benzenamine, hydrogenated		No data available	
4,4'-Methylenebis(cyclohexylamine)		No data available	
Salicylic acid		Severe irritant	Category 2A

**Skin Sensitisation**

Name	Species	Value	UN GHS Classification
Overall product		No test data available.	Not classified based on component data
Benzyl Alcohol		Some positive data exist, but the data are not sufficient for classification	Not classified
Formaldehyde, polymer with benzenamine, hydrogenated		No data available	
4,4'-Methylenebis(cyclohexylamine)		No data available	
Salicylic acid		Not sensitizing	Not classified

**Photosensitisation**

Name	Species	Value	UN GHS Classification
Overall product		No test data available.	Not classified based on component data

**3M Scotchkote Epoxy Floor Coating HB 850 (Part B)**

Salicylic acid		Not sensitizing	Not classified
----------------	--	-----------------	----------------

**Respiratory Sensitisation**

Name	Species	Value	UN GHS Classification
Overall product		No test data available.	Not classified based on component data
Benzyl Alcohol		No data available	
Formaldehyde, polymer with benzenamine, hydrogenated		No data available	
4,4'-Methylenebis(cyclohexylamine)		No data available	
Salicylic acid		No data available	

**Germ Cell Mutagenicity**

Name	Route	Value	UN GHS Classification
Overall product		No data available	Overall Germ Cell Mutagenicity classification Not classified
Overall product		No test data available.	
Benzyl Alcohol	In vivo	Not mutagenic	Not classified
Benzyl Alcohol	In Vitro	Some positive data exist, but the data are not sufficient for classification	Not classified
Formaldehyde, polymer with benzenamine, hydrogenated		No data available	
4,4'-Methylenebis(cyclohexylamine)		No data available	
Salicylic acid	In vivo	Not mutagenic	Not classified

**Carcinogenicity**

Name	Route	Species	Value	UN GHS Classification
Overall product			No test data available.	Not classified based on component data
Benzyl Alcohol	Ingestion		Not carcinogenic	Not classified
Formaldehyde, polymer with benzenamine, hydrogenated			No data available	
4,4'-Methylenebis(cyclohexylamine)			No data available	
Salicylic acid			No data available	

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration	UN GHS Classification
Overall product		Toxic to reproduction and/or development				Overall Reproductive Toxicity classification Category 2 based on component data
Benzyl Alcohol	Ingestion	Not toxic to reproduction and/or development		NOAEL 550 mg/kg/day		
Formaldehyde, polymer with benzenamine, hydrogenated		No data available				
4,4'-Methylenebis(cyclohexylamine)		No data available				
Salicylic acid	Ingestion	Toxic to reproduction and/or		LOEL 75 mg/kg/day		



**3M Scotchkote Epoxy Floor Coating HB 850 (Part B)**

		development				
--	--	-------------	--	--	--	--

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration	UN GHS Classification
Benzyl Alcohol	Inhalation	central nervous system depression	May cause drowsiness or dizziness				Category 3
Benzyl Alcohol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive		Not classified
Benzyl Alcohol	Ingestion	central nervous system depression	May cause drowsiness or dizziness				Category 3
Formaldehyde , polymer with benzenamine, hydrogenated			No data available				
4,4'-Methylenebis(cyclohexylamine)			No data available				
Salicylic acid			No data available				

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration	UN GHS Classification
Overall product			No test data available.				Not classified based on component data
Benzyl Alcohol	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 645 mg/kg/day		Not classified
Benzyl Alcohol	Ingestion	endocrine system   muscles	Some positive data exist, but the data are not sufficient for classification		NOEL 400 mg/kg/day		Not classified
Benzyl Alcohol	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for classification		NOEL 645 mg/kg/day		Not classified
Benzyl Alcohol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		NOEL 400 mg/kg/day		Not classified
Formaldehyde , polymer with benzenamine, hydrogenated			No data available				
4,4'-			No data available				

**3M Scotchkote Epoxy Floor Coating HB 850 (Part B)**

Methylenebis(cyclohexylamine)							
Salicylic acid	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification		LOEL 500 mg/kg/day		Not classified

**Aspiration Hazard**

Name	Value	UN GHS Classification
Overall product	No test data available.	Not classified based on component and/or viscosity data
Benzyl Alcohol	Not an aspiration hazard	Not classified
Formaldehyde, polymer with benzenamine, hydrogenated	Not an aspiration hazard	Not classified
4,4'-Methylenebis(cyclohexylamine)	Not an aspiration hazard	Not classified
Salicylic acid	Not an aspiration hazard	Not classified

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity****Acute aquatic hazard:**

Not acutely toxic to aquatic life by GHS criteria.

**Chronic aquatic hazard:**

GHS Chronic 3: Harmful to aquatic life with long lasting effects.

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
4,4'-Methylenebis(cyclohexylamine)	1761-71-3		Laboratory	48 hours	LC50	38 mg/l
4,4'-Methylenebis(cyclohexylamine)	1761-71-3	Water flea	Laboratory	48 hours	EC50	9.24 mg/l

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
4,4'-Methylenebis(cyclohexylamine)	1761-71-3	Biodegradation	28 days	BOD	0 % weight	OECD 301C - MITI test (I)

## 3M Scotchkote Epoxy Floor Coating HB 850 (Part B)

### 12.3 : Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
4,4'-Methylenebis(cyclohexylamine)	1761-71-3	Bioaccumulation		Log Kow	2.03	Other methods

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities. Incinerate uncured product in a permitted waste incineration facility. Dispose of completely cured (or polymerised) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerised may be placed in a landfill properly designed for industrial waste. Proper destruction may require the use of additional fuel during incineration processes.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

### EU waste code (product as sold)

08 01 11\* Waste paint and varnish containing organic solvents or other dangerous substances

## SECTION 14: Transportation information

GR-2001-1043-9, GR-2001-1063-7, GR-2001-3919-8

Not hazardous for transportation

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information. The components of this product are in compliance with the chemical notification

requirements of TSCA.

**15.2. Chemical Safety Assessment**

Not applicable

**SECTION 16: Other information**

**List of relevant H statements**

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H361d	Suspected of damaging the unborn child.
H411	Toxic to aquatic life with long lasting effects.

**List of relevant R-phrases**

R20	Harmful by inhalation.
R22	Harmful if swallowed.
R34	Causes burns.
R35	Causes severe burns.
R36	Irritating to eyes.
R51/53	Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
R52	Harmful to aquatic organisms.
R63	Possible risk of harm to the unborn child.

**Revision information:**

Revision Changes:

Copyright was modified.

Section 12: Component ecotoxicity information was added.

Section 12: Persistence and Degradability information was added.

Section 12:Biocumulative potential information was added.

Section 12: Component Ecotoxicity table Material column header was added.

Section 12: Component Ecotoxicity table CAS No column header was added.

Section 12: Component Ecotoxicity table Organism column header was added.

Section 12: Component Ecotoxicity table Type column header was added.

Section 12: Component Ecotoxicity table Exposure column header was added.

Section 12: Component Ecotoxicity table End point column header was added.

Section 12: Component Ecotoxicity table Result column header was added.

Section 12: Persistence and degradability table Material column header was added.

Section 12: Persistence and degradability table CAS No column header was added.

Section 12: Persistence and degradability table Test Type column header was added.

Section 12: Persistence and degradability table Duration column header was added.

Section 12: Persistence and degradability table Test Result column header was added.

Section 12: Persistence and degradability table Protocol column header was added.

Section 12:Biocumulative potential table Material column header was added.

Section 12:Biocumulative potential table CAS No column header was added.

Section 12:Biocumulative potential table CAS No column header was added.

Section 12:Biocumulative potential table Test Result column header was added.

Section 12:Biocumulative potential table Protocol column header was added.

Section 12:Biocumulative potential table Test Type column header was added.

Section 12: Persistence and degradability table Study Type column header was added.

Section 12:Biocumulative potential table Test Type column header was added.

Prints No Data if Component ecotoxicity information is not present was deleted.

Prints No Data if Persistence and Degradability information is not present was deleted.

**3M Scotchkote Epoxy Floor Coating HB 850 (Part B)**

Prints No Data if Biocumulative potential information is not present was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**3M United Kingdom MSDSs are available at [www.3M.com/uk](http://www.3M.com/uk)**