



## Safety Data Sheet

Copyright, 2014, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	28-1215-4	<b>Version number:</b>	3.00
<b>Revision date:</b>	14/01/2014	<b>Supersedes date:</b>	04/07/2013
<b>Transportation version number:</b>	3.00 (06/03/2012)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M Scotchkote Geopox GX014 Resin (Base)

#### Product identification numbers

GR-2000-9988-9 GR-2001-0469-7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Coating.

#### 1.3. Details of the supplier of the substance or mixture

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**E Mail:** tox.uk@mmm.com

**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

##### Indication of danger

Irritant; Xi; R36/38

Sensitizing; R43

Dangerous for the environment; N; R51/53

For full text of R phrases, see Section 16.

#### 2.2. Label elements

**Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive**

## 3M Scotchkote Geopox GX014 Resin (Base)

### Symbol(s)



Irritant



Dangerous  
for the  
environment

### Contains:

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane; Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives; Phenol-formaldehyde polymer, glycidyl ether

### Risk phrases

R36/38 Irritating to eyes and skin.  
R43 May cause sensitisation by skin contact.  
R51/53 Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

### Safety phrases

S23C Do not breathe vapour or spray.  
S51 Use only in well ventilated areas.  
S24 Avoid contact with skin.  
S37 Wear suitable gloves.  
S61 Avoid release to the environment. Refer to special instructions/safety data sheets.

### Notes on labelling

Nota N applied to CAS 8009-03-8

### 2.3. Other hazards

None known.

## SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4		20 - 30	N:R51/53 (Vendor) R43 (Self Classified)  Aquatic Chronic 2, H411 (Vendor) Skin Sens. 1, H317 (Self Classified)
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	NLP 500-033-5	20 - 30	Xi:R36-38; N:R51/53; R43 (EU)  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 2, H411 (CLP)
Kaolin	1332-58-7	EINECS 310-194-1	20 - 30	
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	68609-97-2	EINECS 271-846-8	10 - 20	Xi:R38; R43 (EU)  Skin Irrit. 2, H315; Skin Sens. 1A, H317 (CLP)
Dimethyl siloxane, reaction product with	67762-90-7		1 - 5	

### 3M Scotchkote Geopox GX014 Resin (Base)

silica				
diiiron trioxide	1309-37-1	EINECS 215-168-2	1 - 5	
Quartz	14808-60-7	EINECS 238-878-4	< 1	Xn:R48/20 (Vendor) STOT RE 1, H372 (Self Classified)
Petrolatum	8009-03-8	EINECS 232-373-2	< 1	Nota N (EU) Nota N (CLP)

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Aldehydes.  
Carbon monoxide.  
Carbon dioxide.

#### Condition

During combustion.  
During combustion.  
During combustion.

### 5.3. Advice for fire-fighters

### 3M Scotchkote Geopox GX014 Resin (Base)

No unusual fire or explosion hazards are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial or professional use only. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Keep container tightly closed to prevent contamination with water or air. If contamination is suspected, do not reseal container. Store away from acids. Store away from strong bases. Store away from oxidising agents.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
diiron trioxide	1309-37-1	Health and Safety Comm. (UK)	TWA(as Fe, fume):5 mg/m <sup>3</sup> ;TWA(Inhalable):10 mg/m <sup>3</sup> ;TWA(respirable):4 mg/m <sup>3</sup> ;STEL(as Fe, fume):10 mg/m <sup>3</sup>	

### 3M Scotchkote Geopox GX014 Resin (Base)

Kaolin	1332-58-7	Health and Safety Comm. (UK)	TWA (as respirable dust): 2 mg/m <sup>3</sup>	
Quartz	14808-60-7	Health and Safety Comm. (UK)	TWA(respirable):0.1 mg/m <sup>3</sup>	

Health and Safety Comm. (UK) : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CELL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended: Neoprene.

Nitrile rubber.

Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Neoprene apron.

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Thixotropic liquid.
Appearance/Odour	Faint epoxy odour; Red colour
Odour threshold	<i>No data available.</i>
pH	<i>No data available.</i>
Boiling point/boiling range	>=200 °C
Melting point	<i>Not applicable.</i>

### 3M Scotchkote Geopox GX014 Resin (Base)

<b>Flammability (solid, gas)</b>	Not applicable.
<b>Explosive properties</b>	Not classified
<b>Oxidising properties</b>	Not classified
<b>Flash point</b>	154 °C [ <i>Test Method</i> :Closed Cup]
<b>Autoignition temperature</b>	>=400 °C
<b>Flammable Limits(LEL)</b>	<i>No data available.</i>
<b>Flammable Limits(UEL)</b>	<i>No data available.</i>
<b>Vapour pressure</b>	<=13.3 Pa [ <i>@</i> 20 °C ]
<b>Relative density</b>	1.3 [ <i>Ref Std</i> :WATER=1]
<b>Water solubility</b>	Negligible
<b>Solubility- non-water</b>	<i>No data available.</i>
<b>Partition coefficient: n-octanol/water</b>	<i>No data available.</i>
<b>Evaporation rate</b>	<i>No data available.</i>
<b>Vapour density</b>	<i>No data available.</i>
<b>Decomposition temperature</b>	<i>No data available.</i>
<b>Viscosity</b>	<i>No data available.</i>
<b>Density</b>	1.3 g/ml

#### 9.2. Other information

<b>Volatile organic compounds (VOC)</b>	0 g/l [ <i>Test Method</i> :Estimated] [ <i>Details</i> :Part A and B mix (EU Definition)]
<b>Percent volatile</b>	0 % weight

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat is generated during cure. Do not cure a mass larger than 50 grams in a confined space to prevent a premature reaction (exotherm) with production of intense heat and smoke.

### 10.5 Incompatible materials

Accelerators

Amines.

Reaction with water, alcohols, and amines is not hazardous if container can vent to the atmosphere to prevent pressure buildup.

Strong acids.

Strong bases.

Strong oxidising agents.

### 10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
------------------	------------------

None known.	
-------------	--

### 3M Scotchkote Geopox GX014 Resin (Base)

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Kaolin	Dermal		LD50 estimated to be > 5,000 mg/kg
Kaolin	Ingestion	Human	LD50 > 15,000 mg/kg
Phenol-formaldehyde polymer, glycidyl ether	Dermal	Rabbit	LD50 > 6,000 mg/kg
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	Rat	LD50 > 1,600 mg/kg
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Rat	LD50 > 1,000 mg/kg
Phenol-formaldehyde polymer, glycidyl ether	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 1.7 mg/l
Phenol-formaldehyde polymer, glycidyl ether	Ingestion	Rat	LD50 > 4,000 mg/kg
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Dermal	Rabbit	LD50 > 4,000 mg/kg
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Ingestion	Rat	LD50 17,100 mg/kg
Dimethyl siloxane, reaction product with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Dimethyl siloxane, reaction product with silica	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l

**3M Scotchkote Geopox GX014 Resin (Base)**

Dimethyl siloxane, reaction product with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
diiron trioxide	Dermal	Not available	LD50 3,100 mg/kg
diiron trioxide	Ingestion	Not available	LD50 3,700 mg/kg
Petrolatum	Dermal		LD50 estimated to be > 5,000 mg/kg
Petrolatum	Ingestion	Rat	LD50 > 5,000 mg/kg
Quartz	Dermal		LD50 estimated to be > 5,000 mg/kg
Quartz	Ingestion		LD50 estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
Kaolin		No significant irritation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Rabbit	Mild irritant
Phenol-formaldehyde polymer, glycidyl ether	Rabbit	Minimal irritation
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Rabbit	Mild irritant
Dimethyl siloxane, reaction product with silica	Rabbit	No significant irritation
diiron trioxide	Rabbit	No significant irritation
Petrolatum		Data not available or insufficient for classification
Quartz		No significant irritation

**Serious Eye Damage/Irritation**

Name	Species	Value
Kaolin		No significant irritation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Rabbit	Moderate irritant
Phenol-formaldehyde polymer, glycidyl ether	Rabbit	Mild irritant
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Rabbit	Mild irritant
Dimethyl siloxane, reaction product with silica	Rabbit	No significant irritation
diiron trioxide	Rabbit	No significant irritation
Petrolatum		Data not available or insufficient for classification
Quartz		Data not available or insufficient for classification

**Skin Sensitisation**

Name	Species	Value
Kaolin		Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Human and animal	Sensitising
Phenol-formaldehyde polymer, glycidyl ether	Human and animal	Sensitising
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Guinea pig	Sensitising
Dimethyl siloxane, reaction product with silica	Human and animal	Not sensitizing
diiron trioxide	Human	Some positive data exist, but the data are not sufficient for classification
Petrolatum		Data not available or insufficient for classification
Quartz		Data not available or insufficient for classification

**Respiratory Sensitisation**

Name	Species	Value
Kaolin		Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Human	Some positive data exist, but the data are not sufficient for classification
Phenol-formaldehyde polymer, glycidyl ether		Data not available or insufficient for classification
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives		Data not available or insufficient for classification
Dimethyl siloxane, reaction product with silica		Data not available or insufficient for classification
diiron trioxide		Data not available or insufficient for classification
Petrolatum		Data not available or insufficient for classification
Quartz		Data not available or insufficient for classification



### 3M Scotchkote Geopox GX014 Resin (Base)

#### Germ Cell Mutagenicity

Name	Route	Value
Kaolin		Data not available or insufficient for classification
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	In vivo	Not mutagenic
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	In Vitro	Some positive data exist, but the data are not sufficient for classification
Phenol-formaldehyde polymer, glycidyl ether	In Vitro	Some positive data exist, but the data are not sufficient for classification
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	In vivo	Not mutagenic
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	In Vitro	Some positive data exist, but the data are not sufficient for classification
Dimethyl siloxane, reaction product with silica	In Vitro	Not mutagenic
diiron trioxide	In Vitro	Not mutagenic
Petrolatum		Data not available or insufficient for classification
Quartz	In Vitro	Some positive data exist, but the data are not sufficient for classification
Quartz	In vivo	Some positive data exist, but the data are not sufficient for classification

#### Carcinogenicity

Name	Route	Species	Value
Kaolin	Inhalation	Multiple animal species	Not carcinogenic
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Phenol-formaldehyde polymer, glycidyl ether			Data not available or insufficient for classification
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives			Data not available or insufficient for classification
Dimethyl siloxane, reaction product with silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
diiron trioxide	Inhalation	Human	Some positive data exist, but the data are not sufficient for classification
Petrolatum			Data not available or insufficient for classification
Quartz	Inhalation	Human and animal	Carcinogenic.

#### Reproductive Toxicity

##### Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Kaolin		Data not available or insufficient for classification			
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Not toxic to female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Not toxic to male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	Not toxic to development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	Not toxic to development	Rat	NOAEL 750 mg/kg/day	2 generation
Phenol-formaldehyde polymer, glycidyl ether		Data not available or insufficient for classification			
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Dermal	Not toxic to male reproduction	Rabbit	NOAEL 4,000 mg/kg	24 hours
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Dermal	Not toxic to development	Rat	NOAEL 200 mg/kg/day	during organogenesis
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation

**3M Scotchkote Geopox GX014 Resin (Base)**

Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Dimethyl siloxane, reaction product with silica	Ingestion	Not toxic to development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
diiron trioxide		Data not available or insufficient for classification			
Petrolatum		Data not available or insufficient for classification			
Quartz		Data not available or insufficient for classification			

**Target Organ(s)**

**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Dermal	heart   blood   liver   nervous system   kidney and/or bladder	All data are negative	Rabbit	NOAEL 4,000 mg/kg	24 hours
Dimethyl siloxane, reaction product with silica			Data not available or insufficient for classification			
diiron trioxide			Data not available or insufficient for classification			
Petrolatum			Data not available or insufficient for classification			
Quartz			Data not available or insufficient for classification			

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Kaolin	Inhalation	pneumoconiosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL NA	occupational exposure
Kaolin	Inhalation	pulmonary fibrosis	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL Not available	
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 1,000 mg/kg/day	2 years
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Dermal	nervous system	All data are negative	Rat	NOAEL 1,000 mg/kg/day	13 weeks
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Ingestion	auditory system   heart   endocrine system   hematopoietic system   liver   eyes   kidney and/or bladder	All data are negative	Rat	NOAEL 1,000 mg/kg/day	28 days
Phenol-formaldehyde polymer, glycidyl ether			Data not available or insufficient for classification			
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Dermal	nervous system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 100 mg/kg/day	14 weeks
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Dermal	respiratory system	All data are negative	Rat	NOAEL 100 mg/kg/day	14 weeks
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	Dermal	blood   liver   eyes   kidney and/or bladder	All data are negative	Rat	NOAEL 100 mg/kg/day	13 weeks
Dimethyl siloxane,	Inhalation	respiratory system	All data are negative	Human	NOAEL Not	occupational

**3M Scotchkote Geopox GX014 Resin (Base)**

reaction product with silica		silicosis			available	exposure
diiron trioxide	Inhalation	pulmonary fibrosis   pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Petrolatum			Data not available or insufficient for classification			
Quartz	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure

**Aspiration Hazard**

Name	Value
Kaolin	Not an aspiration hazard
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	Not an aspiration hazard
Phenol-formaldehyde polymer, glycidyl ether	Not an aspiration hazard
Oxirane, mono(C12-14-alkyloxy)methyl derivatives	Not an aspiration hazard
Dimethyl siloxane, reaction product with silica	Not an aspiration hazard
diiron trioxide	Not an aspiration hazard
Petrolatum	Not an aspiration hazard
Quartz	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity**

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
4,4'-Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	Ricefish	Experimental	96 hours	LC50	1.41 mg/l
4,4'-Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	Water flea	Experimental	21 days	NOEC	0.3 mg/l
Dimethyl siloxane, reaction product with silica	67762-90-7		Data not available or insufficient for classification			

**3M Scotchkote Geopox GX014 Resin (Base)**

diiron trioxide	1309-37-1	Fish other	Laboratory	48 hours	LC50	>1,000 mg/l
Kaolin	1332-58-7		Data not available or insufficient for classification			
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	68609-97-2		Data not available or insufficient for classification			
Petrolatum	8009-03-8	Rainbow trout	Estimated	96 hours	LC50	>1,000 mg/l
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Water flea	Laboratory	48 hours	EC50	3.5 mg/l
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Golden Orfe	Laboratory	96 hours	LC50	5.7 mg/l
Quartz	14808-60-7		Data not available or insufficient for classification			

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Dimethyl siloxane, reaction product with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
4,4'-Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	Laboratory Hydrolysis		Hydrolytic half-life	<2 days (t 1/2)	Other methods
diiron trioxide	1309-37-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Kaolin	1332-58-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Quartz	14808-60-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Petrolatum	8009-03-8	Data not available or insufficient for	N/A	N/A	N/A	N/A

**3M Scotchkote Geopox GX014 Resin (Base)**

		classification				
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Laboratory Biodegradation	28 days	CO2 evolution	10 % weight	OECD 301B - Modified sturm or CO2
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	68609-97-2	Experimental Biodegradation	28 days	BOD	34.7 % weight	OECD 301D - Closed bottle test
4,4'-Isopropylidene diphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	25068-38-6	Laboratory Biodegradation	28 days	BOD	0 % weight	OECD 301C - MITI test (I)

**12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Petrolatum	8009-03-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Quartz	14808-60-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl siloxane, reaction product with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
diiron trioxide	1309-37-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Kaolin	1332-58-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Oxirane, mono[(C12-14-alkyloxy)methyl] derivatives	68609-97-2	Experimental Bioconcentration		Log Kow	3.77	Other methods
4,4'-Isopropylidene diphenol,	25068-38-6	Laboratory BCF - Other	28 days	Bioaccumulation factor	<42	Other methods

### 3M Scotchkote Geopox GX014 Resin (Base)

oligomeric reaction products with 1-chloro-2,3- epoxypropane						
--	--	--	--	--	--	--

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

#### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

#### EU waste code (product as sold)

08 01 11\* Waste paint and varnish containing organic solvents or other dangerous substances

## SECTION 14: Transportation information

GR-2000-9988-9

**ADR/RID:** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER), (4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLOROXYDRIN POLYMER), 9, III, (E), ENVIRONMENTALLY HAZARDOUS, ADR Classification Code: M6.

**IMDG-CODE:** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER), (4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLOROXYDRIN POLYMER), 9., III, Marine Pollutant, (PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER), EMS: FA,SF.

**ICAO/IATA:** FORBIDDEN: PACKAGE SIZE EXCEEDS IATA QUANTITY LIMITATIONS

GR-2001-0469-7

**ADR/RID:** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER), (4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLOROXYDRIN POLYMER), 9, III, (E), ENVIRONMENTALLY HAZARDOUS, ADR Classification Code: M6.

**IMDG-CODE:** UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (PHENOL-

### 3M Scotchkote Geopox GX014 Resin (Base)

FORMALDEHYDE POLYMER GLYCIDYL ETHER), (4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLOROXYDRIN POLYMER), 9., III, EMS: FA,SF.

ICAO/IATA: UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER), (4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLOROXYDRIN POLYMER), 9., III, fish and tree marking may be required (> 5kg/l).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Carcinogenicity

<u>Ingredient</u>	<u>CAS Nbr</u>	<u>Classification</u>	<u>Regulation</u>
diiron trioxide	1309-37-1	Gr. 3: Not classifiable	International Agency for Research on Cancer
Quartz	14808-60-7	Grp. 1: Carcinogenic to humans	International Agency for Research on Cancer

#### Global inventory status

Contact 3M for more information. The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

### 15.2. Chemical Safety Assessment

Not applicable

## SECTION 16: Other information

#### List of relevant H statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

#### List of relevant R-phrases

R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R38	Irritating to skin.
R43	May cause sensitisation by skin contact.
R48/20	Harmful: danger of serious damage to health by prolonged exposure through inhalation.
R51/53	Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

#### Revision information:

Revision Changes:

Section 8: Personal Protection - Skin/body information information was modified.

Section 10: Conditions to avoid physical property information was modified.

Copyright information was modified.

Section 8: Occupational exposure limit table information was modified.

Section 11: Acute Toxicity table information was modified.

Target Organs - Single Table information was modified.  
Section 5: Fire - Extinguishing media information information was modified.  
Section 6: Accidental release clean-up information information was modified.  
Section 8: Personal Protection - Skin/hand information information was modified.  
Section 13: 13.1. Waste disposal note information was modified.  
Section 13: Standard Phrase Category Waste GHS information was modified.  
Section 12: Component ecotoxicity information information was added.  
Section 12: Persistence and Degradability information information was added.  
Section 12:Biocumulative potential information information was added.  
Section 12: Component Ecotoxicity table Material column header information was added.  
Section 12: Component Ecotoxicity table CAS No column header information was added.  
Section 12: Component Ecotoxicity table Organism column header information was added.  
Section 12: Component Ecotoxicity table Type column header information was added.  
Section 12: Component Ecotoxicity table Exposure column header information was added.  
Section 12: Component Ecotoxicity table End point column header information was added.  
Section 12: Component Ecotoxicity table Result column header information was added.  
Section 12: Persistence and degradability table Material column header information was added.  
Section 12: Persistence and degradability table CAS No column header information was added.  
Section 12: Persistence and degradability table Test Type column header information was added.  
Section 12: Persistence and degradability table Duration column header information was added.  
Section 12: Persistence and degradability table Test Result column header information was added.  
Section 12: Persistence and degradability table Protocol column header information was added.  
Section 12:Biocumulative potential table Material column header information was added.  
Section 12:Biocumulative potential table CAS No column header information was added.  
Section 12:Biocumulative potential table CAS No column header information was added.  
Section 12:Biocumulative potential table Test Result column header information was added.  
Section 12:Biocumulative potential table Protocol column header information was added.  
Section 12:Biocumulative potential table Test Type column header information was added.  
Section 8: Personal Protection - Eye information information was added.  
Section 8: Personal Protection - Respiratory Information information was added.  
Section 12: Persistence and degradability table Study Type column header information was added.  
Section 12:Biocumulative potential table Test Type column header information was added.  
Section 10: Hazardous decomposition products during combustion text information was added.  
Section 11: Disclosed components not in tables text information was added.  
Section 8: Eye/face protection text information was deleted.  
Section 8: Respiratory protection - recommended respirators information was deleted.  
Section 8: Skin protection - protective clothing text information was deleted.  
Prints No Data if Component ecotoxicity information is not present information was deleted.  
Prints No Data if Persistence and Degradability information is not present information was deleted.  
Prints No Data if Biocumulative potential information is not present information was deleted.  
Section 8: mg/m<sup>3</sup> key information was deleted.  
Section 8: ppm key information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**3M United Kingdom MSDSs are available at [www.3M.com/uk](http://www.3M.com/uk)**