



1. IDENTIFICATION OF PRODUCT AND MANUFACTURER

Centrecoat ProStrip specialist paint and surface coating remover.

2. COMPOSITION: HAZARDOUS INGREDIENTS

Ingredient	EU No.	CAS No.	%	Classification
BENZYL ALCOHOL	202-859-9	100-51-6	25-50%	[Xn] R20/22

3. HAZARD IDENTIFICATION

Main hazards: Harmful by inhalation and if swallowed.

4. FIRST AID MEASURES

Symptoms:

Skin contact:

Eye contact:

Ingestion:

Inhalation:

Action:

Skin contact:

Eye contact:

Ingestion:

Inhalation:

There may be mild irritation at the site of contact.

There may be irritation and redness.

There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.

Absorption through the lungs can occur causing symptoms similar to those of ingestion.

Wash immediately with plenty of soap and water.

Bathe the eye with running water for 15 minutes.

Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Transfer to hospital as soon as possible.

Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

5. FIRE FIGHTING MEASURES

Extinguishing media:

Exposure hazards:

Protection of fire-fighters:

Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

In combustion emits toxic fumes.

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. LEAK AND SPILL PROCEDURE

Personal precautions:

Environmental precautions:

Clean-up procedures:

Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

Do not discharge into drains or rivers. Contain the spillage using bunding. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

7. HANDLING AND STORAGE

Handling requirements:

Storage conditions:

Suitable packaging:

Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

Store in cool, well ventilated area. Keep container tightly closed.

Polyethylene. Must only be kept in original packaging.

8. PERSONAL PROTECTION & EXPOSURE CONTROLS

Engineering measures:

Ensure there is sufficient ventilation of the area.



Respiratory protection:
Hand protection:
Eye protection:
Skin protection:

Always ensure there is sufficient ventilation of the area.
Protective gloves. Gloves (solvent-resistant).
Tightly fitting safety goggles. Face-shield. Ensure eye bath is to hand.
Solvent resistant protective clothing.

9. PHYSICAL DATA

State:	Liquid
Colour:	White
Odour:	Barely perceptible odour
Evaporation rate:	Slow
Solubility in water:	Soluble
Viscosity:	Viscous

10. STABILITY & REACTIVITY DATA

Stability:	Stable under normal conditions.
Conditions to avoid:	Heat. used between 5 to 25 degree centigrade.
Materials to avoid:	Strong oxidising agents. Strong acids.
Hazardous decomp. products:	In combustion emits toxic fumes.

11. TOXICOLOGICAL

Hazardous ingredients:	BENZYL ALCOHOL IVN RAT LD50 53 mg/kg ORL MUS LD50 1360 mg/kg ORL RAT LD50 1230 mg/kg
Routes of exposure:	Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. ECOLOGICAL INFORMATION

Mobility:	Readily absorbed into soil.
Persistence and degradability:	Biodegradable.
Bioaccumulative potential:	No bioaccumulation potential.
Other adverse effects:	Negligible ecotoxicity.

13. WASTE DISPOSAL

Disposal operations:	Dispose via authorised waste disposal contractor to an approved waste disposal site.
Disposal of packaging:	Dispose of as normal industrial waste.
NB:	The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. TRANSPORT INFORMATION

ADR / RID UN no:	Not required
IMDG / IMO UN no:	Not required
IATA / ICAO UN no:	Not required

15. REGULATORY INFORMATION

Hazard symbols:	Harmful.
Risk phrases:	R20/22: Harmful by inhalation and if swallowed.
Safety phrases:	S2: Keep out of the reach of children. S46: If swallowed, seek medical advice immediately and show this container or label. S23: Do not breathe fumes.

Centrecoat™

ProStrip



promain
UK LTD

Safety Data Sheet

Hazardous ingredients (label):

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.
S51: Use only in well-ventilated areas.
BENZYL ALCOHOL

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. OTHER INFORMATION

Risk phrases used in s.3: R20/22: Harmful by inhalation and if swallowed.

The information contained in this MSDS corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the technical Data Sheet prior to use.