

## SAFETY DATA SHEET

## Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Regulation (EU) No. 2015/830 - United Kingdom (UK)

# Centrecoat MMA Smooth Screed Catalyst

Page 1/8

Revision 1 Revision date 2019-10-29

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Centrecoat MMA Smooth Screed Catalyst
CAS No.	94-36-0
EC No.	202-327-6
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [PC9a] Coatings and paints, thinners, paint removers;
	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;
1.3. Details of the supplier of	the safety data sheet
Company	Promain UK Limited
Address	C1 Pierson Court
	Knowl Piece, Hitchin
	Hertfordshire
	SG4 0TY
Web	www.promain.co.uk
Telephone	01462 421333
Fax	-
Email	info@promain.co.uk
Email address of the competent person	
1.4. Emergency telephone nu	umber
Emergency telephone	01462 421333
number	8.30am - 5.30pm Mon - Thurs. 8.30am - 4.30pm Fri
SECTION 2: Hazards ide	ntification
2.1. Classification of the subs	stance or mixture
2.1.2. Classification - EC	Self-react. CD: H242; Skin Sens. 1: H317; Eye Irrit. 2: H319; Repr. 2: H361f; Aquatic Acute 1:
1272/2008	H400;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Self-react. CD: H242 - Heating may cause a fire. Skin Sens. 1: H317 - May cause an allergic skin reaction.

2.2. Label elements	
Z.Z. Laber elements	
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Repr. 2: H361f - Suspected of damaging fertility.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
Precautionary Statement:	P201 - Obtain special instructions before use.
Prevention	P202 - Do not handle until all safety precautions have been read and understood.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P220 - Keep/Store away from clothing//combustible materials.
	P234 - Keep only in original container.
	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash thoroughly after handling.
	P272 - Contaminated work clothing should not be allowed out of the workplace.
	P273 - Avoid release to the environment.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P308+P313 - IF exposed or concerned: Get medical advice/attention.
	P321 - Specific treatment (see on this label).
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P370+P378 - In case of fire: Use to extinguish.
	P391 - Collect spillage.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	P405 - Store locked up.
0-	P411 - Store at temperatures not exceeding °C/°F.
	P420 - Store away from other materials.
Precautionary Statement:	P501 - Dispose of contents/container to
Disposal	

#### SECTION 3: Composition/information on ingredients

3.1. Substances

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Dibenzoyl Peroxide & Dicyclohexyl phthalate blend (Dibenzoyl peroxide)		94-36-0	202-327-6	01-2119511472-50		Self-react. CD: H242; Skin Sens. 1: H317; Eye Irrit. 2: H319; Repr. 2: H361f; Aquatic Acute 1: H400;

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Rinse mouth thoroughly. DO NOT INDUCE VOMITING. Immediately call a poison center.
4.2. Most important sympto	ms and effects, both acute and delayed
Inhalation	Irritating to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause sensitisation by skin contact.
Ingestion	Ingestion may cause nausea and vomiting.

4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions. Carbon dioxide (CO2). Dry chemical. Foam. Sand. Water spray. Do NOT use halones.
5.2. Special hazards arising from	the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear self-contained breathing apparatus. If involved in a fire, this will support combustion. Dust explosion hazard. Caution: reignition may occur. Do not allow runoff water to enter sewers or drains.
SECTION 6: Accidental relea	ise measures
6.1. Personal precautions, protections	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Avoid contact with skin and eyes. Do not breathe dust.
6.2. Environmental precautions	
	Do not allow product to enter drains. Prevent further spillage if safe.
6.3. Methods and material for co	ntainment and cleaning up
	Sweep up. Eliminate all sources of ignition. Dispose of this material and its container to hazardous or special waste collection point.
6.4. Reference to other sections	
	See section 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handlin	9
	Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Avoid formation of dust. Avoid release to the environment. Refer to special instructions/Safety data sheets. Avoid sparks, flames, heat and sources of ignition. Do not breathe dust. Eliminate all sources of ignition. Wear suitable gloves. Wear suitable respiratory equipment when necessary.
7.2. Conditions for safe storage,	including any incompatibilities
	Keep in a cool, dry, well ventilated area. Avoid release to the environment. Refer to special instructions/Safety data sheets. Do NOT mix with any other product. Handle and open container with care. Keep away from food, drink and animal feedingstuffs. Keep away from heat. Keep away from incompatible materials. Keep away from sources of ignition - No smoking. Keep container dry. Keep container tightly closed. Keep locked up and out of the reach of children. Keep only in the original container. Protect from frost.
7.3. Specific end use(s)	
	See section 1.2 for further information.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	

8.1.1. Exposure Limit Values		
Resbuild MMA Smoothscreed - Catalyst (Dibenzoyl peroxide)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
8.2. Exposure controls		
8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working	ng area.
8.2.2. Individual protection measures	Wear protective clothing.	
Eye / face protection	Wear suitable protective clothing and eye	e/face protection.
Skin protection - Handprotection	Wear suitable gloves.	
Respiratory protection	Suitable respiratory equipment.	
8.2.3. Environmental exposure controls	Do not allow product to enter drains.	

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Powder
Colour	White
Odour	Slight
Odour threshold	No data available
pН	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.23 (H2O = 1 @ 20 °C)
Fat Solubility	No data available
Partition coefficient	Not applicable.
(n-octanol/water) Partition coefficient	Not applicable
Autoignition temperature	
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	
Solubility	Insoluble in water

9.2. Other information

9.2. Other information	
SADT	55 °C
Conductivity	No data available
Surface tension	No data available
Bulk Density	No data available
Gas group	No data available
Benzene Content	0 %
Lead content	0 %
VOC (Volatile organic compounds)	0 g/l
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
	Stable under normal conditions.
10.2. Chemical stability	
	Decomposition will start at 55°C.
10.3. Possibility of hazardous rea	actions
	Heavy Metals. Acids. Alkalis. Reducing agents.
10.4. Conditions to avoid	
	Avoid formation of dust. Avoid sparks, flames, heat and sources of ignition.
10.5. Incompatible materials	
	Rust, Iron, Copper.
10.6. Hazardous decomposition	products
	Benzoic Acid, Benzene.
SECTION 11: Toxicological i	nformation
11.1. Information on toxicologica	I effects
Skin corrosion/irritation	May cause irritation to skin.
Serious eye damage/irritation	May cause irritation to eyes.
Respiratory or skin sensitisation	May cause sensitisation by skin contact.
Germ cell mutagenicity	No Significant Hazard.
Carcinogenicity	No Significant Hazard.
Aspiration hazard	No Significant Hazard.
Repeated or prolonged exposure	Suspected of damaging fertility.
11.1.4. Toxicological Information	
Dibenzoyl Peroxide & Dicyclohexyl phthalate blend	<b>Oral Rat LD50:</b> >5,000mg/kg
SECTION 12: Ecological info	rmation
12.1. Toxicity	
Dibenzoyl Peroxide &	Daphnia EC50/48h:         0.1100 mg/l         Algae IC50/72h:         0.0600 mg/l
Dicyclohexyl phthalate blend	Fish LC50/96h: 0.0600 mg/l
12.2. Persistence and degradab	lity

No data is available on this product.

Subsidiary risk

-

12.3. Bioaccumulative potential	
	BCF 66.6.
Partition coefficient	
	Centrecoat MMA Smooth Screed Catalyst Not applicable.
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6. Other adverse effects	
	Very toxic to aquatic organisms.
SECTION 13: Disposal cons	iderations
General information	
	16 09 03 peroxides, for example hydrogen peroxide.
	Dispose of in compliance with all local and national regulations. This material and its container must be disposed of as hazardous waste.
Disposal methods	
	Dispose of this material and its container to hazardous or special waste collection point. The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Waste packaging should be recycled if possible. Incineration should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned. Empty containers or liners may still contain residue. Avoid dispersal of spilt material and runoff and contact sith soil, waterways, drains and sewers.
Disposal of packaging	
	Do NOT mix with any other product. Do not pierce or burn, even after use. Do NOT reuse empty containers. This material and its container must be disposed of as hazardous waste.
SECTION 14: Transport info	rmation
Hazard pictograms	
	52
14.1. UN number	
	UN3106
14.2. UN proper shipping name	
	ORGANIC PEROXIDE, TYPE D, SOLID (Dibenzoyl Peroxide)
14.3. Transport hazard class(es)	
ADR/RID	5.2

	Revision date 2019-10-2
14.3. Transport hazard class(es	)
IMDG	5.2
Subsidiary risk	] -
ΙΑΤΑ	5.2
Subsidiary risk	-
14.4. Packing group	
Packing group	-
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code
	For further advise contact manufacturer.
ADR/RID	
Hazard ID	-
Tunnel Category	(D)
IMDG	
EmS Code	F-J S-R
IATA	·
Packing Instruction (Cargo)	570
Maximum quantity	10 kg
Packing Instruction	570
(Passenger)	
Maximum quantity	5 kg
Further information	r
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory int	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC
15.2. Chemical safety assessme	and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
•	This product contains substances for which Chemical Safety Assessments are still required.

#### SECTION 16: Other information

#### Other information

		in n	
- NC	via	ion	

This document differs from the previous version in the following areas:. 4 - Eye contact.

 Revision
 1

 Revision date
 2019-10-29

Other information	
Text of Hazard Statements in	Self-react. CD: H242 - Heating may cause a fire.
Section 3	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Repr. 2: H361f - Suspected of damaging fertility.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
Maximum content of VOC	0 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.